


**GREEN LIGHT CONQUEST INDOOR & OUTDOOR PEST CONTROL****Fast-Acting Long-Lasting Non-Staining Water-Based Ready-To-Use****FOR USE IN AND AROUND THE HOME  
AND ON ORNAMENTAL SHRUBS AND FLOWERS****Provides 60 Day (2 Month) Control Of Cockroaches And Fleas****Controls Fleas And Ticks On Dogs For 35 Days****For Residential Use Only****FOR CONTROL OF INSECT PESTS INCLUDING: ANTS (including Pharaoh (sugar),  
Odorous House, Fire, Pavement, Red Harvester, Carpenter), APHIDS, CENTIPEDES,  
CRICKETS, FLEAS, FLIES, GNATS, JAPANESE BEETLES, LACE BUGS,  
MOSQUITOS, ROACHES (including German, Brown Banded, Smoky Brown, American),  
SCORPIONS, SPIDERS, SPIDER MITES, AND TICKS.****ACTIVE INGREDIENT:**

Permethrin\*..... 0.25%

**INERT INGREDIENTS..... 99.75%****TOTAL 100.00%**

\* (3-phenoxyphenyl) methyl(±) cis/trans 3-(2,2-dichloroethenyl)  
2,2-dimethylcyclopropanecarboxylate.

Cis/trans ratio: Min. 35% (±) cis  
Max. 65% (±) trans



Conquest is a registered trademark of Green Light Company

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

**See Side Panel For Additional Precautionary Statements**

Manufactured by Southwest Contract Packaging for Green Light Sales Company,  
P.O. Box 17985, San Antonio, TX 78217-0985    [www.greenlightco.com](http://www.greenlightco.com)

EPA Reg. No. 869- 234

EPA Est. No. 73273-TX-1

Net Contents One Quart (0.946 liters)

---

(Back or Side Panel)

**READ ENTIRE LABEL BEFORE EACH USE**

**USE ONLY ON DOGS**

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**CAUTION:** Wash thoroughly after handling and before smoking or eating. Avoid contamination of feed and foodstuffs. Remove pets and birds and cover fish aquaria before surface applications. Do not use on humans. Do not allow children or pets to contact treated areas until surfaces are dry.

## FIRST AID

- |                               |  |
|-------------------------------|--|
| <b>If inhaled</b>             | <ul style="list-style-type: none"> <li>. Move person to fresh air.</li> <li>. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li> <li>. Call a poison control center or doctor for further treatment advice.</li> </ul>  |
| <b>If on skin or clothing</b> | <ul style="list-style-type: none"> <li>. Take off contaminated clothing.</li> <li>. Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>. Call a poison control center or doctor for treatment advice.</li> </ul>  |
| <b>If in eye</b>              | <ul style="list-style-type: none"> <li>. Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>. Call a poison control center or doctor for treatment advice.</li> </ul>  |
| <b>If swallowed</b>           | <ul style="list-style-type: none"> <li>. Call a poison control center or doctor immediately for treatment advice.</li> <li>. Have person sip a glass of water if able to swallow.</li> <li>. Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>. Do not give anything by mouth to an unconscious person.</li> </ul> |

## HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact Green Light Company at (210) 494-3481 for general information and/or medical information.

**ENVIRONMENTAL HAZARDS:** This product is extremely toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

**DIRECTIONS FOR USE:** It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **SHAKE WELL BEFORE USING.**

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Do not reuse container. Wrap container in several layers of newspaper and discard in trash.

**INDOOR USE:** For control of Cockroaches (including German, Brown Banded, Smoky Brown, American), Waterbugs, Palmetto Bugs, Scorpions, Millipedes, Centipedes, Pillbugs (Sowbugs), Ants (including Pharaoh (Sugar), Odorous House, Fire Carpenter), Silverfish, Firebrats, Spiders, Flies, Gnats, Mosquitos, Crickets, Clover Mites, Cheese Mites, Granary Weevils, Rice Weevils, Confused Flour Beetles, Rust Red Flour Beetles, Drugstore Beetles, Meal Worms, Grain Mites and Cadelles. Direct the spray into hiding places, cracks and crevices; behind shelves and drawers; along baseboards, beneath and behind sinks, stoves, refrigerators and cabinets; around plumbing and other utility installations, around doors, windows and wherever these pests may find entrance. For silverfish, spray bookcases. For ants, spray trails, nests and points of entry. Repeat treatment as needed.

To control **Carpet Beetles:** Spray edges of carpeting and under carpeting and rugs. Make localized application to floor and baseboards. Spray directly into cracks, crevices and infested areas of shelves. Repeat treatment as needed.

To control **Bedbugs:** Spray mattresses lightly, particularly around tufts and seams. Take beds apart and spray in all joints. Treat baseboards, moldings and floors. Repeat treatment as needed.

To control **Fleas** (adults and larvae) and **Ticks** (adults and larvae): Thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, moldings, window and door frames and entire areas of floor and floor covering. Fresh bedding should be placed in animal quarters following treatment. Repeat treatment as needed. Allow to dry thoroughly before allowing pets to contact treated areas.

To control **Clothes Moths:** Remove any infested articles from storage, brush thoroughly and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storage, directing the spray into cracks, joints and crevices. After airing, infested articles may be treated lightly, keeping nozzle at least three feet from fabric to avoid staining.

To kill **Lice** and **Louse Eggs:** Spray in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying, then proceed to spray entire area to be treated. Spray from a distance of 8 to 10 inches. Treat only those garments and parts of bedding, including mattresses and furniture that cannot be either laundered or dry cleaned. Allow all treated articles to dry thoroughly before use.

**FOR USE ON DOGS:** To control **Fleas, Ticks** and **Lice:** Start spraying at the tail, moving the dispenser rapidly and making sure that the animal's entire body is covered, including the legs

and underbody. While spraying, fluff the hair so that the spray will penetrate to the skin. Make sure spray wets thoroughly, but do not saturate animal. Do not spray into eyes or face. avoid contact with genitalia. Reapply every 35 days.

Consult a veterinarian before using this product on debilitated, aged, pregnant, medicated or nursing animals. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

**NOTE: Do not use on dogs under 12 weeks. DO NOT USE ON CATS OR KITTENS.**

**FOR USE ON ORNAMENTAL SHRUBS AND FLOWERS:** For use on roses, dahlia, asters and other ornamentals to kill **Japanese Beetles** hit by spray as well as **Whiteflies, Aphids, Exposed Thrips, Spiders, Red Spider Mites and Leafminers**. May be used on plants as a multi-purpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas.

May also be used on other plants such as African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, dahlias, delphiniums, dogwoods, English ivy, eunonymus, fuschia, geraniums, crassula, grape vines, Kentia palms, laurels, marigolds, rhododendrons, roses, rubber plants, snapdragons, stocks, wandering Jews and zinnias.

Effective when used as directed against **Whiteflies, Aphids, Spider Mites, Exposed Thrips, Lace Bugs, Japanese Beetles, Ants, Armyworms, Codling Moth, Leafhoppers, Cucumber Beetles, Leafrollers, Cabbage Looper, and Webworms**.

When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90 F. Contact insects directly whenever possible. Repeat treatment as infestations occur.

**Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith.**

**For Product Use Information Or In Case Of An Emergency, Call (210)494-3481.**