869-23	8-4	9-2001		
Strange Land	U.S. ENVIRONMENTAL PROTECTION A Office of Pesticide Programs Registration Division (H7505C) 1200 Pennsylvania Avenue, NW Washington, D.C. 20460		EPA Reg. Number: 869-236	Date of Issuance: AUG 9 2001
Revial ANOTECTOR	NOTICE OF PESTICIDE: <u>x</u> Registration Reregistration		Term of Issuance: Unconditional	
			Name of Pesticide Product:	
(under FIFRA, as amer			Green Light Roach, Ant & Spider Control	
	Registrant (include ZIP Code);			
Green Light Ho P.O. Box 17985 San Antonio, T	·			
Note: Changes in labeli	ng differing in substance from that accepted in connect or to use of the label in commerce. In any corresponde			
Fungicide and Rodentic to protect health and the with the Act. The accep	ion furnished by the registrant, the above named pestic ide Act. Rogistration is in no way to be construed as ar environment, the Administrator, on his motion, may at tance of any name in connection with the registration of the name or to its use if it has been covered by others.	endorsement or reco any time suspend or	ommendation of this pro cancel the registration o	duct by the Agency. In order f a pesticide in accordance
This product to the comment	ct is <u>unconditionally</u> registered in t listed below:	accordance	with FIFRA se	c. 3(c)(5), subject
	delete the statements "Repeat tre eek" or explain why the product n cacy.	_	-	
b. Submi	t corrosion characteristics results	when compl	eted.	
product for shi	mit two (2) copies of your final p pment. Please refer to the A-79 beling. Your release for shipmer	enclosure for	a further desc	ription of
Signature of Approving George T. LaF			Date: AUG	9 2001
EPA Form 8570-6			<u> </u>	

1/8

27505C SPR577 108/09/01

1

1

labeling constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

If you have any questions regarding this action, please contact Dr. William Sproat of my team at (703) 308-8587.

Sincerely

George T. LaRocca Product Manager 13 Insecticide Branch Registration Division (7505C)

Enclosure

GREEN LIGHT ROACH, ANT & SPIDER CONTROL

CONTAINS DELTA GEL

For Indoor and Outdoor Use Ready-To-Use Water-Based

Odorless Non-Staining Keeps Killing for up to 120 Days Spray Gel Formula

> Long-Lasting Kills on Contact Kills Fast

Controls Many Flying and Crawling Insect Pests Including: Ants, Aphids, Crickets, Carpenter Ants, Fleas, Gnats, Houseflies, Japanese Beetles, Mosquitos, Roaches, Silverfish, Scorpions, Spiders, Ticks, Whiteflies and many more listed pests.

ACTIVE INGREDIENT:

Ĺ

l

Deltamethrin [(s)-alpha-cyano-3-phenoxybenzyl(1R, 3R)-3-	
(2,2-dibromovinyl)-2,2-dimethyl cyclopropanecarboxylate	0.02%
OTHER INGREDIENTS	<u>99.98%</u>
	105 000/

100.00%

ACCEPTED THE COMMENTS In KPA Letter Dated

KEEP OUT OF REACH OF CHILDREN CAUTION

See Back Panel For Additional First Aid

EPA Reg. No. 869-ECA EPA Est. No. 72273-TX-1

Net Contents One Quart (0.946 liters)

Manufactured for Green Light Sales Company by Southwest Contract Packaging, P.O. Box 17985, San Antonio, TX 78217-0985

(Back or Side Panel)

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Contact with product may result in transient tingling and reddening of the skin. Avoid contact with skin or clothing.

9 AUG 2001

Under the Federal Insecticide, Fungieide, and Rodenticide Act amended, for the pesticide intered under EPA fleg. No.

236

36 q

FIRST AID			
If on skin or clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. 		
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 		

PRODUCT INFORMATION

(

l

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact Green Light Company at (210)494-3481 for general information and/or medical information.

ENVIRONMENTAL HAZARDS: This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water. Do not contaminate water when disposing of washwater or rinsate. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

PHYSICAL OR CHEMICAL HAZARDS: Do not apply this product in or on electrical equipment due to possibility of shock hazard.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry area away from children. Protect from freezing (store above 32 F). If freezing occurs, allow product to thaw and shake well before using. Freezing does not adversely affect the product.

Container Disposal: Do not reuse empty container. Wrap in several layers of newspaper and discard in trash.

GENERAL INFORMATION: Hold container upright. Do not spray up into air. Apply to surfaces only as a spot and crack and crevice treatment. Turn spray nozzle to "on" position. Hold approximately 12 inches from surface to be sprayed. Squeeze trigger to spray until surface is slightly moist.

Green Light Roach, Ant & Spider Control's long-lasting action keeps on killing for up to 120 days. Contact kill gives you immediate results when spraying insects directly, while residual activity kills insects when they return to treated areas. Green Light Roach, Ant & Spider Control will not stain surfaces or fabrics.

Green Light Roach, Ant & Spider Control is intended to be used in and around residences and their immediate surroundings such as (but not limited to): apartments, atriums, attics, automobiles, basements, bathrooms, boats, cabins, campers, carports, condominiums, decks, dens, driveways, garages, homes, kitchens, living rooms, patios, play rooms, porches, recreational vehicles, storage areas and utility rooms. Do not use in commercial food handling establishments, restaurants or other places where food is commercially prepared or processed.

INDOORS

ł

Cockroaches(including adult and immature stages of both non-resistant and organophosphate and carbamate resistant strains), ants, boxelder bugs, centipedes, crickets, dermestids, firebrats, fleas, palmetto bugs, silverfish, sowbugs (pillbugs), ticks and waterbugs: Apply as a spot and crack and crevice treatment to areas where these pests crawl and hide, especially in hidden areas around sinks and storage areas, behind baseboards, around doors and windows, behind and under refrigerators, cabinets, sinks and stoves, the underside of shelves, drawers, bookcases and similar areas. Cover all food handling surfaces and cover or remove all food and cooking utensils or wash thoroughly after treatment. Exposed food should be covered or removed. Repeat as necessary but not more than once per week.

Ants: Spray ant trails and around doors and windows and other places where ants enter the house. Repeat as necessary but not more than once per week.

Carpenter Ants: For effective control, locate and treat nests and surrounding areas. Apply around doors and windows and other places where ants enter premises and where they crawl and hide. Spray into infested wood through existing openings.

Ticks and Fleas on Surfaces: Remove pet bedding and destroy or clean thoroughly. Spray pet resting quarters. Adult fleas and larvae contacted by spray will be killed. Put fresh bedding down once spray has dried. Do not spray animals directly. For best results, pets should be treated with an appropriate flea and/or tick control product registered for use on pets before allowing them to

6 6 8 4 6 6 3 return to the treated area. Spray rugs and carpets where infestations are bad. Delicate fabrics should be tested for staining in an inconspicuous area prior to use.

Spiders: Apply along and behind baseboards, to window and door frames, corners, pipes, storage localities, attics, crawl spaces and other areas over which these pests may crawl.

Centipedes, Ground Beetles, Pillbugs, Scorpions and Ticks: Apply around doors and windows and other places where these pests may enter premises. Treat baseboards, storage areas and other locations where these pests are found.

Carpet Beetles(black, furniture and varied): Spray on and under edges of floor coverings, under rugs and furniture and in closets or other localities where these insects are found.

Webbing Clothes Moths: Use this product as a crack and crevice treatment in closets and other storage areas where these pests are found. This is an adjunct treatment and will not control moth larvae already on clothes. Do not apply to clothing.

Bedbugs: Remove linens and wash before reuse. Lightly spray mattresses, especially tufts, folds and edges. Apply to the interior of the frame. Allow to dry before remaking bed.

FLYING INSECTS: Houseflies, gnats, mosquitos and small flying moths: Spray localized resting areas, such as under eaves, porches, inside surfaces of window and door frames, surfaces around light fixtures and cords, railings, etc. and anywhere these insects may rest. Insects coming to rest on treated surfaces will be killed.

HORSE STABLES: To control stable flies, horn flies, house flies, face flies, horse flies, deer flies, mosquitos and gnats. Apply thoroughly to surfaces until wet. Insects coming to rest on treated surfaces will be killed or repelled. Repeat treatment as necessary but not more than once per week. Do not spray animals or humans, or apply to animal feed or watering equipment.

PANTRY PESTS: Grain beetles (rusty, merchant and saw-toothed), flour beetles (red and confused), chocolate moths, cigarette beetles, clover mites, cluster flies, drugstore beetles, elmleaf beetles, rice weevils, lesser grain borers, spider beetles and tobacco moths: Treat exposed stages. Remove all foodstuffs, utensils and shelf paper from area to be treated. Discard used shelf paper and any infested foodstuffs. Apply spray to shelves and in cracks and crevices behind and under cupboards and cabinets. Allow to dry prior to replacement of shelf paper, food and utensils. Wash any exposed food handling surfaces and utensils before use.

OUTDOORS

ł

Point sprayer away from face. Hold sprayer on a slight downward angle, approximately 12 inches from surface to be sprayed. Spray with wind if breeze is blowing. Do not contaminate fish ponds or apply directly to water.

PESTS ON OUTSIDE SURFACES OF BUILDINGS: For control of building infestation to . ants, clover mites, crickets and sowbugs (pillbugs). Spray foundation of building where insects are active and may find entrance up to a height of 2 to 3 feet. Apply to outside surfaces of buildings where insects tend to congregate. Spray areas include (but are not limited to) screens, window frames, eaves, porches, patios, garages and refuse dumps. Repeat treatment as necessary

> 8 **4** 9 5 4 5 4 5

but not more than once per week.

1

CRAWLING INSECTS: Ants, cockroaches (including Asian cockroaches), centipedes, crickets, mole crickets, water bugs and silverfish. Spray infested surfaces of patio or picnic area. Also spray legs of tables and chairs.

Ants: Spray freely around ant trails and hills. Spray around nests hidden under steps, brickwork, concrete, etc. Break apart accessible nests and spray freely on and around debris. Repeat as necessary but not more than once per week.

Lone Star Ticks, Dog Ticks, Crickets and Fleas: Apply thoroughly to infestation in bushes, grass or weeds.

Wasps, Hornets, Yellow Jackets and Bees: Spray nests and other surfaces where bees may rest. Aim spray at nest openings. Applications should be made late in the evening when insects are at rest.

FLYING INSECTS: Houseflies, gnats, mosquitos and small flying moths: Spray outside surfaces of window and door frames and other areas where these pests may enter the home. Also spray localized resting areas, such as under eaves, porches, surfaces around light fixtures and cords, railings, etc. where these insects may rest. Insects coming to rest on treated surfaces will be killed.

TERMITES, CARPENTER ANTS AND CARPENTER BEES (for localized control only). Apply Green Light Roach, Ant & Spider Control to voids or channels in damaged wood of a structure, or to cracks, crevices and spaces in and between wooden portions of a structure or between wood and the foundation, in locations vulnerable to attack such as crawl spaces. Retreat if needed but not more than once per week.

For termites, the purpose of such applications is to kill workers or winged forms which may be present in the treated areas at the time of application. Not recommended as sole protection against termites. For active infestations, get a professional inspection. Such applications are not a substitute for mechanical alteration, soil treatment or foundation treatment but are merely a supplement. For severe termite infestation, contact a professional pest control operator in your area.

HOUSE PLANTS: To control aphids, Japanese beetles, lace bugs, leafminers, mealybugs, mites and spider mites on house plants. Prior to spraying, remove plants from living and eating areas. Put in an area not likely to come in contact with pets, children or food. Plants can be returned to original location when leaves dry. If plants cannot be moved, cover or remove exposed food and food handling surfaces. Avoid spraying surrounding areas. Apply spray to upper and lower surfaces of foliage. Avoid wetting blossoms if possible. Repeat applications as necessary but not more than once per week.

FOR CONTROL OF ORNAMENTAL GARDEN INSECTS: For use on roses, dahlias, asters, African violets, azaleas, begonias, camellias, carnations, chrysanthemums, delphiniums, . dogwood, English ivy, euonymus, fuschia, geraniums, crassula, grape vine, Kentia palm, laurel, marigolds, thododendrons, rubber plants, snapdragons, stocks, wandering Jews, zinnias and other ornamentals to kill Japanese beetles hit by spray, as well as whiteflies, aphids, armyworms, lace bugs, mealybugs, exposed thrips, pavement ants, spiders, spider and red

> 4 4 4 4 4 4 4 4 4

mites, clover mites and leafminers. May be used on plants, as well as a multi-purpose spray in small ornamental gardens and for spot treatments to prevent insects from spreading into large garden areas. When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90 F. DO NOT apply to vegetable plants or other plants used for food. Spray insects directly whenever possible. Repeat treatment as necessary but not more than once per week.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

(