

	United States Environmental Protection Agency Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number
	Application for Pesticide - Section I		
	1. Company/Product Number 869-236	2. EPA Product Manager LaRocca	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Green Light Roach, Ant & Spider Control	PM# 13		
5. Name and Address of Applicant (Include ZIP Code) Green Light Company P.O. Box 17985 San Antonio, TX 78217-0985 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____		

Section - II	
<input type="checkbox"/> Amendment - Explain below. <input type="checkbox"/> Resubmission in response to Agency letter dated _____ <input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____ <input type="checkbox"/> "Me Too" Application. <input type="checkbox"/> Other - Explain below.
NOTIFICATION FEB 28 2003	
<p>Explanation: Use additional page(s) if necessary. (For section I and Section II.)</p> <p>Notification of label change relative to PR Notice 2001-6. This notification is consistent with the guidance in PR Notice 2001-6 and the requirements of EPA's regulations at 40 CFR 156.10 and 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the guidance of PR Notice 2001-6 and the requirements of 40 CFR 156.10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.</p>	

Section - III			
1. Material This Product Will Be Packaged In:			
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No If "Yes" Unit Packaging wgt. No. per container	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No If "Yes" Package wgt No. per container	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted			
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container	5. Location of Label Directions
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph Paper glued Stenciled <input type="checkbox"/> Other _____			

Section - IV			
1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)			
Name Jeff Luedke	Title Dir. Reg. Affrs. Prod. Dev.	Telephone No. (Include Area Code) (210) 494-3481	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.			6. Date Application Received (Stamped)
2. Signature 	3. Title Dir. Reg. Affrs. Prod. Dev.		
4. Typed Name Jeff Luedke	5. Date 2/10/03		

GREEN LIGHT ROACH, ANT & SPIDER CONTROL

CONTAINS DELTA GEL

For Indoor and Outdoor Use Ready-To-Use Water-Based

Odorless Non-Staining Keeps Killing for up to 120 Days Spray Gel Formula

Long-Lasting Kills on Contact Kills Fast

Controls Many Flying and Crawling Insect Pests Including: Ants, Aphids, Crickets, Carpenter Ants, Fleas, Gnats, Houseflies, Japanese Beetles, Mosquitos, Roaches, Silverfish, Scorpions, Spiders, Ticks, Whiteflies and many more listed pests.

ACTIVE INGREDIENT:

Deltamethrin [(s)-alpha-cyano-3-phenoxybenzyl(1R, 3R)-3-(2,2-dibromovinyl)-2,2-dimethyl cyclopropanecarboxylate]..... 0.02%

OTHER INGREDIENTS..... 99.98%
100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back or Side Panel For Additional Precautionary Statements

EPA Reg. No. 869- 236

EPA Est. No. 73273-TX-1

Net Contents One Quart (0.946 liters)

Manufactured for Green Light Company, P.O. Box 17985, San Antonio, TX 78217-0985
www.greenlightco.com (210) 494-3481

(Back or Side Panel)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Contact with product may result in transient tingling and reddening of the skin. Avoid contact with skin or clothing.

NOTIFICATION

FEB 2 8 2003

FIRST AID

If on skin or clothing . Take off contaminated clothing.
 . Rinse skin immediately with plenty of water for 15-20 minutes.
 . Call a poison control center or doctor for treatment advice.

If in eyes . Hold eye open and rinse slowly and gently with water for 15-20 minutes.
 . Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
 . Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the National Pesticide Information Center at 1-800-858-7378 for general information and/or medical information.

ENVIRONMENTAL HAZARDS: This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water. Do not contaminate water when disposing of washwater or rinsate. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

PHYSICAL OR CHEMICAL HAZARDS: Do not apply this product in or on electrical equipment due to possibility of shock hazard.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.



STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry area away from children. Protect from freezing (store above 32 F). If freezing occurs, allow product to thaw and shake well before using. Freezing does not adversely affect the product.

DISPOSAL: If empty-Do not reuse container. Place in trash or offer for recycling if available. If partly filled-Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

GENERAL INFORMATION: Hold container upright. Do not spray up into air. Apply to surfaces only as a spot and crack and crevice treatment. Turn spray nozzle to "on" position. Hold approximately 12 inches from surface to be sprayed. Squeeze trigger to spray until surface is slightly moist.

Green Light Roach, Ant & Spider Control's long-lasting action keeps on killing for up to 120 days. Contact kill gives you immediate results when spraying insects directly, while residual activity kills insects when they return to treated areas. Green Light Roach, Ant & Spider Control will not stain surfaces or fabrics.

Green Light Roach, Ant & Spider Control is intended to be used in and around residences and their immediate surroundings such as (but not limited to): apartments, atriums, attics, automobiles, basements, bathrooms, boats, cabins, campers, carports, condominiums, decks, dens, driveways, garages, homes, kitchens, living rooms, patios, play rooms, porches, recreational vehicles, storage areas and utility rooms. Do not use in commercial food handling establishments, restaurants or other places where food is commercially prepared or processed.

INDOORS

Cockroaches(including adult and immature stages of both non-resistant and organophosphate and carbamate resistant strains), **ants, boxelder bugs, centipedes, crickets, dermestids, firebrats, fleas, palmetto bugs, silverfish, sowbugs (pillbugs), ticks and waterbugs:** Apply as a spot and crack and crevice treatment to areas where these pests crawl and hide, especially in hidden areas around sinks and storage areas, behind baseboards, around doors and windows, behind and under refrigerators, cabinets, sinks and stoves, the underside of shelves, drawers, bookcases and similar areas. Cover all food handling surfaces and cover or remove all food and cooking utensils or wash thoroughly after treatment. Exposed food should be covered or removed. Repeat as necessary but not more than once per week.

Ants: Spray ant trails and around doors and windows and other places where ants enter the house. Repeat as necessary but not more than once per week.

Carpenter Ants: For effective control, locate and treat nests and surrounding areas. Apply around doors and windows and other places where ants enter premises and where they crawl and hide. Spray into infested wood through existing openings.

Ticks and Fleas on Surfaces: Remove pet bedding and destroy or clean thoroughly. Spray pet resting quarters. Adult fleas and larvae contacted by spray will be killed. Put fresh bedding down

once spray has dried. Do not spray animals directly. For best results, pets should be treated with an appropriate flea and/or tick control product registered for use on pets before allowing them to return to the treated area. Spray rugs and carpets where infestations are bad. Delicate fabrics should be tested for staining in an inconspicuous area prior to use.

Spiders: Apply along and behind baseboards, to window and door frames, corners, pipes, storage localities, attics, crawl spaces and other areas over which these pests may crawl.

Centipedes, Ground Beetles, Pillbugs, Scorpions and Ticks: Apply around doors and windows and other places where these pests may enter premises. Treat baseboards, storage areas and other locations where these pests are found.

Carpet Beetles(black, furniture and varied): Spray on and under edges of floor coverings, under rugs and furniture and in closets or other localities where these insects are found.

Webbing Clothes Moths: Use this product as a crack and crevice treatment in closets and other storage areas where these pests are found. This is an adjunct treatment and will not control moth larvae already on clothes. Do not apply to clothing.

Bedbugs: Remove linens and wash before reuse. Lightly spray mattresses, especially tufts, folds and edges. Apply to the interior of the frame. Allow to dry before remaking bed.

FLYING INSECTS: Houseflies, gnats, mosquitos and small flying moths: Spray localized resting areas, such as under eaves, porches, inside surfaces of window and door frames, surfaces around light fixtures and cords, railings, etc. and anywhere these insects may rest. Insects coming to rest on treated surfaces will be killed.

HORSE STABLES: To control stable flies, horn flies, house flies, face flies, horse flies, deer flies, mosquitos and gnats. Apply thoroughly to surfaces until wet. Insects coming to rest on treated surfaces will be killed or repelled. Repeat treatment as necessary but not more than once per week. Do not spray animals or humans, or apply to animal feed or watering equipment.

PANTRY PESTS: Grain beetles (rusty, merchant and saw-toothed), flour beetles (red and confused), chocolate moths, cigarette beetles, clover mites, cluster flies, drugstore beetles, elmleaf beetles, rice weevils, lesser grain borers, spider beetles and tobacco moths: Treat exposed stages. Remove all foodstuffs, utensils and shelf paper from area to be treated. Discard used shelf paper and any infested foodstuffs. Apply spray to shelves and in cracks and crevices behind and under cupboards and cabinets. Allow to dry prior to replacement of shelf paper, food and utensils. Wash any exposed food handling surfaces and utensils before use.

OUTDOORS

Point sprayer away from face. Hold sprayer on a slight downward angle, approximately 12 inches from surface to be sprayed. Spray with wind if breeze is blowing. Do not contaminate fish ponds or apply directly to water.

PESTS ON OUTSIDE SURFACES OF BUILDINGS: For control of building infestation to ants, clover mites, crickets and sowbugs (pillbugs). Spray foundation of building where insects are active and may find entrance up to a height of 2 to 3 feet. Apply to outside surfaces of

buildings where insects tend to congregate. Spray areas include (but are not limited to) screens, window frames, eaves, porches, patios, garages and refuse dumps. Repeat treatment as necessary but not more than once per week.

CRAWLING INSECTS: Ants, cockroaches (including Asian cockroaches), centipedes, crickets, mole crickets, water bugs and silverfish. Spray infested surfaces of patio or picnic area. Also spray legs of tables and chairs.

Ants: Spray freely around ant trails and hills. Spray around nests hidden under steps, brickwork, concrete, etc. Break apart accessible nests and spray freely on and around debris. Repeat as necessary but not more than once per week.

Lone Star Ticks, Dog Ticks, Crickets and Fleas: Apply thoroughly to infestation in bushes, grass or weeds.

Wasps, Hornets, Yellow Jackets and Bees: Spray nests and other surfaces where bees may rest. Aim spray at nest openings. Applications should be made late in the evening when insects are at rest.

FLYING INSECTS: Houseflies, gnats, mosquitos and small flying moths: Spray outside surfaces of window and door frames and other areas where these pests may enter the home. Also spray localized resting areas, such as under eaves, porches, surfaces around light fixtures and cords, railings, etc. where these insects may rest. Insects coming to rest on treated surfaces will be killed.

TERMITES, CARPENTER ANTS AND CARPENTER BEES (for localized control only). Apply Green Light Roach, Ant & Spider Control to voids or channels in damaged wood of a structure, or to cracks, crevices and spaces in and between wooden portions of a structure or between wood and the foundation, in locations vulnerable to attack such as crawl spaces. Retreat if needed but not more than once per week.

For termites, the purpose of such applications is to kill workers or winged forms which may be present in the treated areas at the time of application. Not recommended as sole protection against termites. For active infestations, get a professional inspection. Such applications are not a substitute for mechanical alteration, soil treatment or foundation treatment but are merely a supplement. For severe termite infestation, contact a professional pest control operator in your area.

HOUSE PLANTS: To control aphids, Japanese beetles, lace bugs, leafminers, mealybugs, mites and spider mites on house plants. Prior to spraying, remove plants from living and eating areas. Put in an area not likely to come in contact with pets, children or food. Plants can be returned to original location when leaves dry. If plants cannot be moved, cover or remove exposed food and food handling surfaces. Avoid spraying surrounding areas. Apply spray to upper and lower surfaces of foliage. Avoid wetting blossoms if possible. Repeat applications as necessary but not more than once per week.

FOR CONTROL OF ORNAMENTAL GARDEN INSECTS: For use on roses, dahlias, asters, African violets, azaleas, begonias, camellias, carnations, chrysanthemums, delphiniums, dogwood, English ivy, euonymus, fuschia, geraniums, crassula, grape vine, Kertia palm, laurel, marigolds, rhododendrons, rubber plants, snapdragons, stocks, wandering Jews, zinnias and

other ornamentals to kill **Japanese beetles** hit by spray, as well as **whiteflies, aphids, armyworms, lace bugs, mealybugs, exposed thrips, pavement ants, spiders, spider and red mites, clover mites and leafminers**. May be used on plants, as well as a multi-purpose spray in small ornamental gardens and for spot treatments to prevent insects from spreading into large garden areas. When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90 F. **DO NOT apply to vegetable plants or other plants used for food**. Spray insects directly whenever possible. Repeat treatment as necessary but not more than once per week.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

