

869-237

07/24/2001

1/6



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:
869-237

Date of Issuance
JUL 24 2001

NOTICE OF PESTICIDE:

Registration
 Reregistration

(under FIFRA, as amended)

Term of Issuance: Unconditional

Name of Pesticide Product:
Green Light Many Purpose Dust

Name and Address of Registrant (include ZIP Code):

Green Light
Home Garden Products
P.O. Box 17985
San Antonio, TX 78217-0985

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA sec. 3(c)(5). Once a pesticide is registered, however, it is not regarded as permanently acceptable. Registration does not eliminate the need for continual reassessment of pesticides. If the Agency determines that, at any time, additional data are required to maintain in effect an existing registration, the Agency will require submission of such data under FIFRA section (3)(c)(2)(B).

1. Make the following label changes:

- a. Revise the EPA Registration Number to read, "EPA Reg. No. 869-237".
- b. Under DIRECTIONS FOR USE, in the last sentence in the first paragraph, remove the phrase, "but are not limited to:".
- c. Under STORED PRODUCT PESTS, remove the word "not" from the sentence beginning "Exposed food should...".

Signature of Approving Official:

George T. LaRocca
George T. LaRocca, Product Manager 13

Date:

JUL 24 2001

- d. Either delete the "repeat as necessary" and "apply as needed" phrases or include a maximum frequency of application, such as, "...but not more than X times per X" based upon the residual effectiveness of the product.
 - e. Under DIRECTIONS FOR USE add, "Not for use in commercial food/feed handling establishments, restaurants or other establishments where food/feed is commercially prepared, processed or served".
 - f. Under BEDBUGS, add the following phrase to the last sentence: "prior to allowing use of the bed by either people or pets".
 - g. On the front panel, remove termites from the statement beginning "Controls Ants, Fleas...etc" since this claim is not supported. You may revise to "Kills termites".
 - h. Under directions for termites on back panel, delete "...and to impart a temporary resistance at these places to attack which may aid in the prevention of immediate reinfestation" and "This supplemental treatment can be particularly supportive of new construction" since they are not supported with data. In addition, following the statement "such applications are not a substitute...etc" add "For active termite infestations get a professional inspection".
2. Submit two copies of the revised final printed label before you release the product for shipment. Please refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,



George T. LaRocca
Product Manager (13)
Insecticide Branch
Registration Division (7505C)

Enclosure

GREEN LIGHT MANY PURPOSE DUST

CONTAINS DELTA DUST

Indoor/Outdoor Long-Lasting Odorless Non-Staining Kills on Contact

Fast, Effective Kill of Fire Ants No Watering In Treats 30 Fire Ant Mounds

Kills Insects for up to 8 Months Guaranteed to Work or Your Money Back

Controls Ants, Fleas, Ticks, Spiders, Scorpions, Termites and Other Insect Pests

ACTIVE INGREDIENT:

Deltamethrin [(s)-alpha-cyano-3-phenoxybenzyl(1R, 3R)-3-(2,2-dibromovinyl)-2,2-dimethyl cyclopropanecarboxylate..... 0.05%

OTHER INGREDIENTS..... 99.95%

100.00%

KEEP OUT OF REACH OF CHILDREN
CAUTION
 See Back Panel For Additional First Aid

EPA Reg. No. 869- *ECT* EPA Est. No. 73273-TX-1

Net Weight 1 lb. (454 gm)

Manufactured for Green Light Sales Company by Southwest Contract Packaging,
 P.O. Box 17985, San Antonio, TX 78217-0985

ACCEPTED
with COMMENTS
In EPA Letter Dated:
 JUL 24 2001
 Under the Federal Insecticide,
 Fungicide, and Rodenticide Act,
 as amended, for the pesticide
 registered under EPA Reg. No.
869-237

(Back Panel)

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

FIRST AID	
If on skin or clothing	<ul style="list-style-type: none"> . Take off contaminated clothing. . Rinse skin immediately with plenty of water for 15-20 minutes. . Call a poison control center or doctor for treatment advice.
If in eyes	<ul style="list-style-type: none"> . Hold eye open and rinse slowly and gently with water for 15-20 minutes. . Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. . Call a poison control center or doctor for treatment advice.

PRODUCT INFORMATION

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact Green Light Company at (210)494-3481 for general information and/or medical information.

ENVIRONMENTAL HAZARDS: This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water. Use with care when applying in areas adjacent to any body of water. Do not contaminate water when disposing of equipment washwater.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL
<p>Storage: Store product in original container in a cool, dry, locked place out of the reach of children.</p> <p>Container Disposal: Do not reuse empty containers. Wrap in several layers of newspaper and discard in trash.</p>

IMPORTANT: Read the entire Directions for Use, Precautions and Disclaimer of Warranty before using this product. Green Light Many Purpose Dust is a ready-to-use insecticide dust which exhibits effective knockdown and residual control against the pests listed when used according to label directions. Green Light Many Purpose Dust can be used for long-lasting pest control in and around homes and their immediate surroundings. Permitted areas of use include, but are not limited to: animal quarters, apartments, household greenhouses, houses, mobile homes and recreational vehicles and ornamentals. This product is intended for application with a hand duster, or from the container to hiding and runway areas and other places where insects are found.

INDOOR USE: In living areas, make applications in such a manner as to avoid deposits on exposed surfaces or introducing the material into the air. Apply lightly and uniformly to infested areas. Pay particular attention to cracks and crevices, service ducts, false floors and ceilings, wall voids, around electrical and telephone fittings and equipment, around water and sewer pipes, under and behind cabinets, refrigerators and sinks, around windows and door frames, along baseboards, in attics and crawl spaces. The amount to be applied will vary with the site, but should usually be in the range of 0.5 lbs. per 1,000 square feet. Repeat as necessary to maintain adequate control.

ANTS, BOXELDER BUGS, COCKROACHES (INCLUDING BOTH RESISTANT AND NON-RESISTANT STRAINS), CRICKETS, FLEAS, FIREBRATS AND SILVERFISH: Apply Green Light Many Purpose Dust thoroughly to all areas where these pests crawl and hide, especially in those areas described above. For ANTS, apply to ant trails, around doors and windows and other places where ants enter premises.

TERMITES, CARPENTER ANTS AND CARPENTER BEES: Apply to voids or channels in damaged wooden members of a structure; to cracks, spaces or bearing joints between wooden members of a structure, or between such members and the foundation; and in locations vulnerable to termite attack. Drilling may be necessary prior to applying dust in these locations, but it must be recognized that such drilling and treating of timber in a particular location may not result in complete coverage of infested and vulnerable voids or galleries. This dust can be applied in attics and crawl spaces to prevent entry of drywood and formosan termites at a rate of 0.5 lb. per 1,000 square feet of floor area. In these treatments, all vents and blowers should be closed. Inspect at 6 months and one year to insure that colony has been killed. Repeat if necessary.

The purpose of such applications of Green Light Many Purpose Dust is to kill workers or winged forms which may be present in the treated channels at the time of treatment and to impart a temporary resistance at these places to attack which may aid in the prevention of immediate reinfestation. Such applications are not substitute for mechanical alteration, soil treatment or foundation treatment but merely a supplement. This supplemental treatment can be particularly supportive of new construction.

CENTIPEDES, GROUND BEETLES, MILLIPEDES, SCORPIONS, SPIDERS AND SOWBUGS (PILLBUGS): Apply dust along and behind baseboards, to window and door frames, corners, pipes, storage locations, attics, crawl spaces, and other areas where these pests may enter or crawl.

WASPS AND BEES: It is generally advisable to treat wasp and bee nests in the evening when insects are less active and have returned to the nest. Wear protective clothing if deemed necessary to avoid stings. Using hand or power duster or other suitable means, with extension tubes if necessary, thoroughly dust nest, entrance and surrounding areas where insects alight. Nests in wall voids can be located by listening with your ear against the wall. Drill a hole in the area, blow dust in and reseal. For ground wasps, dust entrance and surrounding areas. For best results, check nests carefully one or two days after treatment to ensure complete kill, then remove and destroy nest to prevent emergence of newly hatched insects. If removal is not feasible, retreat the nest, if necessary. Do not use this product to treat overhead nests.

WEBBING CLOTHES MOTHS: Use Green Light Many Purpose Dust as a crack and crevice treatment in closets and other storage areas where these pests are found. This is an adjunct treatment and will not control moth larvae already on the clothes. DO NOT apply this product directly to clothing.

CARPET BEETLES (BLACK, FURNITURE, COMMON AND VARIED): Dust where these insects are found, for example: on and under edges of floor coverings, around baseboards, under rugs and furniture and in closets.

BEDBUGS: Apply dust thoroughly to all areas where these pests are typically found including: folds and tufts of mattresses, coils of springs, upholstery of chairs and sofas, picture frame moldings and all cracks and crevices in the room should be treated. Allow powder to remain in contact with surface for 4-6 hours. Thoroughly vacuum treated areas, dispose of vacuum bag and place clean linens on bed.

STORED PRODUCT PESTS: To aid in the control of the exposed stages of: cadelles, cheese mites, cigarette beetles, confused flour beetles, dark meal worms, drugstore beetles, grain mites, granary weevils, lesser grain borers, merchant grain beetles, red flour beetles, rice weevils, rusty grain beetles, saw-toothed grain beetles, spider beetles, tobacco moths, yellow meal worms. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should not be covered or removed. Clean up waste materials, dust, dirt and other debris. Thoroughly treat floors, walls and other surfaces in storage and handling areas. Apply dust in cracks and crevices, behind and under cupboards and other difficult to reach areas where insects may hide. DO NOT apply directly on food, utensils or on areas where food is stored.

ORNAMENTAL PLANT PESTS: For the control of: aphids, beet armyworms, blister beetles, boxelder bugs, certain leafminers (Boxwood, Holly, Oak, Spruce, Needle), elm leaf beetle, flea beetles, Japanese beetle, leafhoppers, leafrollers, orange tortrix, periodical cicada, plant bugs, rose chafer, rose midges, rose slugs, tent caterpillars, thrips, weevils.

SHRUBS AND ORNAMENTALS: Apply when insects or their damage first appear and repeat at weekly intervals or as necessary. Apply 8 ounces per 1,000 square feet; or thoroughly apply to place a thin layer of dust on both upper and lower sides of leaves, stems and flowers.

ROSES, PETUNIAS, CHRYSANTHEMUMS, GERANIUMS, CARNATIONS AND OTHER RELATED FLOWERS: To control many leaf and flower chewing insects, apply as soon as the insect appears and repeat at 7 day intervals or as long as insects continue to appear. Apply a thin layer of dust on both upper and lower sides of leaves, stems and flowers.

OUTDOOR USE

PERIMETER TREATMENT: Use Green Light as a residual treatment for control of : ants, bees, centipedes, cockroaches, crickets, firebrats, fleas, ground beetles, millipedes, scorpions, silverfish, slugs, sowbugs (pillbugs), spiders, ticks and wasps. Make a residual treatment around windows and doors, porches, screens, eaves, patios, garages, under stairways, in crawl spaces and other areas where pests hide. To help prevent the invasion of buildings and structures by these pests, apply throughly and uniformly to the foundation and crawl spaces where pests are active and may find entrance.

FLEAS AND TICKS IN RODENT BURROWS: To control fleas and ticks in and around rodent burrows around homes and other buildings, apply dust with a shaker can. Thoroughly apply dust to adequately cover mound and around the perimeter (18" from the outer edge). Be sure to treat abandoned rodent burrows which are suspected of containing fleas and ticks. Treat for a minimum of 5 days for light rodent populations, 10 days when populations are dense. Apply as needed for control.

USE DIRECTIONS FOR FIRE ANT TREATMENT

IMPORTED FIRE ANT MOUND TREATMENT: Apply Green Light Many Purpose Dust with a shaker can. Thoroughly apply dust to adequately cover mound and around the perimeter (18" from the outer edge of the mound). A second treatment may be necessary if complete control is not obtained. **DO NOT DISTURB THE MOUND PRIOR TO APPLICATION.** If possible, treat all colonies in the vicinity. Also, treat colonies which have not yet constructed a mound.

(Alternate Directions - Evenly sprinkle one tablespoon (approximately 1/2 oz.) of Green Light Many Purpose Dust over the top of each mound. Do not water in or disturb the mound. Apply when temperatures are between 65 and 80 F. Allow 3 to 4 days for maximum control, then repeat as necessary. Food utensils such as a teaspoon or measuring cup should not be used for food after use with pesticides.)

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.