

869-237

08-13-2010

1
15



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

August 13, 2010

Ms. Linda Obrestad
Green Light, a Valent U.S.A. Company
1600 Riviera Ave., Suite 200
Walnut Creek, CA 94596-8025

Subject: Label Notification(s) for Pesticide Registration Notice(s) 2007-4 and
2008-1

Dear Ms. Obrestad:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN's) 2007-4 and 2008-1 dated April 26 2010 for the following product(s):

Green Light Many Purpose Dust

EPA Reg. No. 869-237

The Registration Division (RD) has conducted a review of this request for applicability under PRN 98-10 and finds that the label change(s) requested falls within the scope of PRN 98-10. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact Regina Foushee'-Smith at 703-605-0780.

Sincerely,

A handwritten signature in cursive script, appearing to read "Richard J. Gebken".

Richard J. Gebken
Product Manager
Insecticide Branch
Registration Division (7505P)



United States
Environmental Protection Agency
Washington, DC 20460

| | |
|-------------------------------------|--------------|
| <input type="checkbox"/> | Registration |
| <input type="checkbox"/> | Amendment |
| <input checked="" type="checkbox"/> | Other |

OPP Identifier Number

Application for Pesticide - Section I

| | | |
|---|--|---|
| 1. Company/Product Number 869-237 | 2. EPA Product Manager Sheryl Reilly | 3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted |
| 4. Company/Product (Name) Green Light Many Purpose Dust | PM# 13 | |
| 5. Name and Address of Applicant (Include ZIP Code) Green Light, a Valent U.S.A. Company 1600 Riviera Ave., Suite 200 Walnut Creek, CA 94596-8025 <input type="checkbox"/> Check if this is a new address | 6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. NOTIFICATION Product Name AUG 13 2010 | |

Section - II

| | |
|--|--|
| <input type="checkbox"/> Amendment - Explain below. | <input type="checkbox"/> Final printed labels in response to Agency letter dated _____ |
| <input type="checkbox"/> Resubmission in response to Agency letter dated _____ | <input type="checkbox"/> "Me Too" Application. |
| <input checked="" type="checkbox"/> Notification - Explain below. | <input type="checkbox"/> Other - Explain below. |

Explanation: Use additional page(s) if necessary. (For section I and Section II.)


NOTIFICATION: Updated the Environmental Hazards according to PR-Notice 2008-1, Updated the Storage and Disposal according to 2007-4, Updated the warranty statement, Updated the Est. Number, Updated the manufactured address, HotLine Number and other minor typos.

Section - III

| | | | | | |
|--|--|---|--------------------------------------|--|---|
| 1. Material This Product Will Be Packaged In: | | | | 2. Type of Container | |
| Child-Resistant Packaging <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | | <input type="checkbox"/> Metal | <input checked="" type="checkbox"/> Plastic |
| | | | | <input type="checkbox"/> Glass | <input type="checkbox"/> Paper |
| * Certification must be submitted | | If "Yes" Unit Packaging wgt. | No. per container | If "Yes" Package wgt | Other (Specify) _____ |
| 3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container | | 4. Size(s) Retail Container 16 FL OZ (1 PT) 474 ml | | 5. Location of Label Directions <input checked="" type="checkbox"/> On Labeling | |
| 6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled | | | <input type="checkbox"/> Other _____ | | |

Section - IV

| | | |
|--|--------------------------------|---|
| 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) | | |
| Name Linda Obrestad | Title Regulatory Analyst | Telephone No. (include Area Code) 925-256-2791 |
| Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law. | | 6. Date Application Received (Stamped) |
| 2. Signature <i>Linda Obrestad</i> | 3. Title Regulatory Analyst | |
| 4. Typed Name Linda Obrestad | 5. Date April 26, 2010 | |



A VALENT U.S.A. COMPANY

April 26, 2010

**GREEN LIGHT® Many Purpose Dust
EPA Reg. No. 869-237
NOTIFICATION**

Ms. Sheryl Reilly
Registration Division (7505C)
Document Processing Deck (NOTIF)
U.S. Environmental Protection Agency
Room S4900, One Potomac Yard
2777 S. Crystal Drive
Arlington, Virginia 22202

Dear Ms. Reilly:

Green Light Company would like to respectfully submit this notification to update our product label for Green Light Many Purpose Dust (EPA Reg. No. 869-237). The following changes have been made to this product label:

- Updated the Container Disposal according to PR-Notice 2007-4 ✓
- Updated the Environmental Hazards statement according to PR-Notice 2008-1 ✓
- Updated the Warranty statement ✓
- Updated Green Light manufactured address, EPA Est. number, telephone numbers, trademarks and other minor typos/clarifications.

I have enclosed the following documents to support this Notification submission:


- Pesticide application (Form 8570-1)
- Certification Statements consistent with the provisions of PR-Notice 98-10, PR-Notice 2007-4 and PR-Notice 2008-1
- One (1) copy of the proposed label
- One (1) copy of the proposed label with redline additions/strike through

If you should have any questions please contact me at (925) 256-2791 or email: linda.obrestad@valent.com or Ms. Julie Schlekau at (202) 872-0955 or email: julie.schlekau@valet.com

Sincerely,
Linda Obrestad
Linda Obrestad

Regulatory Analyst
Registration and Regulatory Affairs

Enclosures



A VALENT U.S.A. COMPANY

April 26, 2010


GREEN LIGHT® Many Purpose Dust
EPA Reg. No. 869-237
NOTIFICATION

Certification Statement
Notification of label change per PR Notice 2008-1

Notification of label change relative to PR Notice 2008-1. This notification is consistent with the guidance in PR Notice 2008-1 and the requirements of EPA's regulations at 40 CFR 156.10, 40 CFR 156.80 and 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the guidance of PR Notice 2008-1 and the requirements of 40 CFR 156.10, 40 CFR 156.80 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Linda Obrestad
Regulatory Analyst
Registration and Regulatory Affairs

Σ
15



A VALENT U.S.A. COMPANY

April 26, 2010


**GREEN LIGHT® Many Purpose Dust
EPA Reg. No. 869-237
NOTIFICATION**

**Certification Statement
Notification of label change per PR Notice 2007-4**

This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140, 156.144, 156.146 and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§ 156.10, 156.140, 156.144, 156.146 and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Linda Obrestad

Linda Obrestad
Regulatory Analyst
Registration and Regulatory Affairs



A VALENT U.S.A. COMPANY

March 30, 2010

GREEN LIGHT® Many Purpose Dust
EPA Reg. No. 869-237
NOTIFICATION

CERTIFICATION STATEMENT – PR-Notice 98-10

This notification is consistent with the provisions of PR-Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Linda Obrestad
Regulatory Analyst
Registration and Regulatory Affairs

7
15

NOTIFICATION

AUG 13 2010



NOTIFICATION

{Optional text}

[FRONT]

Green Light® Many Purpose Dust

Indoor/Outdoor
 Long Lasting
 Odorless
 Kills On Contact
 Fast, Effective Kill of Fire Ants
 No Watering In
 1 Lb Treats Up to 45 Fire Ant Mounds
 Kills The Queen
 Kills Insects for Up to 8 Months
 Controls Ants, Fleas, Ticks, Spiders, Scorpions and other Insect Pests.
 For Use on Home Vegetable Gardens and Ornamentals

ACTIVE INGREDIENT:

Deltamethrin (S)-alpha-cyano-3-phenoxybenzyl (1R,3R)-3-(2,2-dibromovinyl)-2,2-dimethyl-cyclopropanecarboxylate 0.05%

OTHER INGREDIENTS 99.95%
 100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Additional Precautionary Statements.

EPA Reg. No. 869-237
 EPA Est. No. 39578-TX-01

NET WEIGHT 1 LB (454 g)

Manufactured for: Green Light Company
 P.O. Box 8025
 Walnut Creek, CA 94596-8025
 Tel. (210) 494-3481
www.greenlightco.com

(Back Panel)
{PEEL AND RESEAL HERE}

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

| FIRST AID | |
|---|---|
| If on Skin or Clothing: | <ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice. |
| If in Eyes: | <ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice. |
| HOTLINE NUMBER: | |
| Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact (210) 494-3481 for general information and or medical information. | |

ENVIRONMENTAL HAZARDS: This product is extremely toxic to fish and aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Not for use in commercial food/feed handling establishments, restaurants or other establishments where food/feed is commercially prepared, processed or served.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Store product in original container in a cool, dry, locked storage area out of reach of children and pets.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Non-refillable container. Do not reuse or refill this container. **If Empty:** Place in trash or offer for recycling, if available.

If Partly Filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

IMPORTANT: Read the entire Directions for Use, Precautions and Disclaimer of Warranties before using this product.

Green Light Many Purpose Dust is a ready-to-use insecticide dust which exhibits effective knockdown and long-lasting control against the pests listed when used according to label directions.

Green Light Many Purpose Dust can be used for long-lasting pest control in and around homes and their immediate surroundings.

Permitted areas of use include:

- animal quarters
- apartments
- household greenhouses
- houses
- mobile homes and recreational vehicles
- ornamentals
- vegetables

This product is intended for applications with a hand duster or from the container or by other suitable means, to hiding and runway areas and other places where insects are found.

INDOOR USES

In living areas, make applications in such a manner as to avoid deposits on exposed surfaces or introducing the material into the air. To avoid the possibility of staining, do not use on carpets, upholstery and other fabrics. Do not apply as a broadcast application indoors.

To apply insecticide directly into cracks and crevices, use a bulbous duster, or other suitable equipment. Apply lightly and uniformly to infested area. Pay particular attention to cracks and crevices; service ducts; false floors and ceilings; wall void; around electrical and telephone fittings and equipment; around water and sewer pipes; under and behind cabinets; refrigerators and sinks; around windows and door frames; along baseboards; in attics and crawl spaces. The amount to be applied will vary with the site but usually be in the range of 2-3 grams of product per square yard (or 0.5 lb per 1,000 square feet).

Ants, Boxelder Bugs, Cockroaches, (Including Both Resistant and Non-resistant Strains), Crickets, Fleas, Firebrats and Silverfish: Apply Green Light Many Purpose Dust thoroughly to all areas where these pests crawl and hide, especially in those areas described above. For **Ants**, apply to ant trails, around doors and windows, and other places where ants enter premises.

Termites, Carpenter Ants and Carpenter Bees: Apply to voids or channels in damaged wooden members of a structure; to cracks, spaces or bearing joints between wooden members of a structure; or between such members and the foundation, and in locations vulnerable to termite attack. Drilling may be necessary prior to applying dust in these locations, but it must be recognized that such drilling and treating of timber in a particular location may not result in complete coverage of infested and vulnerable voids or galleries. This dust can be applied in attics and crawl spaces to prevent entry of drywood and Formosan termites at a rate of 0.5 lb per 1,000 square feet of floor area. In these treatments, all vents and blowers should be closed. Inspect at 6 months and one year to insure that colony has been killed.

The purpose of such applications of Green Light Many Purpose Dust is to kill workers or winged forms of subterranean termites which may be present in the treated channels at the time of treatment. Such applications are not substitute for mechanical alteration, soil treatment or foundation treatment but merely a supplement. For active termite infestation, get a professional inspection.

Centipedes, Ground Beetles, Millipedes, Scorpions, Spiders and Sowbugs (Pillbugs): Apply dust along and behind baseboards, to window and door frames, corners, pipes, storage locations, attics, crawl spaces, and other areas where these pests may enter or crawl.

Wasps and Bees: It is generally advisable to treat wasp and bee nests in the evening when insects are less active and have returned to the nest. Wear protective clothing if deemed necessary to avoid stings.

Using hand or power duster or other suitable means, with extension tubes if necessary, thoroughly dust nest, entrance and surrounding areas where insects alight. Nest in wall voids can be located by listening with your ear against the wall. Drill a hold in the area, blow dust in and reseal. For **Ground Wasps**, dust entrance and surrounding areas. For best results, check nests carefully one or two days after treatment to ensure complete kill, then remove and destroy nest to prevent emergence of newly-hatched insects. If removal is not feasible, retreat nest if necessary. Do not use this product to treat overhead nests.

Webbing Clothes Moths: Use Green Light Many Purpose Dust as a crack and crevice treatment in closets and other storage areas where these pests are found. This is an adjunct treatment and will not control moth larvae already on the clothes. DO NOT apply this product directly to clothing.

Carpet Beetles (Black, Furniture, Common and Varied): Dust where these insects are found, for example: under edges of floor coverings, behind baseboards, under rugs and furniture and in closets. Do not apply directly to carpeting.

Bedbugs: Apply to crack and crevices where evidence of bedbugs occurs. This includes bed frames, box springs, inside empty dressers and clothes closets, and carpet edges, high and low wall moldings and wallpaper edges. DO NOT use this product on mattresses, pillows, bed linens or clothes. Remove all clothes and other articles from dressers or clothes closets before application. Not recommended for use as sole protection against bedbugs. If evidence of bedbugs is found in/on mattresses, use products approved for this use.

STORED PRODUCT PESTS

To aid in the control of the exposed stages of:

- | | |
|------------------------|---------------------------|
| cadelles | merchant grain beetles |
| cheese mites | red flour beetles |
| cigarette beetles | rice weevils |
| confused flour beetles | rusty grain beetles |
| dark meal worms | saw-toothed grain beetles |
| drugstore beetles | spider beetles |
| grain mites | tobacco moths |
| granary weevils | yellow meal worms |
| lesser grain borers | |

In the home, cover all food processing surfaces and utensils during treatment or thoroughly wash before use. Remove or cover exposed food.

Clean up waste materials, dust dirt and other debris. Thoroughly treat floors, walls and other surfaces in storage and handling areas. Apply dust in cracks and crevices, behind and under cupboards, and other difficult to reach areas where insects may hide. DO NOT apply directly on food, utensils or other areas where food is stored.

OUTDOOR USES

ORNAMENTAL PLANT PESTS

For the control of:

- | | |
|--|-------------------|
| aphids | leafrollers |
| beet armyworms | orange tortrix |
| blister beetles | periodical cicada |
| boxelder bugs | plant bugs |
| certain leafminers | rose chafer |
| (Boxwood, Holly, rose midges, Oak, Spruce Needle) | |
| elm leaf beetle | rose slugs |
| flea beetles | tent caterpillars |
| Japanese beetles | thrips |
| leafhoppers | weevils |

SHRUBS AND ORNAMENTALS: Apply when insects or their damage first appear and repeat at weekly intervals if necessary. Apply 8 ounces per 1,000 square feet; or thoroughly apply to place a thin layer of dust on both upper and lower sides of leaves, stems and flowers.

ROSES, PETUNIAS, CHRYSANTHEMUMS, GERANIUMS, CARNATIONS AND OTHER RELATED FLOWERS: To control many leaf and flower chewing insects, apply as soon as the insect appears and repeat at 7 day intervals or as long as insects continue to appear. Apply a thin layer of dust on both upper and lower sides of leaves, stems and flowers.

PERIMETER TREATMENT: Use Green Light Many Purpose Dust as a residual treatment for control of: **Ants, Bees, Centipedes, Cockroaches, Crickets, Firebrats, Fleas, Ground Beetles, Millipedes, Scorpions, Silverfish, Slugs, Sowbugs (Pillbugs), Spiders, Ticks, and Wasps.** Make a residual treatment around windows and doors, porches, screens, eaves, patios, garages, under stairways, in crawl spaces and other areas where pests hide. To help prevent the invasion of buildings and structures by these pests, apply thoroughly and uniformly to the foundation and crawl spaces where pests are active and may find entrance.

Fleas and Ticks in Rodent Burrows: To control **Fleas and Ticks** in and around rodent burrows around homes and other buildings, apply dust with a shaker can. Thoroughly apply dust to adequately cover mound and around the perimeter (18" from the outer edge). Be sure to treat abandoned rodent burrows which are suspected of containing fleas and ticks. Treat for a minimum of 5 days for light rodent populations, 10 days when populations are dense.

HOME VEGETABLE GARDENS: Use a dust applicator such as a shaker can, dust gun, puffer or other bulbous duster, rotary duster or other appropriate available duster. Dust lightly to cover both upper and lower leaf surfaces with a thin, even film of dust. Apply when air is calm to avoid drift and contact with eyes and skin. Start applying at the farthest corner of the treatment area and work backward to avoid contact with dusted surfaces. Allow dust to settle in treated areas before reentering.

| VEGETABLES | TARGET PESTS | REMARKS | Application Rates: Ounces of Dust /100 sq ft | Max Applications/ Growing Season |
|--|---|---|---|-------------------------------------|
| Artichoke, Globe | Aphids, armyworm, cabbage looper, cribrate weevil, leafminers, lygus bug (plant bug), pale striped flea beetles, plume moth, probas bug | Do not apply more than recommended amount [0.14 lb ai/A] in one growing season. Allow 3 days between applications. Do not apply within 3 days of harvest. | 2.13 | 5 |
| Bulb Vegetables – garlic, leeks, onions, shallots | Cutworms, stink bugs, thrips | Do not apply more than recommended amount [0.112 lb ai/A] in one growing season. Allow 5 days between applications. Do not apply within one day of harvest. | 2.13 | 4 |

continued

13
15

| VEGETABLES | TARGET PESTS | REMARKS | Application Rates: Ounces of Dust /100 sq ft | Max Applications/ Growing Season |
|--|---|--|---|-------------------------------------|
| Corn, Sweet | Aphids, armyworms, chinch bugs, click beetle, corn earworm, corn rootworm (adult), cutworms, European corn borer, flea beetles, grasshoppers, Japanese beetle (adult), June beetle (adult), Masked chafer (adult), southern corn borer, southwestern corn borer, stalk borer, stink bugs, webworms | Do not apply more than recommended amount [0.45 lb ai/A] one growing season. Do not apply within 24 hours of harvest. | 2.13 | 16 |
| Corn, Pop | Aphids, armyworms, chinch bugs, click beetle, corn earworm, corn rootworm (adult), cutworms, European corn borer, flea beetles, grasshoppers, Japanese beetle (adult), June beetle (adult), Masked chafer (adult), southern corn borer, southwestern corn borer, stalk borer, stink bugs, webworms | Do not apply more than recommended amount [0.095 lb ai/A] in one growing season. Allow 21 days between applications. | 1.68 | 4 |
| Cucurbit Vegetables – cantaloupes, chayote, Chinese waxgourd, citron melon, cucumber, gherkin, gourds, Momordica species (balsam apple, balsam pear, bitter melon, Chinese cucumber), muskmelon, pumpkin, squash, watermelon | Armyworm, cabbage looper, Colorado potato beetle, corn earworm, cucumber beetles, cutworms, diamondback moth (larvae), flea beetles, grasshoppers, green peach aphid, leafhoppers, leafminers, melonworm, pickleworm, stink bugs, tarnished plant bug, tobacco budworm, tomato pinworm, vegetable weevil (adult), western plant bug, whitefly (adult) | Do not apply more than recommended amount [0.168 lb ai/A] in one growing season. Allow 3 days between applications. Do not apply within 3 days of harvest. | 2.13 | 3 |

continued

| VEGETABLES | TARGET PESTS | REMARKS | Application Rates: Ounces of Dust /100 sq ft | Max Applications/ Growing Season |
|--|---|--|---|-------------------------------------|
| Fruiting Vegetables – eggplant, groundcherry, pepinos, peppers, tomatillo, tomato | Aphids, armyworm, cabbage looper, Colorado potato beetle, cucumber beetle, cutworms, diamondback moth, European corn borer, flea beetles, imported cabbageworm, leafminers, pepper weevil, stink bugs, tarnished plant bug, thrips, tomato fruitworm (corn earworm), tomato pinworm, variegated cutworm, whitefly | Do not apply more than recommended amount [0.168 lb ai/A] in one growing season. Allow 5 days between applications. Do not apply within 1 day of harvest. | 2.13 | 6 |
| Root Vegetables - carrot, celeriac, chervil (turnip-rooted), chicory | Armyworm, cabbage looper, Colorado potato beetle, cutworms, European corn borer, flea beetles, green peach aphid, leafhoppers, lygus bug (plant bug), pea aphid, Tarnished plant bug | Do not apply more than recommended amount [0.14 lb ai/A] in one growing season. Allow 3 days between applications. Do not apply within 3 days of harvest. Other than radishes, applications may not be made to root vegetables whose tops or leaves are to be harvested for human consumption. | 2.13 | 5 |
| Tuberous & Corm Vegetables - potato, sweet potato, arracacha, arrowroot, Chinese artichoke, Jerusalem artichoke, edible Canna, bitter and sweet cassava, chayote (root), chufa, dasheen, ginger, leren tanier, tumeric, yarn bean, true yam | Armyworm, cabbage looper, Colorado potato beetle, cutworms, European corn borer, flea beetles, green peach aphid, leafhoppers, lygus bug (plant bug), pea aphid, Tarnished plant bug | Do not apply more than recommended amount [0.14 lb ai/A] in one growing season. Allow 3 days between applications. Do not apply within 3 days of harvest. Applications may not be made to tuberous or corm vegetables whose tops or leaves are to be harvested for human consumption. | 2.13 | 5 |

15
15

USE DIRECTIONS FOR FIRE ANT TREATMENT

Imported Fire Ant Mound Treatment: Apply Green Light Many Purpose Dust with a shaker can. Thoroughly apply dust to adequately cover mound and around the perimeter (18" from the outer edge of the mound). A second treatment may be necessary if complete control is not obtained. **DO NOT DISTURB THE MOUND PRIOR TO APPLICATION.** If possible, treat all colonies in the vicinity. Also, treat colonies which have not yet constructed a mound.

{Alternate Directions - Evenly sprinkle one tablespoon (approximately 10 grams) of Green Light Many Purpose Dust over the top of each mound. Do not water in or disturb the mound. Apply when temperatures are between 65 and 80°F. Allow 3 to 4 days for maximum control, then repeat as necessary. Do not use food utensils, such as a teaspoon or measuring cups, for food after use with pesticides.}

WARRANTY

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. To the extent consistent with applicable law, seller makes no other expressed or implied warranty of merchantability or fitness, for a particular purpose or otherwise, that extend beyond the statements made on this label.

Green Light is a registered trademark of Valent U.S.A. Corporation

000869-00237.20100426.ManyPurposeDust.NOTIF