1=1 869-Je	38	10	-16-200	6		1/4		
	Environment	United States al Protection Ag hington, DC 20460	ency		OMB No. 2070 legistratio Amendmer Other			
		Application for	Pesticide - S	ection I		·		
1. Company/Product Numb	or		2. EPA Product #	Aanager		3. Proposed Classification		
869-238			LaRocca			None Restricted		
4. Company/Product (Name Green Light Com-Plee		Grass & Weed Killer	г 13					
······································	· · · · · · · · · · · · · · · · · · ·			Reveine tr		with EIEBA Section 3/c)/3)		
5. Name and Address of Applicant <i>(Include ZIP Code)</i> Green Light Company P.O. Box 17985			<ul> <li>6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3)</li> <li>(b)(i), my product is similar or identical in composition and labeling to:</li> <li>EPA Reg. No</li></ul>					
San Antonio, TX 78	217-0985			•				
Check if thi	s is a new address		Product Nam	e				
		Se	ction - II					
Amendment - Explain below. Resubmission in response to Agency letter dated			Agency	Final printed tabels in repsonse to Agency letter dated				
Notification - Explain below.			Other - 0	OCT 1 6 2006				
FIFRA and I may be subject	to enforcement action a	· · · · · · · · · · · · · · · · · · ·	ions 12 and 14 of FIFI	₹A.				
1. Material This Product Wi	Be Peckaged In:							
Child-Resistant Packaging	Unit Packaging Wate		Soluble Packaging 2. Type of		. Type of Cont	ainer		
Yes	Yes	↓	Yes		Pia	tal stic		
No	No		No		Gla	185		
* Certification must be submitted	If "Yes" Unit Packaging wgt	No.per if "Ye t. container Pecki	nge wgt conta		Ott	oer wr (Specify)		
. Location of Net Contents	Informetion	4. Size(s) Retail Conte	iner	5. Locat	ion of Lebel Di	rections		
Label C	Container							
3. Manner in Which Label is	Affixed to Product	Lithograph Paper glued Stenciled		her				
		Sec	tion - IV					
I. Contact Point <i>(Complete</i>	items directly below	for identification of indi	ividual to be contect	d, if necess	ery, to process	this application.)		
Name Nora M. Hodge		Title Registr	ration Specialist			ohone No. (Include Area Code) ) 494-3481		
		Certification				6. Date Application		
	y knowlingly false or	n this form and all attac mislaading statement r				, Received (Stamped)		
l acknowledge that ar both under applicable 2 Signature	y knowlingly false or	n this form end all attac misleading statement r 3. Title						
l acknowledge that ar both under applicable 2. Signature	y knowlingly false or law.	n this form end all attac misleading statement r 3. Title	nay be punishable b					
l acknowledge that ar both under applicable 2. Signature Muna	y knowlingly false or law.	n this form end ell attac misleading statement r 3. Title Registra	nay be punishable b					

# GREEN LIGHT COM-PLEET<sup>®</sup> 41% SYSTEMIC GRASS & WEED KILLER

Kills Unwanted Weeds and Grasses
Kills To The Root • For Use Around Flower Beds,
Trees and Shrubs, Fences, and Driveways

NOTIFICATION

OCT 1 6 200c

## **ACTIVE INGREDIENT:**

Glyphosate, (N-(phosphonomethyl) glycine), in the form of	
its isopropylamine salt	41.00%
OTHER INGREDIENTS	<u>59.00%</u>
Total	100.00%

Acid equivalent or Glyphosate content = 30.34%

**KEEP OUT OF REACH OF CHILDREN CAUTION** See Booklet for Additional Precautionary Statements.

EPA Reg. No. 869-238 EPA Est. No. 73273-TX-1

## (BOOKLET)

## PRECAUTIONARY STATEMENTS

## HAZARDS TO HUMANS & DOMESTIC ANIMALS

**CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

## FIRSEAID

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**HOTLINE NUMBER:** Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the National Pesticide Information Center at 1-800-858-7378 for general product information and/or medical information.

## **ENVIRONMENTAL HAZARDS:**

Do not apply directly to water. Do not contaminate water when disposing of equipment...

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Use only according to label instructions observing all precautions.

### STORAGE AND DISPOSAL

**STORAGE:** Use and store this product only in its original container. Store product in a secure storage area away from sources of heat or open flame. Protect from freezing. **DISPOSAL: If Empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If Partly Filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain. **Spill or Leak:** In case of spill or leak, soak up with paper towels and discard in trash.

### GENERAL INFORMATION

Green Light Com-Pleet 41% Systemic Grass & Weed Killer eliminates nearly all common weeds and grasses. This product can be used in driveways, walkways, curbs, along fences and foundations, near trees and shrubs, flower beds, mulch beds, vegetable gardens, fruit trees, and other similar areas of the landscape to get rid of undesirable vegetation. This product can also be used for big jobs such as lawn renovation, vegetable and flower garden preparation. Do not use on or around edible food crops. **IMPORTANT:** This product is a non-selective herbicide and will kill all vegetation contacted. This herbicide kills plants by inhibiting the production of a substance found only in plants. It enters plants through the sprayed foliage and moves down to the roots. Avoid direct spray or drift onto desirable plants, lawn grasses, shrubs, and trees. Protect desirable plants and vegetation with a piece of plastic or cardboard. If desirable plants are accidentally sprayed, wash plants with water immediately. Any product not absorbed by the plant is broken down into natural materials. This product has no soil activity and thus will not affect nearby untreated plants. Do not mow, cut or otherwise disturb treated vegetation for at least 7 days following application.

#### WEEDS CONTROLLED

Annual Weeds and Grasses: Annual ryegrass, annual bluegrass, barnyardgrass, black medic, bromegrass, bur clover, chickweed, clover, common lambsquarters, common plantain, common ragweed, crabgrass, false dandelion, fall panicum, field pennycress, field sandbur, Florida pusley, foxtail, garden spurge, goosegrass, hemp sesbania, henbit, knotweed, lambsquarters, London rocket, mallow, mouseear chickweed\*, oxalis\*, Pennsylvania smartweed, pennywort, pigweed, prickly lettuce, prostrate spurge, puncture vine, purslane, redroot pigweed, sandspur, shepherdspurse, smartweed, smooth pigweed, sowthistle, spotted spurge, spurge, Texas panicum, wild geranium\*, witchgrass, yellow nutgrass, yellow oxalis, and many other annual grasses and weeds. **Perennial Weeds, Grasses and Brush:** Alder, artichoke thistle, bahiagrass, barnyardgrass, bentgrass, Bermudagrass, bluegrass, broadleaf plantain, buckhorn plantain, bull thistle, Canada thistle, cattail, centipedegrass, cocklebur, common ragweed.

creeping bentgrass, creeping Charlie, curly dock, dallisgrass, dandelion, false dandelion,

fescues, field bindweed, hairy crabgrass, honeysuckle, horseradish, horsenettle, Johnsongrass, multiflora rose, nutgrass (nutsedge), oak species, orchardgrass, oxalis\*, pennywort, plantain, poison oak, poison ivy, purple cudweed\*, purple nutsedge, quackgrass, ragweed, red clover, ryegrass, smooth bromegrass, sowthistle, St. Augustinegrass, sumac, tall fescue, thistle, trumpetcreeper, Virginia creeper, white clover, wild barley, wild blackberry, wild carrot, wild morningglory, wild oats, willow, yarrow, yellow nutgrass, yellow starthistle, zoysia, and many other perennial weeds, grasses, brush and sedges.

\*Annual or Perennial

#### WHEN TO USE

Apply to actively growing weeds, preferably before the seed heads form. It is best to apply on a warm sunny day when daytime temperatures are above 60°F. Weed control is accelerated by warm sunny weather. Apply when the wind is calm. Hard-to-control weeds may require a second application if not completely dead in 4 weeks.

### HOW TO USE

Green Light Com-Pleet 41% Systemic Grass & Weed Killer is formulated for "spot" treatment of individual weeds and grasses or for treatment of large areas as instructed on this label (see specific site areas below). Apply with a plastic, aluminum, or stainless steel tank-type sprayer. Do not apply with galvanized or unlined steel sprayer, or through any irrigation system or sprinkling can. Use a tank-type sprayer with a coarse spray nozzle for spot treatments. Use the Ortho Dial 'n Spray or other hose-end sprayer to treat large areas such as for lawn renovation or to prepare sites for planting flower beds or vegetable gardens. Wear long-sleeve shirt, long pants, shoes, and socks when applying this product. Wash clothing separate from other laundry.

### WHERE TO USE

**General Weed Control:** Use near fences, in paths, patios, sidewalks, curbs and driveways, around ornamental trees, shrubs, flower beds and plantings, around buildings. Controls weeds in brick and gravel walks. Use for trimming and edging landscapes. NOT recommended for spot weed treatment in lawns, since the product kills all green plants, including lawn grasses. If replacing a lawn or parts of a lawn, see For lawn renovation/replacement recommendations on the label.

**Spot Treatments:** Direct spray on undesirable weeds and grasses in and around flower beds, ornamental trees, fruit and nut trees, grapevines, shrubs, fences, driveways and walkways. Do not spray fruit and nut trees or grapevines directly.

Landscapes: For use in preparing areas for planting of ornamentals, trees, shrubs, desert landscapes, rock gardens, flower beds, or similar plantings. Treated areas can be planted 1 day after treatment.

For Lawn Renovation/Replacement: Use this product to remove the undesired lawn and kill weeds and grasses. For best results, apply in spring or fall, when daytime temperatures are at least 60°F. If the lawn is dry, water lawn every other day for a week

....

5/6

before applying Green Light Com-Pleet 41% Systemic Grass & Weed Killer. Do not mow for 7 days before or after treatment. Use 2½ fl. oz. per gallon of water for each 300 sq. ft. of area to treat. After 7 days, prepare the soil by raking or rototilling the lawn. Rake up and remove loosened thatch or debris. Mix in starter fertilizer and soil amendments, if needed. Level the soil. Sow new seed according to directions on seed package, or install sod. Level the soil. Apply seed according to directions on seed package, or install sod. Grass seed must have good contact with soil to germinate and grow. Keep area moist to establish new lawn, then water as needed.

**To Control Brush:** Apply to green and actively growing brush. For plants taller than 5 feet, cut them back and spray the regrowth. Fall applications to brush may delay control to the following season. A second application may be required on hard-to-control species such as blackberry, kudzu, or poison oak.

**Stump Treatment:** Stumps can be treated to prevent regrowth. For best results, treat when the vegetation is actively growing and within a few minutes of being cut. Cut the stump close to the soil surface. Make 4 to 5 nail holes in the stump and flood the stump with undiluted product. This procedure will control or suppress many types of woody brush and trees, such as alder, bluegum eucalyptus, madrone, oak, giant reed, saltcedar, sweetgum, and tanoak.

**To Kill Vines:** If vine is growing up a pole, fence, or mature tree trunk, cut vine to a height of 3 to 4 feet and spray to thoroughly cover remaining vine. If vine is climbing a shrub or immature (green) tree trunk, to avoid damage to these plants, cut vine at base and spray its regrowth. Shield shrub and green tree trunk from spray drift with a sheet of plastic or cardboard.

#### MIXING INSTRUCTIONS

#### Plastic, Aluminum, or Stainless Steel Tank Sprayers

For general weed control of annual and seedling weeds: use  $1\frac{1}{2}$  oz. (3 Tbs) of product in 1 gallon of water. For tough weed control of perennials or brush or lawn renovation: use  $2\frac{1}{2}$  oz. (5 Tbs) of product in 1 gallon of water. Treats 300 sq. ft. or can be used for spot treatments.

#### **Ortho Dial 'n Spray Hose-End**

For general weed control of annual and seedling weeds: use  $1\frac{1}{2}$  oz. (3 Tbs) of product in sprayer jar. DO NOT ADD WATER. Set dial to  $1\frac{1}{2}$  oz. and spray. For tough weed control of perennials or brush or lawn renovation: use  $2\frac{1}{2}$  oz. (5 Tbs) of product in sprayer jar. DO NOT ADD WATER. Set dial to  $2\frac{1}{2}$  oz. and spray. Treats 300 sq. ft.

#### WHEN TO REPLANT

All ornamental flowers, trees and shrubs may be planted 1 day after application.

The following fruits, vegetables, and herbs may be planted **3 days after** application: Beans, Beet Greens, Broccoli, Brussels Sprouts, Cabbage, Carrot, Cauliflower, Celery, Chard (Swiss), Chicory, Collards, Corn, Cucumber, Eggplant, Endive, Garlic, Gourds, Horseradish, Jerusalem Artichoke, Kale, Kohlrabi, Leek, Lentils, Lettuce, Mellons, Mustard Greens, Okra, Onion, Parsley, Parsnips, Peas, Pepper, Potato, Pumpkin, Radish,

6/6

Rape Greens, Rhubarb, Spinach, Sweet Potato, Tomatillo, Tomato (by seed only), Turnip Watercress, and Yams.

Turfgrasses and the following berries may be planted **7 days after** application: Blackberry, Black Raspberry, Blueberry, Boysenberry, Currant, Dewberry, Elderberry, Gooseberry, Huckleberry, Loganberry, Olallieberry, and Red Raspberry.

Tomatoes from transplant and fruits, vegetables, and herbs not listed may be planted 30 days after application.

#### DISCLAIMER

The label instructions for the use of this product reflect the opinion of experts based on field uses and tests. The directions are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Desirable plant injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application all of which are beyond the control of Green Light Company. All such risks shall be assumed by the user. Green Light Company warrants only that the material contained herein conforms to the chemical description on the label and is reasonably fit for the use therein described when used in accordance with the Directions for Use set forth in the label, subject to the risks referred to above. Any damage arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profits or values or any other special or indirect damages. Green Light Company makes no other express or implied warranty including any other express or implied warranty of FITNESS or MERCHANTABILITY.

Com-Pleet<sup>®</sup> is a registered trademark of Green Light Company.

Manufactured for: GREEN LIGHT COMPANY P.O. Box 17985 San Antonio, TX 78217-0985

www.greenlightco.com Tel. (210) 494-3481

Rev. 9-18-2006

