
869-239



Page 178



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
401 "M" St., S.W,
Washington, D.C. 20460

EPA Reg. Number:

Date of issuance:

869-239

AUG 292001

NOTICE OF PESTICIDE:

x Registration

___Reregistration

Name of Pesticide Product:

Term of Issuance: Conditional

Green Light

Com-pleet 18% Systemic Grass

& Weed Killer

Name and Address of Registrant (include ZIP Code):

Mr. Jeff Luedke

Director Regulatory Affairs Product Development

GREEN LIGHT COMPANY

P.O. box 17985

San Antonio, TX 78217-0985

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this penduct always rafer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the carvironment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- 1. Submit and/or cite all data required for registration/ reregistration of your product under FIFRA sec. 3(c)(5), 3(g), or 4 when the Agency requires all registrants of similar products to submit such data.
- 2. Submit the results of one-year storage stability (830-6317) and corrosion characteristic (830-6320) studies to the Agency on completion.
 - 3. Make the following label changes:
 - a. Revise the EPA Registration Number to read, "EPA Reg. No. 869-239".
 - b. Revise the "Precautionary Statement" to read: "CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet."
 - c. Under the "First Aid" replace text "If On Skin" with "If On Skin Or Clothing:

Jim Tompkins
Product Manager (25)
Herbicide Branch
Registration Division, (7505C)

Date:

AUG 29 2001

- 3. Add to the "How to Use" section: "Wear long-sleeve shirt, long pants, shoes and socks when applying this product. Wash clothing separate from other laundry.
- 4. Submit one (1) copy of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

ACCEPTED
with COMMENTS
In EPA Latter Dated

AVG 29 2001

Under the Federal Insecticide, Fundicide, and Rodenticide Act as amended, for the posticide registered under EPA Reg. No. RAJ - 239

GREEN LIGHT

COM-PLEET 18% SYSTEMIC GRASS & WEED KILLER

Water-Based Formula Gets to the Root of the Problem

Systemic weed and grass killer for treatment of unwanted weeds and grasses

No Root, No Weed, No Problem Kills to the Root Com-Pleetly

No Residual Activity in Soil Kills Brush and Vines

For Lawn Renovation/Replacement and Stump Treatment

Kills Weeds and Grasses in 2 to 4 Weeks-Roots and All

For use around flower beds, trees and shrubs, fences, walks, mulch beds, driveways, patios and vegetable gardens

Pint Covers Up To 1,600 Sq. Ft. Pint Makes Over 5 Gallons of Finished Spray

ACTIVE INGREDIENTS:

Acid equivalent or Glyphosate content = 13.33% Com-Pleet is a registered trademark of Green Light Company

KEEP OUT OF REACH OF CHILDREN CAUTION

See Back or Side Panel for Additional Precautionary Statements

EPA Reg. No. 869- EG 0

EPA Est. No. 73273-TX-1

Net Contents One Pint (474 ml)

Manufactured by Southwest Contract Packaging for Green Light Sales Company P.O. Box 17985, San Antonio, TX 78217-0985 www.greenlightco.com

(Back or Side Panel)

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful is absorbed through the skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. Keep children and pets away from treated areas until spray has dried. Avoid contamination of food. Do not contaminate water supplies.

FIRST AID

IF ON SKIN: . Take off contaminated clothing. Rinse skin with plenty of water for 15-

20 minutes.

. Call a poison control center or doctor for treatment advice.

IF IN EYES: . Hold eye open and rinse slowly and gently with water for 15-20 minutes.

. Remove contact lenses, if present, after the first 5 minutes, then continue

rinsing eye.

. Call a poison control center or doctor for treatment advice.

PRODUCT INFORMATION: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact Green Light Company at (210)494-3481 for general product information and/or medical information.

ENVIRONMENTAL HAZARDS: Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read and follow label instructions and all precautionary statements.

STORAGE AND DISPOSAL

Storage: Use and store this product only in its original container. Store product in a secure storage area away from sources of heat or open flame. Protect product from freezing. Disposal: Do not reuse container. To dispose of unused product and container, securely wrap original container in several layers of newspaper and discard in trash. Spill or Leak: In case of spill or leak, soak up with paper towels and discard in trash.

eliminates nearly all common weeds and grasses. This product can be used in driveways, walkways, curbs, along fences and foundations, near trees and shrubs, flower beds, mulch beds, vegetable gardens, fruit trees and other similar areas of the landscape to get rid of undesirable vegetation. This product can also be used for big jobs such as lawn renovation, vegetable and flower garden preparation. Do not use on or around edible food crops.

This product is a non-selective herbicide and will kill all vegetation contacted. This herbicide kills plants by inhibiting the production of a substance found only in plants. It enters plants through the sprayed foliage and moves down to the roots. Avoid direct spray or drift onto desirable plants, lawn grasses, shrubs and trees. Protect desirable plants and vegetation with a piece of plastic or cardboard. If desirable plants are accidentally sprayed, wash plants with water immediately. Any product not absorbed by the plant is broken down into natural materials. This product has no soil activity and thus will not affect nearby untreated plants. Do not mow, cut or otherwise disturb treated vegetation for at least 7 days following application.

WEEDS CONTROLLED

Annual Weeds and Grasses: Annual ryegrass, annual bluegrass, barnyardgrass, beggarweed, black medic, blue medic, blue mustard, blue toadflax, brassbuttons, bromegrass, bur clover, buttercup, cheeseweed, chickweed, clover, common lambsquarters, common plantain, common ragweed, common groundsel, crabgrass, creeping beggarweed, diffuse lovegrass, dog fennel, evening primrose, false dandelion, fall panicum, fennel, fiddleneck, field pennycress, field sandbur, filaree, Florida pusley, foxtail, garden spurge, goosegrass, green foxtail, hemp sesbenia, henbit, horseweed/marestail, ironweed, knotweed, lambsquarters, little bitter cress, London rocket, maiden cane, mallow, mayweed, mouseear chickweed*, oxalis*, Pennsylvania smartweed, pennywort, pigweed, prickly lettuce, prostrate spurge, puncture vine, purslane, redroot pigweed, sandspur, shepherdspurse, smartweed, smooth cat's ear, smooth pigweed, sowthistle, spotted spurge, sprangletop, spurge, tansy mustard, tansy ragwort, teaweed, Texas panicum, tumble mustard, velvetleaf, wild geranium*, witchgrass, wild mustard, yellow nutgrass, yellow oxalis and many other annual grasses and weeds.

Perennial Weeds, Grasses and Brush: Alder, artichoke thistle, bahiagrass, barnyardgrass, bentgrass, Bermudagrass, blackberries, bluegrass, broadleaf plantain, brownseed paspalum, buckhorn plantain, buckhornbull thistle, Canada thistle, cattail, ceanothus, centipedegrass, cherry, cocklebur, cogongrass, common mullein, common ragweed, coralbead, coyote brush, creeping bentgrass, creeping Charlie, creeping lantana, curly dock, dallisgrass, dandelion, dewberry, dog fennel, elderberry, false dandelion, fescues, field bindweed, guineagrass, hairy crabgrass, honeysuckle, horseradish, horsenettle, iceplant, Johnsongrass, Kentucky bluegrass, kikuyugrass, knapwood, knawel, kudzu, lantana, maiden cane, milkweed, mouseear chickweed*, multiflora rose, nimbleweed, nutgrass (nutsedge), oak species, oldenlandia, orchardgrass, oxalis*, pampasgrass, pennywort, plantain, poison oak, poison ivy, poison hemlock, primrose, purple cudweed*, purple nutsedge, quackgrass, quacking aspen, ragweed, raspberry, red clover, ryegrass, smooth bromegrass, sourdock, sowthistle, St. Augustinegrass, sumac, tall fescue, tansy ragwort, thistle, Timothy, torpedograss, trumpetcreeper, vaseygrass, Virginia creeper, white clover, whitetop, wild barley, wild blackberry, wild carrot, wild morningglory, wild oats, wild

sweet potato, willow, yarrow, yellow nutgrass, yellow starthistle, zoysia and many other perennial weeds, grasses, brush and sedges.

*Annual or Perennial

WHEN TO USE: Apply to actively growing weeds, preferably before the seed heads form. It is best to apply on a warm sunny day when daytime temperatures are above 60 F and no rain is forecasted. Weed control is accelerated by warm, sunny weather. Apply when the wind is calm. Re-apply if rain occurs within 24 hours after application. Hard-to-control weeds may require a second application if not completely dead in 4 weeks.

HOW TO USE: Green Light Com-Pleet 18% Systemic Grass & Weed Killer is formulated for "spot" treatment of individual weeds and grasses, or for treatment of large areas as instructed on this label (see specific site areas below). Apply with a plastic, aluminum or stainless steel tanktype sprayer. Do not apply with galvanized or unlined steel sprayer, or through any irrigation system or sprinkling can. Use a tank-type sprayer with a coarse spray nozzle for spot treatments. Use the Ortho Dial'n Spray or other hose-end sprayer, recommended for herbicide applications, to treat large areas such as for lawn renovation or to prepare sites for planting flower beds or vegetable gardens.

WHERE TO USE

General Weed Control: Use near fences, in paths, patios, sidewalks, curbs and driveways, around ornamental trees, shrubs, flower beds and plantings, around buildings. Controls weeds in brick and gravel walks. Use for trimming and edging landscapes. NOT recommended for spot weed treatment in lawns, since the product kills all green plants, including lawn grasses. If replacing a lawn or parts of a lawn, see For lawn renovation/replacement recommendations on the label.

Spot Treatments: Spray directly on actively growing weeds in and around flower beds, ornamental trees, fruit and nut trees, grapevines, shrubs, fences, driveways and walkways. Do not spray fruit and nut trees or grapevines directly.

Landscapes: For use in preparing areas for planting of ornamentals, trees, shrubs, desert landscapes, rock gardens, flower beds or similar plantings. Treated areas can be replanted 1 day after treatment.

For Lawn Renovation/Replacement: Use this product to remove the undesired lawn and kill weeds and grasses. For best results, apply in spring or fall, when daytime temperatures are at least 60 F. If the lawn is dry, water lawn every other day for a week before applying Green Light Com-Pleet 18% Systemic Grass & Weed Killer. Do not mow for 7 days before or after treatment. Use 6 fl. oz. per gallon of water for each 300 sq. ft. of area to be treated. After 7 days, prepare the soil for planting by raking or rototilling the lawn. Rake up and remove loosened thatch or debris. Mix in starter fertilizer and soil amendments, if needed. Level the soil. Apply seed according to directions on seed package, or install sod. Grass seed must have good contact with soil to germinate and grow. Keep area moist for 2 weeks to establish new lawn, then water

as needed.

To Control Brush: Apply to green and actively growing brush. For plants taller than 5 feet, cut them back and spray the regrowth. Fall applications to brush may delay control to the following season. A second application may be required on hard-to-control species such as blackberry, kudzu or poison oak.

Stump Treatment: Stumps can be treated to prevent regrowth. For best results, treat when the vegetation is actively growing and within a few minutes of being cut. Cut the stump close to the soil surface. Make 4 to 5 nail holes in the stump and flood the stump with undiluted product. This procedure will control or suppress many types of woody brush and trees, such as alder, bluegum eucalyptus, madrone, oak, giant reed, saltcedar, sweetgum and tanoak.

To Kill Vines: If vine is growing up a pole, fence or mature tree trunk, cut vine to a height of 3 to 4 feet and spray to thoroughly cover remaining vine. If vine is climbing a shrub or immature (green) tree trunk, to avoid damage to these plants, cut vine at base and spray its regrowth. Shield shrub and tree trunk from spray drift with a sheet of plastic or cardboard.

MIXING INSTRUCTIONS

For plastic, aluminum or stainless steel tank sprayers: Add 6 fl. oz. (12 Tbs.) of Green Light Com-Pleet 18% Systemic Grass & Weed Killer per gallon of water for hard to control weeds, brush, vines, stump treatment and lawn renovation. Add 3 fl. oz. (6 Tbs.) of product per gallon of water for general weed control. Covers 300 sq. ft. or can be used as a spot treatment.

Ortho Dial'n Spray: For General Weed Control - To sprayer jar add 3 fl. oz. per each 300 sq. ft. Do not add water. Set dial to 3 oz. setting and spray evenly over measured area. For Hard to Control Weeds - To sprayer jar add 6 fl. oz. per each 300 sq. ft. Do not add water. Set dial to 5-1/3 oz. setting and spray evenly over the measured area.

WHEN TO REPLANT

- . All ornamental flowers, trees and shrubs may be planted 1 day after application.
- . The following fruits, vegetables and herbs may be planted 3 days after application:
 Beans, Beet Greens, Broccoli, Brussels Sprouts, Cabbage, Carrot, Cauliflower, Celery, Chard (Swiss), Chicory, Collards, Corn, Cucumber, Eggplant, Endive, Garlic, Gourds, Horseradish, Jerusalem Artichoke, Kale, Kohlrabi, Leek, Lentils, Lettuce, Melons, Mustard Greens, Okra, Onion, Rape Greens, Parsley, Parsnips, Peas, Pepper, Potato, Pumpkin, Radish, Rhubarb,

Rutabaga, Spinach, Squash, Sweet Potato, Tomatillo, Tomato (by seed only), Turnip, Watercress and Yams.

- . Turfgrasses and the following berries may be planted 7 days after application:
 Blackberry, Black Raspberry, Blueberry, Boysenberry, Currant, Dewberry, Elderberry,
 Gooseberry, Huckleberry, Loganberry, Olallieberry and Red Raspberry.
- . Tomatoes from transplant and fruits, vegetables and herbs not listed may be planted 30 days after application.

WARRANTY: Green Light Company warrants only that the material contained herein conforms to the chemical description on the label and is reasonably fit for the use therein described when used in accordance with the Directions for Use set forth in the label.