

Diversol[®] CX with Arodyne[®]


U.S. Pat. Nos. 3,281,364 & 3,525,583

Page 277-41

PM-32

131

Sanitizer • Cleaner



DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling

For Use in: milk plants, breweries, meat processing plants, beverage plants, food processing plants, institutions

Sanitizing

Rinse Method: After cleaning equipment, use 1½ ounces of Diversol CX with Arodyne to each 3½ gallons of water (approximately 100 ppm available chlorine)

Solution should be tested during use to make sure the concentration does not drop below 50 ppm available chlorine. If facilities for testing are not available, use a solution containing 3 ounces to each 3½ gallons of water (approximately 200 ppm available chlorine).

Spray Method: After cleaning equipment, use 5 ounces of Diversol CX with Arodyne to each 4 gallons of water (approximately 300 ppm available chlorine). Allow solution to remain on surfaces for at least 2 minutes where required by local regulations. Follow with potable water rinse

Cleaning

Solution Method: After thorough rinsing, brush, spray or circulate a 1 ounce per gallon solution of Diversol CX with Arodyne at 120°F to 135°F and rinse. Rinse all food contact surfaces with potable water prior to reuse.

Paste Method—Tank, equipment, tile surfaces, etc.: After thorough rinsing, brush surfaces with a water slurry of Diversol CX with Arodyne and rinse before use. For tanks, use 2 ounces of crystals for each 75 gallons of capacity. Rinse all food contact surfaces with potable water prior to reuse

Combined Cleaning and Sanitizing: (where approved)

1. Use Solution Method or
2. Use Paste Method and rinse lightly to remove all traces of paste
3. Rinse all food contact surfaces with potable water prior to reuse.

Directions For Restaurant Use

1. Utensils and glasses must be scraped and prewashed.
2. Wash with a Diversy Wyandotte cleaner of your choice, following directions on the label for that product.
3. Rinse with clean water.
4. Sanitize in a Diversol CX with Arodyne solution containing 1½ ounces to 3½ gallons of water (100 ppm available chlorine—in the absence of a test kit to measure available chlorine to determine if the solution has fallen below 50 ppm during use, a starting concentration of 200 ppm should be used). Immerse all utensils for at least two minutes or for contact time specified by governing sanitary code
5. Place sanitized utensils on a rack or drainboard to air dry. Rinse with potable water just prior to reuse.

Industry Use Only

Cautionary Statements:
DANGEROUS TO HUMANS AND DOMESTIC ANIMALS.

DANGER: CORROSIVE.

Causes eye damage and skin irritation. Do not get in eyes, on skin or clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

STORAGE AND DISPOSAL

Store in a cool, dry area away from heat. Do not contaminate water. Rinse thoroughly by storage or disposal.

Container Disposal

Completely empty liner by shaking and tapping sides and bottom to dislodge clinging particles. Empty residue into application equipment. Dispose of liner and fiber drum in a sanitary landfill or by incineration as allowed by State and local authorities. Do not reuse empty container.

Pesticide Disposal

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

ACTIVE INGREDIENTS

Sodium hypochlorite	3.25%
Sodium phosphate expressed as Na ₃ PO ₄ • 12H ₂ O ..	91.70%
INERT INGREDIENTS	5.05%
	100.00%

Phosphorous content (as P) 7.5%. Recommended use solution (100-300 ppm available chlorine) contains 0.9-2.75 grams of phosphorous (as P) per gallon.

KEEP OUT OF REACH OF CHILDREN.

DANGER: CORROSIVE.
CAUSES EYE DAMAGE AND SKIN IRRITATION.
HARMFUL IF SWALLOWED.

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes, for eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

Note to physician: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

See additional precautions on side panel.

BEST AVAILABLE COPY

MANUFACTURED BY DIVERSEY WYANDOTTE, INC (Canada) PRINTED IN U.S.A.

NET WEIGHT 350 LBS. (158.73 KGS.)