


DIVERSOL CX WITH ARODYNE®

U.S. Pat Nos. 3,261,364 & 3,525,583

Sanitizer • Cleaner

For Industry Use Only



Precautionary Statements

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: CORROSIVE.
KEEP OUT OF REACH OF CHILDREN.

MAY CAUSE SEVERE SKIN AND EYE IRRITATION OR CHEMICAL BURNS TO BROKEN SKIN. CAUSES EYE DAMAGE. Wear safety glasses or goggles and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Avoid contact with food.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waterways unless in accordance with a Federal permit. For questions, contact the regional office of the U.S. Environmental Protection Agency.

PHYSICAL OR CHEMICAL HAZARDS

STRONG OXIDIZING AGENT. Mix only with water according to label directions. Mixing this product with chemicals, especially household acids, detergents, etc., or organic matter produces fumes which will release chlorine gas which is irritating to eyes, lungs and mucous membranes.

STORAGE AND DISPOSAL

Store this product in a cool area away from direct sunlight and heat to avoid deterioration. In case of spills, flood areas with large quantities of water. Product residues that cannot be used should be flushed with water before disposal in a sanitary sewer. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

CONTAINER DISPOSAL

Fiber Drums with Liner: Completely empty drum by stacking and tipping sides and bottom to loosen clinging particles. Empty sides and bottom of drum. Dispose of liner and fiber drum as a solid waste, or by incineration if allowed by State and local authorities. Do not reuse empty container.

(888)

BEST AVAILABLE COPY

ACTIVE INGREDIENTS

Sodium hypochlorite 3.1%
Sodium phosphate expressed as Na₂PO₄ • 12H₂O 91.9%

INERT INGREDIENTS

100.0%
Phosphorous content (as P) 15%. Recommended use solution (100 ppm available chlorine) contains 2.75 grams of phosphorous (as P) per gallon.

KEEP OUT OF REACH OF CHILDREN.

DANGER: CORROSIVE
CAUSES EYE DAMAGE AND SKIN DAMAGE
HARMFUL IF SWALLOWED.

STATEMENTS OF PRACTICAL TREATMENT

If in eyes, flush with plenty of water for 15 minutes. Get medical attention.

If on skin, wash with plenty of soap and water. Get medical attention if irritation persists.

If swallowed, drink promptly a large quantity of water. Avoid alcohol. Do not induce vomiting.


NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

See additional precautionary text on left side panel.

USE DIRECTIONS

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For use in dairies, beverage, meat, poultry and food processing plants and commissaries.



CLEANING AND SANITIZING

1. Flush surfaces of equipment with water to remove heavy soils.
2. **Solution Method:** Spray, brush or circulate 1-3 ounces per gallon of DIVERSOL CX with Arodyne in water at 120°-135° F to clean equipment. OR
Paste Method: Brush equipment surfaces with a thick slurry of DIVERSOL CX with Arodyne onto heavy soils or stain area. Allow to clean for 5-10 minutes.
3. Rinse with potable water.
4. Sanitize equipment by spraying, circulating or thoroughly wetting surfaces with a solution of 1 ounce of DIVERSOL CX with Arodyne in 3 1/2 gallons of water (100 ppm available chlorine). Allow sanitizer to contact surface for at least 2 minutes. Test sanitizer solution with a chlorine test kit to insure proper available chlorine content. Care used sanitizer solution should not be reused for sanitizing, but may be recirculated for additional cleaning applications.

SANITIZING

For glasses, utensils, food processing parts and equipment in restaurants and food preparation areas:

1. Scrape and pre-flush utensils and equipment.
 2. Wash with appropriate Diversey Wyandotte Cleaner.
 3. Rinse with clean water.
 4. Sanitize in a DIVERSOL CX with Arodyne solution using 1 1/2 ounces in 3 1/2 gallons of water providing 100 ppm available chlorine. Test sanitizer with a chlorine test kit. In the absence of testing equipment, if the sanitizer falls below 50 ppm available chlorine, discard solution and use a starting concentration of 200 ppm available chlorine.
- immerse all utensils and service ware for at least 2 minutes or for the times specified by governing sanitation code.
5. Place sanitized utensils and equipment on a rack or drain board to drain and air dry. Protect from dust and dirt.

NET WEIGHT 350 LBS. (158.73 KGS.)

Diversey Wyandotte Corporation



WYANDOTTE, MICHIGAN 48192

EMERGENCY TELEPHONE NUMBERS (24 hours)
Medical: (Call Collect) (303) 592-1024
Transportation: (CHEMTREC) 800-424-9300
Other Assistance: (313) 281-0930