131

Not Reviewed. Registrant of Reregistration of Pesticide Pr Response, Page 2.12, Active

DIVERSOL®CX WITH ARODYNE®

Sanitizer • Cleaner

For Industry Use Only

Precautionary Statements.
HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

DANGER: CORROSIVE. KEEP OUT OF REACH OF CHILDREN.

MAY CAUSE SEVERE SKIN AND EYE IRRITATION OR CHEMICAL BURNS TO BROKEN SKIN. CAUSES EYE DAMAGE. Wear safety glasses or goggles and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Avoid contaminating food.

ENVIRONMENTAL HAZARDS

This product is toxic to fish Do not discharge into lakes, streams, ponds or public waterways unless in accordance with a NPDES permit. For guidance, contact the regional office of the U.S. Environmental Protection Agency.

PHYSICAL OR CHEMICAL HAZARDS

STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, etc.) will release chlorine gas which is irritating to eyes, lungs and miccous membranes

STORAGE AND DISPOSAL

Store this product in a cool area, away from direct sunlight and heat to avoid deterioration. In case of spills, flood areas with large quantities of water. Product or rinsates that cannot be used should be diluted with water before disposal in a sanitary sewer. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

CONTAINER DISPOSAL

Fiber Drums with Liner — Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Dispose of liner and fiber drum in a sanitary landfill or by incineration if allowed by State and local authorities. Do not reuse empty container.

111950 (892510)

FIB-6-B

COMPOSITION:

ACTIVE INGREDIENT

*From chlorinated Trisodium phosphate-12 H₂O

Phosphorus content 8.2% (asP). Recommended sanitizer use solution contains 1-2 grams of phosphorus (as 7) per gallon.

KEEP OUT OF REACH OF CHILDREN.

DANGER: CORROSIVE.
CAUSES EYE DAMAGE AND SKIN DAMAGE.
HARMFUL IF SWALLOWED.

STATEMENTS OF PRACTICAL TREATMENT

If in eyes: Flush with plenty of water for 15 minutes. Get medical attention.

If on skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

!! swallowed: Drink promptly a large quantity of water. Avoid alcohol. Do not induce vomiting

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

See ad "itional precautionary text on left side panel.

a

USE DIRECTIONS

It is a violation of Federal law to use this produ

For use in dairies, beverage, meat, poultry a and commissaries

CLEANING AND SANITIZING

- 1. Flush surfaces or equipment with water to
- Solution Method: Spray, brush, or circul
 of DIVERSOL CX with Arodyne in wate
 equipment.
 OR.

Paste Method: Brush equipment surfact DIVERSOL CX with Arodyne onto heavy to clean for 5-10 minutes.

- 3 Rinse with potable water.
- 4 Sanitize equipment by spraying, circula surfaces with a solution of 1½ ounces of I in 3½ gallons of water (100 ppm availab to contact surface for at least 2 minutes, a chlorine test kit to insure proper available sanitizer solution should not be reused recirculated for additional cleaning apparantized food contact surfaces with potal

SANITIZING

For glasses, utensils, food processing parts a and food preparation areas.

- 1. Scrape and pre-flush utensils and equipm
- 2. Wash with appropriate Diversey Wyandot
- 3. Rinse with clean water.
- 4. Sanitize in a DIVERSOL CX with Arodyn in 3½ gallons of water providing 100 p sanitizer with a chlorine test kit. In the ab or if the sanitizer falls below 50 ppm availal and use a starting concentration of 20 Immerse all uter sils and service ware for confact times specified by governing sanitized.
- 5 Place sanitized utensils and equipment drain and air dry Protect from dust and di

NET WEIGHT 300 LBS. (136.06 KGS.)