Please read instructions on reverse before completing form.	875 - 41 Form Approved. OMB No. 2070-0060. Approval expires of	94
Environmental Protection Age Washington, DC 20460	Registration Amendment X Other OPP Identifier Nur 246722	mber
Application for Pesticide - Section I and Application of the section I and the section I are the secti		
1. Company/Product Number 875-41	2. EPA Product Manager 3. Proposed Classificatio	n ;
4. Company/Product (Name) Diversol CX with Arodyne	PM# X None Res	stricted -
5. Name and Address of Applicant (Include ZIP Code) Diversey Corp. 12025 Tech Center Drive Livonia, MI 48150-2193 Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3((b)(i), my product is similar or identical in composition and lab to: EPA Reg. No.	
Product Name		
Amendment - Explain below. Resubmission in response to Agency letter dated X Notification - Explain below.	Final printed labels in response to Agency letter dated "Me Too" Application. Other - Explain below.	and the second s
Explanation: Use additional page(s) if necessary. (For section I and Section II.) Notification of compliance with PR Notice 95-1. See attached certification and product label.		
	ction - III	- 432
1. Material This Product Will Be Packaged In: Child-Resistant Packaging Unit Packaging Wate	Yes Mo	- 2 - 2 - 2 - 4
	es" No. per age wgt sontainer of a relative and relative and age wgt sontainer of a relative and relative	7
3. Location of Net Contents Information Label The Container Conta		
6. Manner in Which Lebel is Affixed to Product Lithograph Paper glued Stenciled Section - IV		
1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name	ger Regulatory Affairs Telephone No. (Include Area	Code)
Certification which the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or reduced both under applicable law.		
2. Signature 3. Title Mana	ger_Regulatory Affairs	
4. Typed Name 5. Date Henry P. Katstra Au	igust 20, 1995	الحوريون

ENVIRONMENTAL HAZARDS - This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been polified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, etc.) will release chlorine gas which is irritating to eyes, lungs and mucous membranes.

STORAGE AND DISPOSAL

Store this product in a cool area away from direct sunlight and heat to avoid deterioration. In case of spills, flood area with large quantities of water. Product or rinsates that cannot be used should be diluted with water before disposal in a sanitary sewer. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

CONTAINER DISPOSAL

Fiber Drums with Liner—Completely empty liner by shaking and tapping sldes and bottom to loosen clinging particles. Empty residue into application equipment. Dispose of liner and fiber drum in a sanitary landfill or by incineration if allowed by state and local authorities. Do not reuse empty container.



09533850



For Industry Use

ACTIVE INGREDIENT:

Sodium hypochlorite*
INERT INGREDIENTS

96

From chlorinated Trisodium phosphate-12H₂O
Phosphorus content 8.2% (as P). Recommended sanitizer use solu

Phosphorus content 8.2% (as P). Recommended sanitizer use solution of phosphorus (as P) per gallon.

PRECAUTIONARY STATEMENTS.
HAZARDS TO HUMANS AND DOMESTIC ANIMAL

KEEP OUT OF REACH OF CHILDR! DANGER:

CORROSIVE. CAUSES EYE DAMAGE AND SKIN IRRITATION. HARMFUL IF SWALLOWED.

Do not get in eyes, on skin, or on clothing. Wear safety glasses or rubber gloves when handling. Wash after handling. Avoid breathing contamination of food.

STATEMENT OF PRACTICAL TREATMENT

If in eyes: Flush with plenty of water for at least 15 minutes. Get matterfloor.

If on skin: Wash with plenty of soap and water. Get medical attentionersists.

If swallowed: Drink promptly a large quantity of water. Avoid alcohinduce vomiting.

NOTE TO PHYSICIAN: Probable mucosal damage may contraind of gastric lavage.

Diversey Corp. • Livonia, MI 48150-2193 • 313 4: 24 HOUR EMERGENCY TELEPHONE • Medical: (303 592 1024 Transportation: (CHEM | REC) 800 4

Net Weight 300 Lbs (136.1


PMS 165 (8¹/₂" x 15")

sticide is toxic to fish. Do not into lakes, streams, ponds, n accordance with the narge Elimination System rity has been notified in writing int containing this product to a the local sewage treatment State Water Board or Regional

rith water according to label cals (e.g. ammonia, acids, ine, feces, etc.) will release gs and mucous membranes.

n direct sunlight and heat to area with large quantities of used should be diluted with Do not contaminate food or quipment.

ity liner by shaking and tapping les. Empty residue into id liber drum in a sanitary e and local authorities. Do not



ACTIVE INGREDIENT:

Sodium hypochlorite:

INERT INGREDIENTS

1-2 grams of phosphorus (as P) per gallon.

From chlorinated Trisodium phosphate-12H₂O

Phosphorus content 8.2% (as P). Recommended sanitizer use solution contains

PRECAUTIONARY STATEMENTS. HAZARDS TO HUMANS AND DOMESTIC ANIMALS. KEEP OUT OF REACH OF CHILDREN.

CORROSIVE. CAUSES EYE DAMAGE AND SKIN IRRITATION. HARMFUL IF SWALLOWED.

Do not get in eyes, on skin, or on clothing. Wear safety glasses or goggles and rubber gloves when handling. Wash after handling. Avoid breathing vapors. Avoid STATEMENT OF PRACTICAL TREATMENT

If in eyes: Flush with plenty of water for at least 15 minutes. Get medical Companies that I have

If on skin: Wash with plenty of soap and water: Get medical attention if irritation

If swallowed: Drink promptly a large quantity of water. Avoid alcohol, Do not

NOTE TO PHYSICIAN: Probable mucosal damage may contraind cate the use of

Diversey Corp. • Livonia, 34 48150-2193 • 313 458 5000 24 HOUR EMERGENCY TELEPHONE • Medical: (Call Collect) 303 592 1024 Transportation: (CHEMTHEC) 800 424 9300

Net Weight 300 Lbs (136.1 K)





PMS 165 (81/2" x 15")



with Arodyne®

ution contains

s. EN.

goggles and j vapors. Avoid

ion if irritation

nol. Do not

cate the use of

58 **5000** (Call Collect) 424 9800 1



DIRECTIONS FOR USE: .

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

CLEANING AND SANITIZING

- 1. Flush surfaces of equipment with water to remove heavy soils.
- Solution Method: Spray, brush or circulate 1-3 ounces per gallon of Diversol CX with Arodyne per gallon of water at 120° - 135°F to clean equipment.

Paste Method: Brush equipment surfaces with a thick slurry of Diversol CX with Arodyne onto heavy soils or stain area. Allow to clean for 5-10 minutes.

- 3. Rinse with potable water.
- 4. Sanitize equipment by spraying, circulating, or thoroughly wetting surfaces with a solution of 1 1/2 ounces of Diversol CX with Arodyne in 3 1/2 gallons of water (100 ppm available chlorine). Allow sanitizer to contact surfaces for at least 2 minutes. Test sanitizer solution with a chlorine test kit to ensure proper available chlorine content. Circulated sanitizer solution should not be reused for sanitizing, but may be recirculated for additional cleaning applications.

SANITIZING

For glasses, utensils, food processing parts and equipment in restaurants and food preparation areas.

- 1. Scrape and pre-flush utensils and equipment.
- 2. Wash with appropriate Diversey Cleaner.
- 3. Rinse with clean water.
- 4. Sanitize in a Diversol CX with Arodyne solution using 1 1/2 ounces in 3 1/2 gallons of water providing 100 ppm available chlorine. Test sanitizer with a chlorine test kit. In the absence of testing equipment, or if the sanitizer falls below 50 ppm available chlorine, discard solution and use a starting concentration of 200 ppm available chlorine. Immerse all utensils and service ware for at least 2 minutes or for contact times specified by governing sanitation code.
- 5. Place sanitized utensils and equipment on a rack or drainboard to drain and air dry. Protect from dust and dirt.

EPA Registration No. 875-41 EPA Establishment No. 875-CN-1

(951108)cp\xI

Diversey