

PROPOSED LABEL

875-42
Ammonia

CENTER PANEL

DIVERSEY
®

SAF-SCL BRAND
®

E.P.A. Reg. No. 875-42

U.S. Patent No. 2,815,311

SANITIZER

COMPOSITION:

Active Ingredients

| | |
|--|--------|
| Sodium hypochlorite | 3.25% |
| Potassium bromide | 2.00% |
| Sodium phosphate expressed as $\text{Na}_3\text{PO}_4 \cdot 12\text{H}_2\text{O}$ | 89.92% |

Inert Ingredients 4.83%

including 0.01% Potassium Permanganate
as colorant

WARNING:

Keep out of Reach of Children.
This is an alkaline material. Harmful if swallowed.
Do not take internally.
If swallowed, give 1 or 2 glasses of water or milk.
Call a physician.
It may cause severe skin or eye irritation.
If it gets in the eyes or on the skin, flush freely with water.
Consult a physician.

FOR INDUSTRIAL USE.

ACCEPTED WITH COMMENTS

Diversey Chemicals
Division of The Diversey Corporation
Des Plaines, Illinois 60018

PROPOSED LABEL

SIDE PANEL

Net Weight

Store in a cool dry area.

Complete instructions are available for cleaning and disinfecting in all areas of kitchens and housekeeping sanitation. Consult your D-man or write:

DIVERSEY CHEMICALS.

WARRANTY:

Diversey Chemicals warrants to the original purchaser of this product that it will perform satisfactorily when used according to directions and will refund the cost of this product to the purchaser if it fails to perform as stated. The Company assumes no other express or implied obligation in connection with said product.

DO NOT reuse empty drum. Destroy by perforating or crushing. Bury in a safe place.

MANUFACTURED IN U.S.A.

PRINTED IN U.S.A.

PROPOSED LABEL

SIDE PANEL 2

DIRECTIONS

Restaurant Use:

- 1/Scrape and prewash utensils and glasses whenever possible.
- 2/Wash with Diversey cleaner of your choice.
- 3/Rinse with clean water.
- 4/Sanitize in a solution of SAF-SOL BRAND sanitizer containing 1 ounce to 9 gallons of water (25 ppm available halogen expressed as available chlorine). Immerse all utensils for at least two minutes or for contact time specified by governing sanitary code.
- 5/Place sanitized utensils on a rack or drainboard to air dry.

NOTE: A clean potable water rinse following sanitation is not permitted under Section H 96.6(2)(c)2 of the Wisconsin Administrative Code.

General Use:

DAIRIES, BEVERAGE PLANTS, BREWERIES AND OTHER FOOD PROCESSING INDUSTRIES, SCHOOLS AND HOTELS.

Sanitizing: Circulation or rinse method.

- 1/Clean equipment in the usual manner, using the Diversey cleaner of your choice, and rinse thoroughly with fresh water.
- 2/Rinse or circulate a solution of SAF-SOL containing 25 ppm available halogen*(consult concentration chart).

Sanitizing: Spray Method - Large tanks, open surface coolers, and similar equipment.

- 1/Clean equipment in the usual manner, using the Diversey cleaner of your choice, and rinse thoroughly with fresh water.
- 2/Spray surfaces with a solution of SAF-SOL BRAND containing 75 ppm available halogen*(consult concentration chart).

General Instructions:

- 1/Sanitize equipment shortly before it is to be used, or at a time specified by local regulations.
- 2/Observe local regulations regarding contact period of the SAF-SOL BRAND sanitizer solution.
- 3/It is important that all surfaces of the equipment later in contact with food products be reached with the SAF-SOL BRAND sanitizer solution. Brush covers and upper surfaces of vats and tanks with the solution.

PROPOSED LABEL

SIDE PANEL 2

| <u>GALLONS</u> | 25 ppm* | | 50 ppm* | | 75 ppm* | |
|----------------|-----------------------|-------------------------|-----------------------|-------------------------|-----------------------|-------------------------|
| | <u>WEIGHT MEASURE</u> | <u>VOLUME** MEASURE</u> | <u>WEIGHT MEASURE</u> | <u>VOLUME** MEASURE</u> | <u>WEIGHT MEASURE</u> | <u>VOLUME** MEASURE</u> |
| 10 | 1½ oz. | ½ cup | 2½ oz. | 3/8 cup | 3½ oz. | 1/2 cup |
| 50 | 6 oz. | 7/8 cup | 11 oz. | 1½ cups | 1 lb. 1 oz. | 2 3/8 cups |
| 100 | 11 oz. | 1½ cups | 1 lb. 6 oz. | 3 cups | 2 lb. 1 oz. | 4½ cups |
| 0 | 1 lb. 6 oz. | 3 cups | 2 lb.11 oz. | 6 cups | 4 lb. 1 oz. | 9 cups |
| 500 | 3 lb. 6 oz. | 7½ cups | 6 lb.11 oz. | 14 3/4 cups | 10 lb.1 oz. | 22 1/8 cups |

NOTE: Strength of solution should not drop below 12.5 ppm Available Halogen* if test is not available, use a solution containing 50 ppm available Halogen*.

*Parts per million available halogen expressed as available chlorine.

**Volume measure is given using a standard 8 oz. measuring cup. These values are given when a means of weighing (the preferred method) is not readily available.