

Precautionary Statements

HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

DANGER: CORROSIVE.

HARMFUL OR FATAL IF SWALLOWED.

Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS — This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds or public waters unless in accordance with NPDES permit. For guidance, contact the regional office of the Environmental Protection Agency.

CHEMICAL AND PHYSICAL HAZARDS

DANGER — MUST BE DILUTED BEFORE USE — ACIDIC PRODUCT — Do not mix with other cleaners or chemicals as hazardous gases or heat may be generated. Dilute only with water.

STORAGE AND DISPOSAL

Store this product in a cool, dry area, away from sunlight and heat to avoid deterioration. In case of spill, flood area with large quantities of water. Product or rinsates that cannot be used should be diluted with water before disposal in a sanitary sewer. Do not contaminate food or feed by storage disposal or cleaning of equipment.

CONTAINER DISPOSAL (Plastic Containers)

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, by incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

(b57)

Udder-Bac®

Udder Wash

Iodophor Udder Wash, Bactericide Cleaner-Sanitizer



Reg. U.S. Pat. & Tm. Off. EPA Reg. No. 875-CA-2 (2), 875-PA-1 (3), 875-MB-1 (4), 875-SB-1 (5)
Superscript used as a trademark

For Dairy Farm or Industry Use Only

ACTIVE INGREDIENTS

Iodine *	1.75%
INERT INGREDIENTS	98.25%
	100.00%

*From Polyethylene glycoether of linear secondary alcohol-iodine complex

KEEP OUT OF REACH OF CHILDREN.

DANGER: CORROSIVE.
HARMFUL OR FATAL IF SWALLOWED.

STATEMENT OF PRACTICAL TREATMENT


Eyes: Flush eyes with plenty of water for 15 minutes. Get prompt medical attention.

Skin: Flush skin with water. Wash thoroughly with soap and water.

If Swallowed: Drink promptly a large quantity of egg whites or gelatin solution, or if not available, a large quantity of water. DO NOT induce vomiting. Avoid alcohol.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

See side panels for additional precautions and directions for use.



DIRECTIONS FOR USE

It is a violation of federal law to use this product inconsistent with its labeling.

Udder Washing — Before Milking

1. About one minute before attaching milker, wash udder with Udder-Bac, in 5 gallons of lukewarm water (2 ppm iodine solution). Wash and massage entire udder.
2. Dry udder with a single service towel. Do not reuse towel in the solution. Yellow color indicates the presence of iodine. Prepare a fresh solution when the yellow color when the solution becomes visibly dirty.
3. AFTER MILKING, dip each teat with an approved teat dip.

Sanitizing of Manually Cleaned Equipment — Tanks, Brushes, and Food Processing Equipment

1. Rinse with warm water immediately after use.
2. Wash with recommended Diversey Wyandotte product.
3. Rinse with clean water. Drain equipment.
4. Sanitize cleaned surfaces by spraying or immersing surfaces completely in a solution prepared by diluting UDDER-BAC to each 5 gallons of water. This solution contains 2.5 ppm of titratable iodine. Utensils and equipment shall be immersed for 10 minutes.
5. Drain equipment of sanitizer. Allow to air dry. Protect from dirt until used.

NOTE: Udder-Bac sanitizer will decrease in activity with an Iodine Test Kit. Discard solution when iodine content decreases to 12.5 ppm titratable iodine. Do not reuse sanitizer applied by spray methods.

NET CONTENTS 5 GALLONS (18.9 L)

BEST AVAILABLE

Diversey Wyandotte
Corporation



WYANDOTTE, MICHIGAN 48192

EMERGENCY
Medical
Transportation
Other