

Dairy Farms

After cleaning and just prior to use, sanitize Dairy Farm Equipment by spraying, circulating or immersion in a 200 ppm available chlorine solution. To prepare, add one ounce of DIBAC to each 3½ gallons of tap water used. Expose equipment to the sanitizing solution for at least 2 minutes or as specified by local regulations.

Dairy Plants**Equipment**

After cleaning and just prior to use, sanitize equipment by spraying, circulating or immersion in a 200 ppm available chlorine solution. To prepare, add one ounce of DIBAC to each 3½ gallons of water used. Expose equipment to the sanitizing solution for at least 2 minutes or as specified by local regulations.

Bottles

After cleaning and immediately before filling, sanitize bottles with a 50 ppm available chlorine solution. To prepare, add 1 ounce of DIBAC to each 14 gallons of water.

Concentration Chart

Available Chlorine	DIBAC Dilution
50 ppm	1 ounce to 14 gallons
100 ppm	1 ounce to 7 gallons
200 ppm	1 ounce to 3½ gallons

Warranty

The Diversey Chemical Company warrants to the original purchaser of this product that it will perform satisfactorily when used according to directions and will refund the cost of this product to the purchaser if it fails to perform as stated. The Company assumes no other express or implied obligation in connection with said product.

ACCEPTED
 AUG 27 1970
 UNDER THE FEDERAL FOOD, DRUG AND COSMETIC ACT
 FOR FOOD AND DRUGS
 ESTABLISHMENT NO. 875-47
 FOR ADDITIONAL COMMENTS

Manufactured for
 Diversey Chemical Company
 Chicago, Illinois 60606

Diversey®

DIBAC®

Liquid Bactericide, Disinfectant,
 Sanitizer and Deodorizer

ACTIVE INGREDIENTS:
 3,4,5-TRICHLOROBENZOIC ACID 2.50%
 HYPERMANGANESEOUS OXIDE 1.50%

Caution: Keep out of reach of children.
 See side panel for additional cautions.
 Net Contents 1 Gallon

ACCEPTED

AUG 27 1970

BY THE FEDERAL DEPARTMENT OF HEALTH AND HUMAN SERVICES
CONSUMER PRODUCT COMPLAINT CENTER
ORDER NO. 875-47
FACED COMMENTS

Manufactured for
Diversey Chemical Company
Chicago, Illinois 60606

Diversey®

DIBAC®

Liquid Bactericide, Disinfectant,
Sanitizer and Deodorizer

ACTIVE INGREDIENTS

Sodium Hypochlorite 2.5%

Water (Aqueous Solution) 97.5%

Caution: Keep out of reach of children.
See side panel for additional cautions.
Net Contents 1 Gallon

Restaurants, Institutions, and Other Food Serving Establishments

- 1/Scrape and prewash utensils and glasses whenever possible.
- 2/Wash with your recommended Diversey cleaner.
- 3/Rinse with clean water.
- 4/Sanitize in a solution containing 1 ounce of DIBAC for each 3½ gallons of tap water used (200 ppm available chlorine). Immerse all utensils for at least two minutes or contact time specified by governing sanitary code.
- 5/Place sanitized utensils on a rack or drainboard to air dry.

Note: A clean potable water rinse following sanitization is not permitted under Section H 96.16 (2) (c) 2 of the Wisconsin Administrative Code.

Storage and Handling

Heat and light cause deterioration of Liquid Sodium Hypochlorite. Store out of sun in cool, dark place.
U.S. National Bureau of Standards prescribes best storage conditions to be in dark at temperatures under 68° F. Protect from freezing.

Poison

Antidote External: Wash with water.

Antidote Internal: Drink mucilage, raw egg white, milk, or rice gruel. Follow with emetic (tablespoonful of mustard in glass of warm water). **Call A Physician**

Caution:

Do not mix DIBAC with acidic materials. This will cause the release of chlorine gas which is irritating to eyes, skin and lungs. If it gets in eyes, flush freely with water. Consult doctor.

Diversey Chemical Company

A Division of the Diversey Corporation/Chicago, Illinois 60606