

FRONT PANEL

DIVERSEY  
MASTIMIN

IODOPHOR TEAT DIP, UDDER WASH,  
INFLATION SANITIZER AND DEODORIZER

Active Ingredients:

Butoxy monoether of polyoxypropylene- polyoxyethylene glycol - Iodine complex (providing 0.50% titratable iodine)	4.01%
Phosphoric acid	0.32%

Inert Ingredients:

95.67%

CAUTION - Keep out of reach of children.  
See side panel for additional cautions.

This product contains only biodegradable surfactants.  
This product will not create foam problems in sewage  
systems, rivers or streams.

Keep from freezing. Store in cool, dry area.  
Should freezing occur, thaw, and agitate container.

Net Contents 1 Gallon

ACCEPTED

APR 16 1969

815 63

Diversey Chemical Company  
A Division of The Diversey Corporation

Chicago, Illinois 60606

SIDE PANEL

SANITATION PROGRAM ADJUNCT IN MASTITIS CONTROL

UDDER WASHING

1. Use a plastic pail. Prepare solution of  $1\frac{1}{2}$  oz. Diversey Mastimin to each gallon of warm ( $115^{\circ}$  F.) water. This solution provides 50 ppm of titratable iodine.
2. About one minute before milking, dip single service paper towel into the solution. Wash and massage udder and teats thoroughly for sanitizing and udder stimulation. Discard towel.
3. Use a strip cup to examine each quarter before applying milking machine.

INFLATION SANITATION

1. Sanitize the inflations between milking cows.
2. Prepare a sanitizing solution using  $\frac{2}{3}$  oz. of Diversey Mastimin to each gallon of warm ( $115^{\circ}$  F.) water. This solution provides 25 ppm of titratable iodine.
3. Immerse the inflations in the sanitizing solution as specified by local regulations.
4. Allow the inflations to drain adequately.

TEAT DIPPING

Immediately after milking machine is removed, dip each teat into a cup containing undiluted Diversey Mastimin.

NOTE: Use Diversey S-Spray chemical injector for proportioning the proper amount of Diversey Mastimin into the spray hose for udder washing and inflation sanitizing to save time, labor, and conserve sanitizer.

CONCENTRATION CHART  
(25 ppm titratable iodine)

WATER	MASTIMIN
1 gallon	$\frac{2}{3}$ ounces
2 $\frac{1}{2}$ gallons (10 qt. pail)	1- $\frac{2}{3}$ ounces
10 gallons	6- $\frac{2}{3}$ ounces

SIDE PANEL

CAUTION

This is an acidic material. Concentrate may cause skin irritation. Harmful if swallowed. If swallowed, give 1 or 2 glasses of water or milk. Call doctor. Avoid contact with skin or eyes. If it gets in eyes, flush freely with water. Consult doctor. Avoid contamination of foods.

WARRANTY

Diversey Chemical Company warrants to the original purchaser of this product that it will perform satisfactorily when used according to directions and will refund the cost of this product to the purchaser if it fails to perform as stated. The company assumes no other express or implied obligation in connection with said product.

Made in U.S.A.

Printed in U. S. A.