

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

SEP 19 1989

Mr. [Name] [Address] [City, State, Zip]
 [Name] [Address] [City, State, Zip]
 [Name] [Address] [City, State, Zip]

Registration No. 175-81
 Your Application Dated September 16, 1987

- The statement referred to above, submitted in connection with registration under FIFRA, is acceptable provided that you:
1. Make the labeling changes listed below before you release the product to the market bearing the amended labeling:

Labels

- a. Under "DIRECTIONS FOR USE As a Sanitizer" change the statement "When solution depreciates" to read "Discard used solution daily or more often if it becomes diluted or soiled."
- b. Under "DIRECTIONS FOR USE on Non-Food Contact Surfaces" include exposure time.
- c. Revise "see side panel for additional precautionary text" to read: "See side panel for additional precautionary statement."
- d. Delete the word "milk."

Technical Service Bulletin

- a. Delete phenol coefficient on page 5.
- b. Delete the word "milk."
- c. Revise your technical service bulletin in accordance with items a & b above.

56886; I: DeLaney; L-8; KENCO; 09/07/89; 10/18/89; CL; SW; VO; EK; CL

CONCURRENCES

SYMBOL							
SURNAME							
DATE							

2. Submit five (5) copies of your final printed labeling before you release the product for shipment.

Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

If you have any questions concerning this letter, please contact Martha DeLaney at (703) 557-6982.

Sincerely yours,



John H. Lee
Product Manager (31)
Antimicrobial Program Branch
Registration Division (N7505C)

Enclosure

HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

KEEP OUT OF REACH OF CHILDREN.

DANGER: CORROSIVE. CAUSES SEVERE EYE AND SKIN DAMAGE

Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful to animals with repeated contamination of food.

PHYSICAL AND CHEMICAL HAZARD:

Do not use or store near heat or open flame.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a dry place no lower in temperature than 40° and higher than 120°F.

CONTAINER DISPOSAL: Do not reuse empty container. Rinse the empty container with water. Then either recycle or dispose of container and dispose of it in a sanitary landfill or in the procedure approved by State and local authorities. Plastic container only to be disposed of in a sanitary landfill, incinerated or, if allowed by local authorities, by burning. If burned, stay out of smoke.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or empty container is a violation of Federal Law. If these wastes cannot be disposed of in accordance with label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Emergency Team for the nearest Federal Regional Office for guidance.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

1. As a Sanitizer

A. Glasses, Table, Utensils

1. Scrape and dip-push articles to be washed.
2. Wash in clean water, using recommended product.
3. Rinse in clean running water.
4. Sanitize in Spartec solution containing 1 lb. oz. (2 lbs.) per 4 gals. water (200 ppm active agent). Immerse all items for at least 5 minutes or for contact time specified by governing sanitizing code. Test periodically with quaternary tester. When solution deprecates below 200 ppm, discard.
5. Air-dry on clean drain board.

B. Dairy - Beverage - Food Processing Equipment

1. Clean equipment immediately after use.
 - a. Rinse with clean water.
 - b. Wash with recommended product.
 - c. Rinse with clean water.
2. Air-dry - protect from dust and oil.

Sanitize immediately before re-use with Spartec solution containing 1 lb. oz. (2 lbs.) per 4 gals. water (200 ppm active agent). Test periodically with quaternary tester. When solution deprecates below 200 ppm, discard.

Spartec®

Quaternary Ammonium Sanitizer, Disinfectant

For Industry Use Only

ACTIVE INGREDIENTS

1. Alkyl dimethyl benzyl ammonium chlorides

10.0%

INERT INGREDIENTS

90.0%

100.0%

(10.0% to 40% C₁₂ to 10%

AOAC USE-DILUTION

Staphylococcus aureus

1:250

Salmonella choleraesuis

1:250

Pseudomonas aeruginosa

1:85

KEEP OUT OF REACH OF CHILDREN.

DANGER:

STATEMENT OF PRACTICAL TREATMENT:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock as well as oxygen and measures to support breathing manually or mechanically may be needed. If persistent, convulsions may be controlled by the cautious intravenous injection of a short-acting barbiturate drug.

See side panel for additional precautionary text.

EPA Reg. No. 875-CA-2 (4), 875-PA-1 (5), 875-MH-1 (6), 875-GA-1
Superscript used is first number.

NET CONTENTS 30 GALLONS (113.55 LITERS)

Diversey Wyandotte Corporation



FOOD INDUSTRIES GROUP
WYANDOTTE, MICHIGAN 48192

as amended by...
registered under EPA...
875-81

A liquid "cationic" quaternary ammonium compound sanitizer.

PURPOSE AND USE

For sanitizing, disinfecting, and deodorizing all types of previously cleaned hard surfaces:

- | | |
|----------------------------|-------------------|
| Food Processing Equipment | Hospitals |
| Food Storage Areas | Institutions |
| Garbage Areas and Cans | Motels and Hotels |
| Food Service Areas | Restaurants |
| Dairy Processing Equipment | Schools |
| Refrigerated Storage Rooms | Rest Rooms |
| Poultry plants | Shower Rooms |
| Glassware and Dishes | Bars and Taverns |

FEATURES

1. Liquid
2. Non-corrosive
3. Heat Stable
4. Stable Liquid
5. Deodorizer
6. Disinfectant-Sanitizer
7. Residual Mildewstat

BENEFITS

- Easy to prepare use concentrations.
- Safe on all surfaces - wood, paint floor tile and metal.
- Will not lose strength in hot solutions.
- Long shelf-life.
- Eliminates off-odors in use areas.
- Reduces or eliminates most bacteria, when used as directed.
- Controls mold and mildew. Prevents regrowth up to 14 days on hard surfaces.

REGULATORY STATUS

SPARTEC fulfills the criteria of Appendix F, of the Grade "A" Pasteurized Milk Ordinance 1978 Recommendations of the U.S. Public Health Service in waters up to 550 ppm (32 grains) of hardness calculated as CaCO₃ when tested by the A.O.A.C. Germicidal and Detergent Sanitizers - Official Method.

SPARTEC is authorized for use under U.S.D.A. inspection and grading program under Category code letters:

BEST AVAILABLE COPY

FOOD INDUSTRIES GROUP

D2. Sanitizers for all surfaces not always requiring a rinse.

Before using these compounds, food products and packaging materials must be removed from the room or carefully protected. A potable water rinse is not required following use of these compounds on previously-cleaned hard surfaces provided that the surfaces are adequately drained before contact with food so that little or no residue remains which can adulterate or have a deleterious effect on edible products. A potable water rinse is required following use of these compounds under conditions other than those stated above. The compounds must always be used at dilutions and according to applicable directions provided on the EPA registered label.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

1. As a Sanitizer

A. Glasses - Dishes - Utensils

1. Scrape and pre-flush articles to be washed.
2. Wash in clean water using recommended product.
3. Rinse in clean running water.
4. Sanitize in SPARTEC solution containing 1 fl oz (2 lbs) per 4 gals water (200 ppm active agent). Immerse all items for at least 2 minutes or for contact time specified by governing sanitary code. Test periodically with quaternary tester. When solution depreciate, or becomes soiled, discard.
5. Air-dry on clean drain board.

B. Dairy - Beverage - Food Processing Equipment

1. Clean equipment immediately after use.
 - a. Rinse with clean water.
 - b. Wash with recommended product.
 - c. Rinse with clean water.
 - d. Air dry - protect from dust and dirt.
2. Sanitizer immediately before reuse with SPARTEC solution containing 1 fl oz (2 lbs) per 4 gals water (200 ppm active agent). Test periodically with quaternary tester. When solution depreciates, discard.

C. Non-Food Contact Surfaces

1. Clean surfaces immediately after use
2. Sanitize by spraying with SPARTEC solution containing 1 fluid ounce per 2 gallons water (400 ppm active agent).
3. Drain and allow to air dry.

SEP 19 1989

2. As a Disinfectant

A. Medical and Veterinary facilities; (previously cleaned, ~~hard, non-porous~~ porous surfaces such as walls, floors and counters.)

1. Remove heavy soil and thoroughly clean the surface prior to application.
2. Wipe or mop to wet surfaces thoroughly using SPARTEC solution containing 1-1/2 fluid ounces per gallon water (1200 ppm active agent). Do not rinse. Allow solution to contact the surface for 10 minutes or longer.

B. Non-Medical Applications; e.g., shower rooms, rest rooms, floor and walls:

1. Remove heavy soil and thoroughly clean the surface prior to application.
2. Wipe or mop to wet surfaces thoroughly using SPARTEC solution containing 1 fluid ounce per 2 gallons water (400 ppm active agent). Do not rinse. Allow solution to contact the surface for 10 minutes or longer.

3. Mildew and Mold Control

Tile, Metal or Cement Surfaces:

After cleaning, apply SPARTEC solution containing 1 1/2 fluid ounces per gallon water (1200 ppm active agent) to moisten or dampen surfaces. Repeat every treatment daily until condition is under control.

After cleaning, dampen or wet surface using SPARTEC at 1 1/2 fluid ounces per gallon water (1200 ppm active agent). Repeat treatment every 14 days until condition is under control.

4. As a Deodorant

Refrigerators, Cold Storage Rooms, Drains and Garbage Containers:
After cleaning, rinse thoroughly and use SPARTEC solution containing 1 fluid ounce per 2 gallons of water (400 ppm active agent).

5. Hand and Glove Sanitizing

Food Processing Plants:

Wash hands or gloves with warm soap and water. Rinse with potable water. Prepare a solution containing 1 fluid ounce SPARTEC in 4 gallons of water providing 200 ppm quaternary. Immerse hands or skin to completely wet skin or surface to above wrist-are. Drain and wipe with a single-service towel. DO NOT rinse gloves with potable water unless required by regulating authorities. Test sanitizer with a test kit. Discard used solutions daily or more often if it becomes diluted or soiled.

6. Shell Egg Sanitizing

To sanitize previously cleaned shell eggs, spray with a solution of 1 fluid ounce of SPARTEC per 4 gallons of water providing 200 ppm quaternary. The sanitizer solution should be 100-120° F. Spray eggs until thoroughly wet and allow to drain. Eggs sanitizing with this product should only be rinsed with potable water if they are to be broken for immediate use in egg products. Eggs should be reasonably dry before packaging or breaking. Do not reuse solution for egg sanitizing.

Do not mix with soap or anionic detergents.

Dilution Instructions

<u>ppm</u>	<u>Ratio</u>	<u>Oz/U.S. Gallon</u>	<u>Metric Equivalents</u>
200	1/500	1/2 oz/gal	2 ml/l
400	1/250	1/2 oz/gal	4 ml/l
1200	1/85	1/85	12 ml/l

TESTING PROCEDURES

Quantitative Method

Test SPAPTEC with the Diversey Wyandotte Quaternary Test Kit (Catalog No. 460-753-0-102).

1. Add 10 ml Quaternary Solution to test vial.
2. Add 2-3 drops Bromphenol Blue Indicator.
3. Add 4-5 drops Alkaline Sodium Chloride Solution.
4. Add 5 ml (approximately 607 dropperfulls) Ethyl Acetate (FLAMMABLE).
5. Cap vial and mix by inverting 8-10 times. Wait 1-2 minutes for layers to separate. Blue color will appear in top layer.
6. Add 2-3 drops 1.2% Sodium Dodecylbenzene Sulfonate Solution (SDDBSS). Cap and mix by inverting. Allow layers to separate. If blue color returns to top layer, add SDDBSS drop by drop, mixing sample between drops. When blue color leaves top layer and goes to bottom layer, titration is complete.
7. Calculate ppm as:

$$\text{ppm Quaternary} = F \times \text{No. drops SDDBSS Solution}$$
 F factor is on SDDBSS label.

For testing high concentrations of quaternary, such as more than 1000 ppm, the 10 ml sample can be reduced to 2.4 ml plus 7.6 ml of water. Test procedure remains the same. 2.4 ml sample can be measured with the marked dropper. This dropper measures 0.6 ml to the mark. 4 droppers will deliver 2.4 ml.

$$\text{ppm Quaternary} = F \times 4.2 \times \text{No. of drops of SDDBSS.}$$

SEMI-QUANTITATIVE METHOD (Concentrates 50 to 200 ppm quaternary).

Diversey Wyandotte Quaternary Test Strip (Stock number 460-370-0-112) is available for testing sanitizer solutions containing 50 to 200 ppm quaternary. Check with local health authorities for acceptability of this testing procedure.

PHYSICAL PROPERTIES

1. SPARTEC is an odorless, faintly straw-colored, clear water solution of a quaternary ammonium solution.
2. SPARTEC will freeze. Although it may not freeze solid, it may cause enough pressure to break containers. Keep from freezing. Upon thawing, SPARTEC returns to its original condition with no harm to its activity.

ACCEPTED
with COMMENTS
in EPA Letter Dated.

FI-363
Page 5

SEP 19 1989

CHEMICAL PROPERTIES

Active Ingredients:

n-Alkyl (50% C₁₄, 40% C₁₂, 10% C₁₆) dimethyl benzyl ammonium chlorides 10.0%

Inert Ingredients:

Water 90.0%
100.0%

Under the FIFRA Act, this product is registered under the FIFRA Act as amended.

875-81

PHENOL COEFFICIENT

50 for Salmonella typhosa
66 for Staphylococcus aureus

A.O.A.C. Use Dilution

Staphylococcus aureus 1:250
Salmonella choleraesuis 1:250
Pseudomonas aeruginosa 1:85

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS.
KEEP OUT OF REACH OF CHILDREN.

DANGER: CAUSES SEVERE EYE AND SKIN DAMAGE.

Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

STATEMENT OF PRACTICAL TREATMENT: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate use of gastric lavage. Measures against circulatory shock as well as oxygen and measures to support breathing manually or mechanically may be needed. If persistent, convulsions may be controlled by the cautious intravenous injection of a short-acting barbiturate drug.

PHYSICAL AND CHEMICAL HAZARD

Do not use or store near heat or open flame.

BEST AVAILABLE COPY

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE - Store in a dry place no lower in temperature than 40°F or higher than 120°F.

CONTAINER DISPOSAL - Do not reuse empty container. Triple rinse empty container with water. Then offer for reconditioning or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers may be disposed of in a sanitary landfill, incinerated or, if allowed by local authorities, by burning. If burned, stay out of smoke.

PESTICIDE DISPOSAL - Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

87-270

Revised