

BRAXENE®

Pr 21 # 875-24

10

Quaternary Ammonium Compound for Use in Commercial and Institutional For Industry Use Only

ACTIVE INGREDIENTS

n-Alkyl (50% C₁₂, 40% C₁₄, 10% C₁₆)-dimethyl benzyl ammonium chloride 20%

INERT INGREDIENTS

80%

100%

KEEP OUT OF REACH OF CHILDREN

DANGER:

STATEMENT OF PRACTICAL TREATMENT: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock as well as oxygen and measures to support breathing manually or mechanically may be needed. If persistent, convulsions may be controlled by the cautious intravenous injection of a short-acting barbiturate drug.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

DANGER:

CORROSIVE. CAUSES SEVERE EYE AND SKIN DAMAGE.

Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

PHYSICAL AND CHEMICAL HAZARD

Do not store near heat or open flame.

STORAGE AND DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide spray mixture or residue is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the hazardous waste representative at the nearest EPA regional office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerate, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

For Residual Self-sanitizing Treatment of Fabric Commercial Laundry Operations

1. Fill wheel for sour operation with 5 inches of water at 100°F.
2. Add sour in normal manner.
3. Use 5 oz. Braxene per hundred weight of fabric.
4. Before adding Braxene to wheel, dilute with water in a pail (10-12 qts).
5. Add to washwheel while in motion.
6. Run Braxene treatment for at least 7 minutes.

For Sanitizing Hard Surfaces, Sorting Tables, Press Tables, Storage Shelves, Linen Carts, Wrapping Areas.

After cleaning and rinsing, sanitize with Braxene solution, using 1/2 oz. per 3 gallons of water. This provides at least 250 ppm active agent in solution. Apply the solution so as to thoroughly wet all surfaces. Do not rinse.

IMPORTANT PRECAUTIONS

SOAP AND ANIONIC DETERGENTS WILL INACTIVATE BRAXENE. LOADS MUST BE PROPERLY RINSED.

Effective bacteriostasis is dependent upon uniform and complete absorption of the active agent. To obtain complete self-sanitizing activity with heavy fabrics, such as terrycloth towels, as many as five washings may be necessary for previously untreated fabrics.

For good distribution:

- Be sure to dilute Braxene prior to adding to the wheel.
- Keep water level at 5 inches.
- Avoid overloading.
- Maintain recommended temperature.



Diversey Corp.

1532 Biddle Avenue

Wyandotte,

Michigan 48192

LD 4 B

LD48(9C)

NET CONTENTS 30 GALLONS (113.55 LITERS)