

Reg# 875-89

PM-32

2113 Diversey Wyandotte Galley B Directory 2000 Film size 16 x 10 16 & 28 picas TSZ
48 20 Helv Med (-) 20 20 16 14 & 12 14 Helv Med (-) 7 7 8 8 & 9 9 Helv & Med (n) 7 7 Helv Med Ital 18 Helv Cond (-)

BEST AVAILABLE COPY

**PRECAUTIONARY STATEMENTS.
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS.**

WARNING:

Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. May cause eye damage or severe skin irritation.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams, and ponds. Treated effluent should not be discharged into lakes, streams, ponds, or public waters unless in accordance with NPDES permit. For guidance consult the regional office of EPA.

PHYSICAL AND CHEMICAL HAZARDS
STRONG OXIDIZING AGENT: Strong Oxidizing Agent. Use only clean dry utensils and mix with water only. Mixing other chemicals or gross filth (urine, feces, etc.) will start a chemical reaction resulting in release of toxic gases, heat, and possibly fire. In case of decomposition, isolate container in open air if possible, and flood with large volumes of water.

Antibac[®] B

EPA Reg. No. 875-CA-2
EPA Reg. No. 875-89

Highly-Soluble Chlorinated Sanitizer

Only For Sale to, Use, and Storage by Service Persons

ACTIVE INGREDIENT

Sodium dichloro-s-triazinetrione

25.8

INERT INGREDIENTS

Total

74.2

100.0

KEEP OUT OF REACH OF CHILDREN.

WARNING: MAY BE HARMFUL OR FATAL IF SWALLOWED.

See precautionary text on left side panel

FIRST AID: If swallowed feed gruel or cooked cereal followed by olive oil. Call a physician. In case of contact with skin or clothing, remove clothing and wash skin with soap and water. Do not reuse clothes until washed. In case of eye contact wash with water for about 15 minutes and consult a physician.



NET WT. 6 LBS. (2.72 KILOGRAMS)

Diversey Wyandotte Corporation



FOOD INDUSTRIES GROUP
WYANDOTTE MICHIGAN 48192

PRINTERS PROOF - SILK SCREENED CONTAINER LABEL



Diversey Wyandotte - Antibac B Label (R-11150) - 13
1PH 1 6-5-81

USE DIRECTIONS

It is violation of federal law to use this product in a manner inconsistent with its labeling

I. Terminal Sanitizing Rinse for Glasses, Dishes and Utensils

- 1 Scrape and pre-flush articles to be washed
- 2 Wash in clean water with recommended Diversey Wyandotte brand product
- 3 Rinse with potable water
- 4 Sanitize in Antibac B solution using 1 ounce in 12 gallons (0.6 grams per liter) of water (providing 100 ppm available chlorine). Immerse all articles for at least two minutes or for contact time specified by governing sanitary regulations. Test solution periodically with chlorine test kit. When solution depreciates to 50 ppm available chlorine, it should be discarded.
- 5 Air dry on clean drainboard

II. Sanitizing Dairy, Beverage, Food Processing Equipment, Farm Tanks, Pails, Strainers, Milking Machine Parts.

- 1 Rinse with lukewarm water immediately after using. Drain
- 2 Wash with recommended Diversey Wyandotte product. Drain
- 3 Acid rinse equipment using 1 ounce of Diversey Wyandotte Sental cleaner in each 5 gallons of cold water. Drain
- 4 Air dry - protect from dust and dirt
- 5 Sanitize equipment prior to reuse with 1 ounce of Diversey Wyandotte Antibac B in 12 gallons of cool water (100 ppm). Circulate at least 2 minutes. Drain. Test periodically with chlorine tester. When the available chlorine decreases to 50 ppm, discard. Do not rinse after sanitizing with Antibac B solution unless required to do so by local health regulations. Then rinse with potable water.

III. Special Applications

- 1 **Deodorizing.** Use 1 ounce of Antibac B in 2 gallons (3.7 grams per liter) of water (600 ppm available chlorine). Spray or rinse odor problem area. If applied to a food contact surface, treatment must be followed with a potable water rinse.
- 2 **Stock solutions.** These may be required in automatic sanitizing units for milk and beverage bottles. Stock solutions can be made up to 20 ounces per gallon (27 grams per liter) of water (25,000 ppm available chlorine), and may be held as long as 48 hours without excessive available chlorine loss. Sanitizing use solutions made from stock solutions of Antibac B must not exceed 100 ppm available chlorine. Use cold or warm (up to 100° F / 38°C) water to make Antibac B stock solutions.
- 3 **Sanitizing Commercial Eggs.**
 - a Wash with approved Diversey Wyandotte brand product
 - b Sanitize eggs by spraying them with solution containing 1 ounce of Antibac B in 12 gallons of water (100 ppm available chlorine). When solution depreciates to 50 ppm available chlorine, it should be discarded.

Antibac B fulfills the criteria of Appendix F, the Grade A Pasteurized Milk Ordinance, 1965 Recommendations of the USPHS when tested by the AOAC Germicidal and Detergent Sanitizer Test.

STORAGE AND DISPOSAL.

Store in a cool, dry area away from direct sunlight or heat. In case of spill, flood area with large quantities of water. Rinse empty container thoroughly with water and discard by placing in trash collection or burying it in approved landfill area. Do not contaminate food or feed by storage, disposal, or cleaning of equipment.

BEST AVAILABLE COPY

107301

0444