

Reg # 875-89

**PRECAUTIONARY STATEMENTS.
HAZARDS TO HUMANS OR DOMESTIC ANIMALS.**

**DANGER: CORROSIVE.
CAUSES EYE AND SKIN DAMAGE.
HARMFUL IF SWALLOWED.**

Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams, and ponds. Treated effluent should not be discharged into lakes, streams, ponds, or public waters unless in accordance with NPDES permit. For guidance consult the regional office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS. STRONG OXIDIZING AGENT: Use only clean, dry utensils and mix only with water. Mixing with other chemicals or gross filth (feces, urine, etc.) will start a chemical reaction resulting in the release of toxic gas, heat, and possible fire. If water or moisture enters the product container, harmful or irritating chlorine-containing gases will slowly be released by decomposition.

STORAGE AND DISPOSAL

Keep this product dry in a tightly closed container, when not in use. Store in a cool, dry, well ventilated area away from heat or open flames. Do not allow water to get into container. In case of decomposition, isolate container (if possible) and flood area with large amounts of water to dissolve all materials. If these wastes cannot be disposed of by use according to label directions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. Do not contaminate food or feed by storage and disposal or cleaning of equipment.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerate, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

PM-32

ANTIBAC® B

Highly-Soluble Chlorinated Sanitizer

For Industry Use Only

ACTIVE INGREDIENTS

Sodium dichloro-s-triazinetriene	25.8%
INERT INGREDIENTS	74.2%
Total	100.0%

KEEP OUT OF REACH OF CHILDREN.

**DANGER: CORROSIVE.
CAUSES EYE AND SKIN DAMAGE.
HARMFUL IF SWALLOWED.**

STATEMENTS OF PRACTICAL TREATMENT

If in eyes: Flush with plenty of water for 15 minutes. Get medical attention.

If on skin: Wash with plenty of soap and water. Get medical attention if irritation persists.


If swallowed: Drink promptly a large quantity of water. Do not induce vomiting. Avoid alcohol.

See additional precautionary text on left side panel.

FIG. 6 BOTTOM

NET WT.

60 LBS. (27.2 KGS.)



1971

EPA
EPA Est 875 GA-
875 MI 1(6) 875 GA
Bracketed number is for

USE DIRECTIONS

It is violation of federal law to use this product in a manner inconsistent with its labeling.

I. Terminal Sanitizing Rinse for Glasses, Dishes and Utensils

1. Scrape and pre-rinse articles to be washed.
2. Wash in clean water with recommended Diversey product.
3. Rinse with potable water.
4. Sanitize in Antibac B solution using 1 ounce in 12 gallons (100 ppm available chlorine). Immerse all articles for two minutes, or for contact time specified by governing sanitization code. Test solution periodically with chlorine test kit. When solution contains less than 50 ppm available chlorine, it should be discarded.
5. Air dry on clean drainboard.

II. Sanitizing Dairy, Beverage, Food Processing Equipment, Food Strainers, Milking Machine Parts

1. Rinse with lukewarm water immediately after using. Drain.
2. Wash with recommended Diversey product. Drain.
3. Rinse with potable water.
4. Air dry — protect from dust and dirt.
5. Sanitize equipment prior to reuse with 1 ounce Diversey Antibac B in 12 gallons of cool water (100 ppm). Completely wet surface by immersion, or circulating sanitizer for at least 2 minutes. Drain. Test periodically with chlorine test kit. When the available chlorine decreases to 50 ppm, discard solution.

III. Special Applications

1. **Deodorizing.** Use 1 ounce of Antibac B in 2 gallons (3.7 gallons of water (600 ppm available chlorine). Coarse spray or rinse odor. If applied to a food contact surface, treatment must be followed by potable water rinse.
2. **Stock solutions.** These may be required in automatic sanitizing and beverage bottles. Stock solutions can be made up to 20 ounces (150 grams per liter) of water (25,000 ppm available chlorine) as long as 48 hours without excessive available chlorine loss. Solutions made from stock solutions of Antibac B must be tested for available chlorine. Use cold or warm (up to 100 F / 38 C) water to make Antibac B solutions.
3. **Sanitizing Commercial Eggs.**
 - a. Wash with approved Diversey product.
 - b. Sanitize eggs by coarse spraying them with solution containing 100 ppm B in 12 gallons of water (100 ppm available chlorine). When solution contains less than 50 ppm available chlorine, it should be discarded.

Antibac B fulfills the criteria of the Grade A Pasteurized Milk Code. Recommendations of the USPHS when tested by the AOAC (Chlorine Detergent Sanitizer Test).

