

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

JAN 9 2003

Mr. Terrence J. Sabatelli
DiverseyLever
3630 E. Kemper Road
Cincinnati, Ohio 45241

Subject: Antibac B
EPA Registration Number 875-89
Application Date: 10/24/02
Receipt Date: 10/31/02

Dear Mr. Sabatelli:

The following amendment, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable with the conditions listed below:

- To revise the "First Aid" Statement in accordance with PR Notice 2001-1
- To update the "Storage and Disposal" statement
- To delete the global identifier code (VT38)
- Change the heading "inert" to "other"

Conditions

- 1 Under the "First Aid" statement place the "Hot Line Number" on the label.

General Comments

A stamped copy of the accepted labeling is enclosed. Submit three (3) copies of your final printed labeling before distributing or selling the product bearing the revised labeling.

Should you have any questions or comments concerning this letter, please contact Delores Williams at (703) 308-6372.

Sincerely,

Delores Williams
for Robert S. Brennis
Product Manager 32
Regulatory Management Branch II
Antimicrobials Division (7510C)

CONCURRENCES

SYMBOL							
SURNAME							
DATE							

2 7 4



DiverseyLever

Antibac B

Highly-Soluble Chlorinated Sanitizer (Note to reviewer - this is a product descriptor and is not meant to be part of the product name)

For Industry Use Only



ACTIVE INGREDIENT

Sodium dichloro-s-triazinetrione 26.1%

OTHER INGREDIENTS 73.9%

TOTAL 100.0%

**ACCEPTED
with COMMENTS**
EPA Letter Dated:

JAN 9 2003

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No.

875-89

**KEEP OUT OF REACH OF CHILDREN
DANGER**

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Corrosive. Causes irreversible eye damage. Causes skin irritation. Harmful if swallowed, inhaled or absorbed through skin. Do not get in eyes, on skin or on clothing. Wear goggles, face shield or safety glasses. Wash thoroughly after handling. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS

STRONG OXIDIZING AGENT: Use only clean, dry utensils and mix only with water. Mixing with other chemicals or gross filth (feces, urine, etc.) will start a chemical reaction resulting in the release of toxic gas, heat, and possible fire. If water or moisture enters the product container, harmful or irritating chlorine-containing gases will slowly be released by decomposition.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage, disposal or cleaning of equipment.

PESTICIDE STORAGE: Keep this product dry in a tightly closed container, when not in use. Store in a cool, dry, well ventilated area away from heat or open flames. Do not allow water to get into container. In case of decomposition, isolate container (if possible) and flood area with large amounts of water to dissolve all materials.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of all excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label directions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL:

Plastic Containers – Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Fiber Drums with Liners – Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities. If drum is contaminated and cannot be reused, dispose of in the same manner.

USE DIRECTIONS:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

I Terminal Sanitizing Rinse for Glasses, Dishes and Utensils

1. Scrape and pre-flush articles to be washed.
2. Wash in clean water with recommended DiverseyLever product.
3. Rinse with potable water.
4. Sanitize in Antibac B solution using 1 ounce in 12 gallons (0.6 grams per liter) of water (providing 100 ppm available chlorine). Immerse all articles for at least two minutes, or for contact time specified by governing sanitary regulations. Test solution periodically with chlorine test kit. When solution depreciates to 50 ppm available chlorine, it should be discarded.
5. Air dry on clean drainboard.

II Sanitizing Dairy, Beverage, Food Processing Equipment; Farm Tanks, Pails, Strainers, Milking Machine Parts.

1. Rinse with lukewarm water immediately after using. Drain.

2. Wash with recommended DiverseyLever product. Drain.
3. Rinse with potable water.
4. Air dry – protect from dust and dirt.
5. Sanitize equipment prior to reuse with 1 ounce Antibac B in 12 gallons of cool water (100 ppm). Completely wet surface by immersion, coarse spraying or circulating sanitizer for at least 2 minutes. Drain. Test periodically with chlorine tester. When the available chlorine decreases to 50 ppm, discard.

III Special Applications

1. **Deodorizing.** Use 1 ounce of Antibac B in 2 gallons (3.7 grams per liter) of water (600 ppm available chlorine). Coarse spray or rinse odor problem area. If applied to a food contact surface, treatment must be followed by a potable water rinse.
2. **Stock Solutions.** These may be required in automatic sanitizing units for milk and beverage bottles. Stock solutions can be made up to 20 ounces per gallon (150 gallons per liter) of water (25,000 ppm available chlorine) and may be held as long as 48 hours without excessive available chlorine loss. Sanitizing use solutions made from stock solutions of Antibac B must not exceed 100 ppm available chlorine. Use cold or warm (up to 100°F, 38 C) water to make Antibac B stock solutions.
3. **Sanitizing Commercial Eggs.**
 - a. Wash with approved DiverseyLever product.
 - b. To sanitize clean shell eggs intended for food or food products, spray with a solution of 1 ounce of Antibac B in 12 gallons of water (providing 100 ppm available chlorine). The solution must be equal to or warmer than the eggs, but not to exceed 130°F. Wet eggs thoroughly and allow to drain. Eggs that have been sanitized with this chlorine compound may be broken for use in the manufacture of egg products without a prior potable water rinse. Eggs must be reasonably dry before casing or breaking. The solution must not be reused for sanitizing eggs.

Antibac B fulfills the criteria of the Grade "A" Pasteurized Milk Ordinance 1978 Recommendations of the USPHS when tested by the AOAC Germicidal and Detergent Sanitizer Test.

EPA Reg. No. 875-89

EPA Est. No. 875-OH-1[50]; 875-PA-1[80]; 875-WI-1[10]

Bracketed numbers/letters are the first numbers/letters of the batch number

Net Contents:

350# Fiber Drum

60# Pail

6 x 6 Lb. Case

DiverseyLever

3630 E. Kemper Rd.

Cincinnati, OH 45241

800 233 1000

24 Hr EMERGENCY TELEPHONE:

Medical: (Call Collect) 303 592 1024

Transportation: (CHEMTREC) 800 424 9300

