

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

JUN 1 7 2010

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Kresti A. Lyddon Senior Registration Specialist Johnson Diversey, Inc. 8310 16th Street, MS 707 Sturtevant, WI. 53177

RE:

Label amendment dated March 25, 2010

Product Name: Antibac B

EPA Registration Number: 875-89

Dear Ms. Lyddon:

The Agency has reviewed your application for amendment submitted in accordance with continuing registration under the Federal Insecticide Fungicide and Rodenticide Act (FIFRA), as amended, and determined the action acceptable with the following comments:

- Above the ingredient statement, delete the word "only" from For Industrial and (Institutional) Use.
- In the Precautionary Statements section, add "...before eating, drinking, chewing gum, using tobacco, or using the toilet to end of "wash thoroughly with soap and water after handling".
- In the Environmental Hazards section, change "other waters" to "other public waters".

In summary, your request to revise the Storage and Disposal directions in accordance with PR Notice 2007-4. Please submit revised final labeling to this Office for the file. If you have questions concerning this letter, please contact Tom Luminello at (703) 308-8075, or by e-mail to luminello.tom@epa.gov.

Sincerely.

Wanda Y. He**n**son

Acting Product Manager 32

Regulatory Management Branch II Antimicrobials Division (7510-P)

Johnson Diversey



Antibac B

Highly-Soluble Chlorinated Sanitizer

(Note to reviewer – this is a product descriptor and is not meant to be part of the product name)

For Industry Use Only

ACTIVE INGREDIENT	
Sodium dichloro-s-triazinetrione	26.1%
OTHER INGREDIENTS	<u>73.9</u> %
TOTAL	100.0%

KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

IF SWALLOWED: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

IN CASE OF EMERGENCY, CALL A POISON CONTROL CENTER OR DOCTOR FOR TREATMENT ADVICE. 1-XXX-XXXX

Have the product container or label with you when calling a Poison Control Center or doctor or going in for treatment.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage.

Net Contents:

ACCEPTED
with COMMENTS
n. EFA Letter Dated:

JUN 1 7 2010

Under the Federal Insenticide, First force and keepsticide Act as for the resticide, (Made in XXXXXXXX)

ੁ^{c c} March 25, 2010 EP¼ ⊼eg. No. 875-89 Page 1 of 5

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Final Sanitizing Rinse for Glasses, Dishes and Utensils

- 1. Scrape and pre-flush articles to be washed.
- 2. Wash in clean water with recommended detergent.
- 3. Rinse with potable water.
- 4. Sanitize in a solution using 1 ounce of this product in 12 gallons (0.6 grams per liter) of water (providing 100 ppm available chlorine). Immerse all articles for at least two minutes, or for contact time specified by governing sanitary regulations. Test solution periodically with chlorine test kit. Discard solution when it depreciates to 50 ppm available chlorine.
- 5. Air dry (sanitized articles) on clean drainboard.

Sanitizing Dairy, Beverage, Food Processing Equipment; Farm Tanks, Pails, Strainers, Milking Machine Parts.

- 1. Rinse with lukewarm water immediately after using. Drain.
- 2. Wash with recommended detergent. Drain.
- 3. Rinse with potable water.
- 4. Air dry protect from dust and dirt.
- 5. Sanitize equipment prior to reuse with 1 ounce of this product in 12 gallons of cool water (100 ppm). Completely wet surface by immersion, coarse spraying or circulating sanitizer for at least 2 minutes. Drain. Test periodically with chlorine tester. Discard solution when it depreciates to 50 ppm available chlorine.

Special Applications

Deodorizing. Use 1 ounce of this product in 2 gallons (3.7 grams per liter) of water (600 ppm available chlorine). Coarse spray or rinse odor problem area. If applied to a food contact surface, treatment must be followed by a potable water rinse.

Stock Solutions. These may be required in automatic sanitizing units for milk and beverage bottles. Stock solutions can be made up to 20 ounces per gallon (150 gallons per liter) of water (25,000 ppm available chlorine) and may be held as long as 48 hours without excessive available chlorine loss. Sanitizing use solutions made from stock solutions of this product must not exceed 100 ppm available chlorine. Use cold or warm (up to 100°F, 38°C) water to make stock solutions.

Sanitizing Commercial Eggs.

Thoroughly clean all eggs. To sanitize clean shell eggs intended for food or food products, spray with a solution of 1 ounce of this product in 12 gallons of water (providing 100 ppm available chlorine). The solution must be equal to or warmer than the eggs, but not to exceed 130°F. Wet eggs thoroughly and allow to drain. Eggs that have been sanitized with this chlorine compound may be broken for use in the manufacture of egg products without a prior potable water rinse. Eggs must be reasonably dry before casing or breaking. Do not reuse the solution for sanitizing eggs.

This product fulfills the criteria of the Grade "A" Pasteurized Milk Ordinance 1978 Recommendations of the USPHS when tested by the AOAC Germicidal and Detergent Sanitizer Test.

ACCEPTED

WATERITS

JUN 1 7 2010

Understanded Act as amenaea, for the pesticide, registered under EPA Reg. No.

175-89

Page 2 of 5

(Note to Agency: Text appearing in parenthesis is done to show optional text.)

4/6

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage, disposal or cleaning of equipment.

PESTICIDE STORAGE: Keep this product dry in a tightly closed container, when not in use. Store in a cool, dry, well ventilated area away from heat or open flames. Do not allow water to get into container. In case of decomposition, isolate container (if possible) and flood area with large amounts of water to dissolve all materials.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of all excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label directions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Note to reviewer – We will select one or more of the following paragraphs for Container Disposal, depending on packaging type:

SMALL NONREFILLABLE CONTAINERS: Note to EPA: We will use the following text on rigid, nonrefillable containers small enough to shake (5 gallons or smaller):

Nonrefillable container. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer container for recycling, if available.

NONREFILLABLE NON-RIGID CONTAINERS: Note to reviewer: Several of our packaging options are Bag-in-Box containers (a plastic bag liner supported inside a box) or are flexible bag-type containers. These flexible containers are exempt from the triple rinsing requirements. The following text will be used on these container types:

Nonrefillable container. Do not reuse or refill this container. Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by State and local authorities. Offer drum for recycling or reconditioning if available.

ACCEPTED with COMMENTS n. EPA Letter Dated:

JUN 1 7 2010

Property Insecticide,

200 Maria Maria Maria No. 875-8

ം March 25, 2010 ER4ംReg. No. 875-89 Page 3 of 5 **LARGE NONREFILLABLE CONTAINERS:** Note to reviewer: One of the following paragraphs will be used on labels for rigid, nonrefillable containers too large to shake (larger than 5 gallons):

Nonrefillable container. Do not reuse or refill this container. Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ½ full with water and replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for at least 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Offer for reconditioning, if appropriate.

OR

Nonrefillable container. Do not reuse or refill this container. Completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Clean container promptly after emptying. Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or a mix tank or collect rinsate for later use or disposal. Insert pressure-rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip. Offer for reconditioning, if appropriate.

REFILLABLE CONTAINERS: Note to reviewer: One of the following paragraphs will be used on labels for refillable containers:


Refillable container. Refill this container with (this brand or brand name) pesticide only. Do not reuse this container for any other purpose.

Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller.

OR

Pressure rinsing the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller.

To clean the container prior to final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.



PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS DANGER

Corrosive. Causes irreversible eye damage. Causes skin irritation. Harmful if swallowed, inhaled or absorbed through skin. Do not get in eyes, on skin or on clothing. Wear goggles, face shield or safety glasses. Wash thoroughly after handling, Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms. Do not discharge to the effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS

STRONG OXIDIZING AGENT: Use only clean, dry utensils and mix only with water. Mixing with other chemicals or gross filth (feces, urine, etc.) will start a chemical reaction resulting in the release of toxic gas, heat, and possible fire. If water or moisture enters the product container, harmful or irritating chlorine-containing gases will slowly be released by decomposition.

EPA Reg. No. 875-89
EPA Est. No.
(Lot code letters indicate manufacturing location)

MSDS Ref. No. XXXXXXX

© 2010 JohnsonDiversey, Inc., 8310 16th Street, Sturtevant, Wisconsin 53177-1964 U.S.A. All Rights Reserved.

ACCEPTED

with Camments

the Retor Daied:

Uncleases JUN of Intel 2010 to, The product of the Rodenticide Act as the restricte, and the periodic of the Rog. No.

875-89

୍ତ ି March 25, 2010 EPA 'Reg. No. 875-89 Page 5 of 5