


100 11 575-91

811-1

131

Not Reviewed. Registrant claim to be in accordance with registration of Pesticide Product Guidance for Phase 2 Applications. Page 2, 12, Active to Inert Change in Status.

RENDER®



QUATERNARY GERMICIDAL DETERGENT

For Industry Use Only

DANGER:
KEEP OUT OF REACH OF CHILDREN.

Undiluted Render causes skin irritation and damage to the eyes. Avoid contact with skin and eyes. Wear goggles when handling concentrate. For eyes, flush immediately with plenty of water and obtain medical attention. Avoid contamination of food.

ACTIVE INGREDIENTS:

Quaternary Ammonium Chloride (100% available)	4.8%
INERT INGREDIENTS:	95.2%
100.0%	100.0%

A D.A.C. — USE DILUTION

Staphylococcus aureus	1:64
Salmonella choleraesuis	1:64
Pseudomonas aeruginosa	1:64

ATTENTION: When empty, this container may still be hazardous. Because containers, even after they have been emptied, still retain product residues (vapor, liquid or solid), all labeled hazard precautions must be observed.

115648 (85)
HK-1-B

NET CONTENTS 5 GALS. (18.93 LITERS)

USE DIRECTIONS

General cleaning and disinfecting (floors, walls, furniture and other hard surfaces) — Use 2 ounces per gallon of water (750 ppm active agent). Heavy-duty cleaning or spray disinfecting — Use 4 ounces per gallon of water (1500 ppm active ingredient). Thoroughly wet surface to be treated.

Mildew Control — Clean surface by brushing with 2 ounces of Render (750 ppm quaternary) per gallon of water, to remove visible mildew growth. Rinse and allow to dry. Spray or mop surfaces until damp with a 4 ounce per gallon (1500 ppm quaternary) solution of Render. Do not rinse. Repeat treatment after 21 days or when surfaces become soiled for control of mildew.

USE DILUTIONS

APPLICATION	Fluid Ounces per 1 Gallon	5 Gallons	ppm Quaternary
Disinfecting and Cleaning	2	10	750
Spray Disinfecting	4	20	1500
Sanitizing	1/2	3 1/2	250
Mildew Control	4	20	1500

EFFECTIVE IN SOFT OR HARD WATER

Solu[®] 2% of Render tested by the Germicidal Detergents and Sanitizers Test (Chambers Test), AOAC, 10th Edition, 1965, have been shown to possess rapid sanitizing capacity in accordance with the criteria of Appendix F, Grade "A" Pasteurized Milk Ordinance, U.S.P.H.S. 1965, at a DILUTION OF 1/2 ounce per gallon (750 ppm quaternary germicide) in water up to 550 ppm hardness.

EPA Reg. No. 575-91
EPA Est. 075-CA-2 (1), 075-PA-1 (2), 075-AB-1 (3), 075-GA-1 (4), 075-W-1 (5)
Superscript used is first number of lot number

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal. **STORAGE:** Store in a dry place no lower in temperature than 50°F or higher than 120°F.

CONTAINER DISPOSAL: Do not reuse empty container. Triple rinse empty container with water. Return and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Plastic containers may be disposed of in a sanitary landfill, incinerated, or, if allowed by local authorities, by burning. If burned, stay out of smoke.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional office for guidance.

BEST AVAILABLE COPY

EMERGENCY TELEPHONE NUMBERS (24 hours)
Medical: (Call Collect) (202) 592-1024
Transportation: (CHEMTREC) 800-426-8300
Other Assistance: (213) 381-0930