

**PRECAUTIONARY STATEMENTS.
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS.**

DANGER: Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

ENVIRONMENTAL HAZARDS. This pesticide is toxic to fish. Keep out of lakes, streams or ponds. Treated effluent may not be discharged into lakes, streams, ponds or public waters without a valid discharge permit. For guidance, contact the regional office of the Environmental Protection Agency.

**PHYSICAL AND CHEMICAL HAZARDS.
STRONG OXIDIZING AGENT.** Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, etc., or with ammonia, acids, detergents or other chemicals may release hazardous gases irritating to eyes, lungs and mucous membranes.

Diversey Wyandotte
Sodium Hypochlorite

EPA Est. 8740-MI-1
EPA Reg. No. 875-93

Cleans • Disinfects • Deodorizes • Sanitizes
For Industry Use Only

ACTIVE INGREDIENT	Sodium Hypochlorite	5.25%
INERT INGREDIENTS		94.75%
		100.00%

KEEP OUT OF REACH OF CHILDREN.

DANGER: **FIRST AID:** If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk or gelatin solution or, if these are not available, drink large quantities of water. Do NOT give vinegar or other acids. Do NOT induce vomiting. Get prompt medical attention. See additional precautions on side panel.

Distributed by: **NET CONTENTS 1 GAL. (3.79 LITERS)**

Diversey Wyandotte Corporation



FOOD INDUSTRIES GROUP
WYANDOTTE, MICHIGAN 48192

ACCEPTED
875-93
AUG 4 1981
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No.

DIRECTIONS FOR USE

GENERAL CLASSIFICATION.

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Dairy Farm, Beverage and Food Processing Equipment; tanks, lines, and milking machines.

1. Rinse with lukewarm water immediately after use. Drain.
2. Wash with recommended Diversey Wyandotte cleaner. Drain.
3. Rinse with potable water.
4. Acid rinse with a low foaming acid cleaner. Drain.
5. Air dry—protect from dust and dirt.
6. Sanitize equipment immediately before reuse with 1 ounce of Diversey Wyandotte Sodium Hypochlorite in 2 gallons of water (200 ppm available chlorine). Expose equipment to sanitizer solution for at least 2 minutes or as specified by local regulation.

Food Processing and Dairy Farm utensils, buckets and hoses.

1. Flush article to be washed with warm water.
2. Wash in clean water with recommended Diversey Wyandotte detergent.
3. Rinse with potable water.
4. Air dry on a clean drainboard or rack. Protect from dust and dirt.
5. Sanitize in a solution containing 1 ounce of Diversey Wyandotte Sodium Hypochlorite in 2 gallons of water (providing 200 ppm available chlorine). Immerse all utensils for at least 2 minutes, or for contact time specified by local regulations. Test periodically with a chlorine test kit. When the available chlorine decreases to 50 ppm, discard the solution.

Odor and Mold Control

Spray or rinse problem surface with 5 ounces of Sodium Hypochlorite in 4 gallons of water (providing 500 ppm available chlorine). If applied to a food contact surface or metals subject to corrosive action, rinse with potable water and air dry.

USE DILUTION TABLE

Gallons Water	Ounces Sodium Hypochlorite		
	50 ppm	100 ppm	200 ppm
2	¼	½	1

Automatic Feeding


To feed Sodium Hypochlorite with a Topper® Cub or Topper Cougar Pump, dilute 1 gallon of Sodium Hypochlorite in 4 gallons of water (1:4). This will permit feed rates of 200 ppm available chlorine into rinse flow as low as ½ gallon per minute.

The Single San Spray #2 or the Double San Spray #2-2 is designed to dilute one ounce of product to 2 gallons of water automatically. Check solutions fed by automatic equipment at least daily with a Chlorine Test Kit to insure proper sanitizer concentration.

STORAGE AND DISPOSAL.

Store in a cool, dry area away from direct sunlight. In case of spill, flood area with large quantities of water. Rinse empty container thoroughly with water and either return to manufacturer or discard by placing in trash collection or burying in an approved landfill. Product or rinsate that cannot be used, should be diluted with water and disposed of in a sanitary sewer. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

Date Packaged:



Diversey Wyandotte

Sodium Hypochlorite

EPA Est. 8740—MI-1
EPA Reg. No. 875-93

Cleans • Disinfects • Deodorizes • Sanitizes

For Industry Use Only

ACTIVE INGREDIENT

Sodium Hypochlorite.....	5.25%
INERT INGREDIENTS.....	94.75%
	100.00%

PRECAUTIONARY STATEMENTS.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS. KEEP OUT OF REACH OF CHILDREN.

DANGER: Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk, or gelatin solution or, if these are not available, drink large quantities of water. Do NOT give vinegar or other acids. Do NOT induce vomiting. Get prompt medical attention. See additional precautions on side panel.

A (816)

ENVIRONMENTAL HAZARDS. This pesticide is toxic to fish. Keep out of lakes, streams or ponds. Treated effluent may not be discharged into lakes, streams, ponds or public waters without a valid discharge permit. For guidance, contact the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS. STRONG OXIDIZING AGENT. Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, etc., or with ammonia, acids, detergents or other chemicals may release hazardous gases irritating to eyes, lungs and mucous membranes.

DIRECTIONS FOR USE

See product container for use directions.

STORAGE AND DISPOSAL. Store in a cool, dry area away from direct sunlight. In case of spill, flood area with large quantities of water. Rinse empty container thoroughly with water and either return to manufacturer or discard by placing in trash collection or burying in an approved landfill. Product or rinsate that cannot be used, should be diluted with water and disposed of in a sanitary sewer. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

Date Packaged:

4-1 GALLON PLASTIC JUGS

Diversey Wyandotte Corporation



**FOOD INDUSTRIES GROUP
WYANDOTTE, MICHIGAN 48192**