

2 7 4

Note to Agency: Text appearing in parenthesis or brackets is done to show optional text.

LOW TEMPERATURE SANITIZER W500L

Liquid Chlorinated Sanitizer • Chlorinated • Disinfectant • Sanitizer • Deodorizer

For Industry (and) (Institutional) Use (Only)

Contains No Phosphorus or Detergents

ACTIVE INGREDIENT:	
Sodium Hypochlorite.....	5.25%
INERT (OTHER) INGREDIENTS:	94.75%
TOTAL:	100.00%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

See additional precautionary statements on back (side) (left) (right) (panel) (of) (label) (below).

(See reference sheet (enclosed in case) for additional directions for use.)

Net Contents:

(Product of USA)

ACCEPTED
with **COMMENTS**
EPA Letter Dated:

JUL 31 2003

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No. 875-95

Note to Agency: Text appearing in parenthesis or brackets is done to show optional text.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Note: This product degrades with age. Use a chlorine test kit and increase dosage, as necessary to obtain the required level of available chlorine.

MECHANICAL WASHERS

Wash-Dump or Sanitizing Rinse Section Types - After cleaning and rinsing equipment or containers, apply a sanitizing spray rinse containing 100 ppm available chlorine by adjusting mechanical feeding device to meter 2.5 oz. of product per 10 gallons of water. Test sanitizer frequently during operation with a chlorine test kit to ensure that solution does not drop below 50 ppm available chlorine. Remove the drain sanitized items. Sanitizer used in automatic systems may be used in the general cleaning process but may NOT be reused for sanitizing purposes.

ok

If no test kit is available or if available chlorine has dropped below 50 ppm during sanitizing, either discard the sanitizer solution or add sufficient product to reestablish a 200 ppm available chlorine sanitizer strength. Resanitize equipment. Do not rinse equipment with water after sanitizing and do not soak equipment overnight in sanitizer solution.

ok

CHEMICAL SANITIZING

Manual Warewashing Restaurants, Institutions, and Other Food Serving Establishments.

1. Scrape and pre-wash utensils and glasses whenever possible.
2. Wash with recommended DiverseyLever cleaner.
3. Rinse with clean water.
4. Sanitize in a solution containing 5 oz. of product for each 10 gallons of tap water used (200 ppm available chlorine). Immerse all utensils for at least 2 minutes or contact time specified by governing sanitary code.
5. Place sanitized utensils on rack or drainboard to air dry.

ok

FRUIT AND VEGETABLE WASHING – Thoroughly clean all fruits and vegetables in a wash tank. Thoroughly mix 1 ¼ oz. of this product in 20 gallons of water to make a sanitizing solution containing 25 ppm available chlorine. After draining the tank, submerge fruit or vegetables for 2 minutes in a second wash tank containing the recirculating sanitizing solution. Spray rinse vegetables with sanitizing solution prior to packaging. Rinse fruit with potable water only prior to packaging.

ok

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store this product in a cool dry area, away from direct sunlight and heat to avoid deterioration.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or incineration or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

4 7 4

Note to Agency: Text appearing in parenthesis or brackets is done to show optional text.

ENVIRONMENTAL HAZARDS (for containers of 5 gallons or more)

This product is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting agency has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive, Causes irreversible eye damage and skin burns. Harmful if swallowed. Wear chemical splash-proof goggles or face shield, rubber gloves and protective clothing when handling this product. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until strong odors have dissipated.

PHYSICAL OR CHEMICAL HAZARDS

STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, etc.) will release irritating chlorine gases which are harmful to eyes, lungs and mucous membranes.

NOTE: This product degrades with age. Use a chlorine test kit and increase dosage, as necessary, to obtain the required level of available chlorine.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Remove if Inhaled

IN CASE OF EMERGENCY, CALL A POISON CONTROL CENTER OR DOCTOR FOR TREATMENT ADVICE.
1-800-851-7145
Have the product container or label with you when calling a Poison Control Center or doctor or going in for treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

PELIGRO

Si no puede leer en ingles, pregunte a su supervisor sobre las instrucciones de uso apropiadas antes de trabajar con este producto.

EPA Reg. No. 875-95
EPA Est. No.

DiverseyLever, Cincinnati, OH