

**PRECAUTIONARY STATEMENTS.
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS.
DANGER: CORROSIVE.
HARMFUL OR FATAL IF SWALLOWED.**



Causes eye damage and skin irritation. Do not get in eyes on skin or on clothing. Wear goggles or face shield when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

DANGER: MUST BE DILUTED BEFORE USE

ENVIRONMENTAL HAZARDS - This pesticide is toxic to fish. Keep out of lakes, streams and ponds. Permits may be required for discharges containing this pesticide into public waters. For guidance contact the regional office of the Environmental Protection Agency.

ACIDIC PRODUCT - Do not mix with other cleaners or chemicals as hazardous gases or heat may be generated. Dilute only with water.

Storage and Disposal - Store in a cool, dry area. Rinse empty container thoroughly with water and place in trash or bury in an approved landfill area. Do not contaminate food or feed by storage, disposal or cleaning of equipment. Consult Federal, State, or local disposal authorities for approved alternative procedures.

Accord II

Iodine Detergent-Sanitizer and Germicide

For Industry and Dairy Farm Use Only

EPA Est 875-GA-1
EPA Reg No 875-97

ACTIVE INGREDIENTS

Available in 100% strength and 50% strength formulations. The 100% strength formulation is used for sanitizing and disinfecting dairy farm equipment. The 50% strength formulation is used for sanitizing and disinfecting dairy farm equipment.

INERT INGREDIENTS

A O A C Use Dilution Tests

Effect on *Staphylococcus aureus*
Effect on *Escherichia coli*
Effect on *Salmonella typhimurium*
Effect on *Pseudomonas aeruginosa*
Effect on *Candida albicans*

1:64
1:32
1:16
1:8
1:4

KEEP OUT OF REACH OF CHILDREN.

DANGER: CORROSIVE. HARMFUL OR FATAL IF SWALLOWED.

FIRST AID - EXTERNAL - Eyes: Wash with water for about 15 minutes. Get prompt medical attention. Skin: Wash thoroughly with plenty of soap and water.

IF SWALLOWED - Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. **NOTE TO PHYSICIAN** - Probable mucosal damage may contraindicate the use of gastric lavage.

See left panel for additional precautionary statements.

D 1824

NET CONTENTS 1 GALLON (3.79 LITERS)

DiverseyWyandotte
Corporation



FOOD INDUSTRIES GROUP
WYANDOTTE, MICHIGAN 48192

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with the directions on the label.

USE DILUTIONS

APPLICATIONS

APPLICATIONS	Fluid Ounces per		ppm Titratable Iodine
	5 gal. water	100 gal. water	
Sanitizing of cleaned equipment	1	10	12.5
Disinfecting cleaned equipment	1	20	25
Cleaning of equipment	1	20	25
Sanitizing by spraying	1	20	25
Udder washing	1	20	25

Disinfecting Cleaned Equipment - Food Processing Equipment: Wash with water, wet or immerse previously cleaned and rinsed surfaces with ACCORD II. Use 20 fluid ounces per 100 gallons of water (25 ppm titratable iodine). Expose for 10 minutes. Wash with water.

Sanitizing of Manually Cleaned Equipment - Tanks, vats, churns, brushes, and food processing equipment.

1. Rinse with warm water immediately after use.
2. Wash with recommended Detergent Wash to the product. Rinse with clean water.
3. Sanitize and acid-rinse by immersing in a solution of ACCORD II. Use 10 fluid ounces per 100 gallons of water (12.5 ppm of titratable iodine). Expose for 10 minutes. Rinse with water as required by local regulation.
4. Allow to drain and air dry on a clean rack or support. For further instructions, refer to the label required by local or state regulations. Sanitize immediately before reuse.

Cleaning of Equipment and Surfaces

1. Rinse with warm water to remove heavy soil.
2. Flood or immerse equipment in a solution of ACCORD II. Use 20 fluid ounces per 100 gallons of water (25 ppm of titratable iodine). Brush or wipe surfaces. Drain.
3. Rinse in potable water and drain.
4. Sanitize by use of an additional ACCORD II solution in accordance with the instructions on the label.

Restaurant and Food Service - Wash with water, wet or immerse previously cleaned and rinsed surfaces with ACCORD II.

1. Scrape and pre-rinse articles to be washed.
2. Wash with a recommended Detergent Wash to the product.
3. Rinse with potable water.
4. Sanitize with a solution of ACCORD II. Use 10 fluid ounces per 100 gallons of water (12.5 ppm of titratable iodine). Expose for 10 minutes. Wash with water. For further instructions, refer to the label required by local or state regulations.

Udder Washing

Apply ACCORD II to the udder after milking. Wash udder using 20 fluid ounces per 100 gallons of water (25 ppm of titratable iodine). Wash udder with water.

Udder with a clean, dry cloth. Wash udder with water. For further instructions, refer to the label required by local or state regulations.

Spray Sanitizing of Food Service - Processing Equipment

1. Wash with water, wet or immerse previously cleaned and rinsed surfaces with ACCORD II.
2. Wash with water.
3. Sanitize with a solution of ACCORD II. Use 10 fluid ounces per 100 gallons of water (12.5 ppm of titratable iodine). Expose for 10 minutes. Wash with water.
4. Allow to drain and air dry on a clean rack or support. For further instructions, refer to the label required by local or state regulations.

Flush Cleaning and Sanitizing of Milking Clusters

1. Attach milking cluster to a clean sanitizing line. Attach cluster and flush with water.
2. Flood or immerse equipment in a solution of ACCORD II. Use 20 fluid ounces per 100 gallons of water (25 ppm of titratable iodine). Brush or wipe surfaces. Drain.
3. Rinse in potable water and drain.
4. Sanitize by use of an additional ACCORD II solution in accordance with the instructions on the label.

ACCORD II fulfills the criteria of Appendix F of the Grade A Pasteurized Milk Ordinance 1965. Recommendation of the USPHS is water up to 500 ppm hardness calculated as CaCO₃ when tested by the A.O.C. Germicidal and Detergents Sanitizers - Official Method.

Accord® II

Iodine Detergent-Sanitizer and Germicide

For Industry and Dairy Farm Use Only

ACTIVE INGREDIENTS

Alkyl (C ₁₂ -C ₁₄) poly (oxypropylene) poly (oxyethylene) iodine complex	13.10
Octylphenoxy polyoxyethanol-iodine complex (providing 1.75% titratable iodine)	6.90
Phosphoric acid	18.75
INERT INGREDIENTS	61.25
	100.00

A.O.A.C. Use Dilution Tests

Staphylococcus aureus	1:640
Salmonella choleraesuis	1:640
Pseudomonas aeruginosa	1:640
Escherichia coli	1:640

KEEP OUT OF REACH OF CHILDREN.

DANGER: CORROSIVE.

HARMFUL OR FATAL IF SWALLOWED.

FIRST AID: EXTERNAL - Eyes: Wash with water for about 15 minutes. Get prompt medical attention. Skin: Wash thoroughly with plenty of soap and water.

IF SWALLOWED - Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

PRECAUTIONARY STATEMENTS.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

DANGER - MUST BE DILUTED BEFORE USE

ENVIRONMENTAL HAZARDS - This pesticide is toxic to fish. Keep out of lakes, streams, and ponds. Permits may be required for dis-

BB (824)



charges containing this pesticide into public waters. For guidance, contact the regional office of the Environmental Protection Agency.

ACIDIC PRODUCT - Do not mix with other cleaners or chemicals as hazardous gases or heat may be generated. Dilute only with water.

Storage and Disposal: Store in a cool, dry area. Rinse empty container thoroughly with water and place in trash or bury in an approved land-fill area. Do not contaminate food or feed by storage, disposal or cleaning of equipment. Consult Federal, State, or local disposal authorities for approved alternative procedures.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

USE DILUTIONS

APPLICATIONS	Fluid Ounces per		ppm Titratable Iodine
	5 gal. water	100 gal. water	
Sanitizing of cleaned equipment	1	10	12.5
Disinfecting cleaned equipment	1	20	25
Cleaning of equipment	1	20	25
Sanitizing by spraying	1	20	25
Udder washing	1	20	25

Disinfecting Cleaned Equipment - Food Processing Equipment, Floors and Walls: Thoroughly wet or immerse previously cleaned and rinsed surfaces with 1 ounce of ACCORD II in 5 gallons of water (25 ppm titratable iodine) for 10 minutes. Drain and allow to dry.

Sanitizing of Manually Cleaned Equipment - Tanks, Vats, Utensils, Brushes and Food Processing Equipment:

1. Rinse with warm water immediately after use.
2. Wash with recommended Diversey Wyandotte product. Rinse with clean water. Drain.
3. Sanitize and acid rinse by immersing in a solution of 1 ounce of ACCORD II in 10 gallons of water (12.5 ppm of titratable iodine). Expose for 2 minutes or as specified by local regulation.
4. Allow to drain and air dry on a clean rack or support. Protect from dust and dirt. (Where required by local or state regulations, sanitize immediately before reuse.)

NET CONTENT

Diversey Wyandotte
Corporation



FOOD INDUSTRIES GROUP
WYANDOTTE, MICHIGAN 48182

EPA Est. 875-GA-1
EPA Reg. No. 875-97

Cleaning of Equipment and Surfaces

1. Rinse with warm water to remove heavy soil.
2. Flood or immerse equipment in 1 ounce of ACCORD II in 5 gallons of warm water (80-100 F.) and brush or wipe surfaces. Drain.
3. Rinse in potable water and drain.
4. Sanitize by use of an additional ACCORD II solution as directed by other instructions and conditions on this label.

Restaurant and Food Service - Sanitizing Glasses, Dishes, Utensils and Food Processing Equipment

1. Scrape and pre-rinse articles to be washed.
2. Wash with a recommended Diversey Wyandotte Detergent.
3. Rinse with potable water.
4. Sanitize with a solution containing 1 oz. of ACCORD II in 10 gallons of water (providing 12.5 ppm titratable iodine). Immerse all articles for at least 1 minute or for times specified by local regulation. Test solution periodically with ACCORD II test kit. Discard solution when it depreciates to 6 ppm titratable iodine.
5. Air dry on a clean drainboard.

Udder Washing

1. About one minute before attaching milker, wash udder using 1 oz. of ACCORD II in 5 gallons of lukewarm water (25 ppm titratable iodine solution). Wash and massage entire udder thoroughly.
2. Dry udder with a single service towel. Do not reuse towel or wring it out in the solution. Yellow color indicates the presence of titratable iodine. Prepare a fresh solution when the yellow color fades or when the solution becomes visibly dirty.
3. After milking, dip each teat with an approved teat dip.

Spray Sanitizing of Food Service and Processing Equipment


1. Wash equipment with a solution of recommended Diversey Wyandotte Detergent.
2. Rinse with warm water.
3. Spray with a solution containing 1 oz. ACCORD II in 5 gallons of water (providing 25 ppm titratable iodine). Test spray solution daily with an ACCORD II test kit to ensure adequate sanitizer is being supplied by dilution equipment.
4. Allow equipment to drain and air dry.

Flush Cleaning and Sanitizing of Milking Clusters

1. Disengage milk hose from collection line.
2. Attach milk hose to control cleaning/sanitizing line. Activate valve and flush milk hose, cluster and claw with a solution containing 1 oz. of ACCORD II in 5 gallons of warm water (providing 25 ppm of titratable iodine). Allow flush to run until solution is clear.
3. Allow milking hose and equipment to drain thoroughly before milking the next cow.
4. At the completion of milking, clean and sanitize equipment by disassembling and processing as for other equipment and utensils.

ACCORD II fulfills the criteria of Appendix F of the Grade A Pasteurized Milk Ordinance, 1965 Recommendations of the USPHS in water up to 500 ppm hardness calculated as CaCO₃ when tested by the A.O.A.C. Germicidal and Detergents Sanitizers - Official Method.

TS 5 GALLONS (18.93 LITERS)



Accord II[®]

Iodine Detergent-Sanitizer and Germicide

EPA ESTABLISHED
EPA REGISTERED



For Industry and Dairy Farm Use Only

ACTIVE INGREDIENTS

Alkyl (C ₁₂ -C ₁₄) polyoxypropylene polyoxyethylene iodine complex	13.10
Octylphenoxypolyethoxyethane iodine complex	6.40
(providing 1.75% titratable iodine)	
Phosphoric acid	1.00

INERT INGREDIENTS

61.25

A O A C Use Dilution Tests

Staphylococcus aureus	1:10
Salmonella choleraesuis	1:10
Pseudomonas aeruginosa	1:10
Escherichia coli	1:10

KEEP OUT OF REACH OF CHILDREN.
DANGER: CORROSIVE.
HARMFUL OR FATAL IF SWALLOWED.

FIRST AID - EXTERNAL: Eyes: Wash with water. Contact with skin: Get prompt medical attention. Skin: Wash thoroughly with soap and water.

IF SWALLOWED: Drink plenty of water. Do not induce vomiting. If a gelatin solution or if there are no available tablets, drink water. Avoid alcohol. **NOTE TO PASTEURIZERS:** AN: Probiotic cultures may contraindicate the use of pasteurization.

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS:

Causes eye damage and skin irritation. Do not get in eyes, on or in clothing. Wear goggles or face shield when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

DANGER - MUST BE DILUTED BEFORE USE

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Keep away from streams and ponds. Permits may be required for disposal into public waters. For guidance on disposal of pesticides and agricultural chemicals, contact your nearest State Pesticide Control Agency.

ACIDIC PRODUCT: Do not mix with other cleaners or chemicals as hazard may be increased. Dilute only with water.

Storage and Disposal: Store in a cool, dry area. Rinse empty container thoroughly with water and place in trash or bury in an approved land fill. Do not contaminate food or feed by storage, disposal, or cleaning of equipment. Consult Federal, State, or local disposal authorities for approved alternative procedures.

See container for **DIRECTIONS FOR USE**

4-1 GALLON PLASTIC JUGS

B-18241

Diversey Wyandotte Corporation



FOOD INDUSTRIES GROUP
WYANDOTTE, MICHIGAN 48192

