

14932

815-97

1023

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

BEST AVAILABLE COPY

Diversy...
1982...
...

JAN 22 1990

Location: ...

gentlemen:

Subject: Accord II
... Registration No. 275-...

58621: I: A-27: Powell: K-7: KENCO: 01/11/90: 02/08/90: ka: sw: vo: dg

CONCURRENCES

SYMBOL	4-7504C						
SURNAM	Powell						
DATE	1-12-90						

P11132

8-15-97

62

-2-

6. The revised ingredients statement is acceptable. However, you need to modify your Active Ingredients and Inert Ingredients statements on Page 6 of your Technical Service Bulletin so that they're identical to the other statements.

When you send us five copies of your revised label, send also five copies of your revised Technical Service Bulletin.

The revised Confidential Statement of Formula is acceptable.

The Material Safety Data Sheets for Plurafac D-25, Triton X-102, and Igepal CA-730, which were included in your submission, are acceptable.

The Agency letter of September 12, 1989 was in error as to the primary product name, which is ACCORD II.

Concerning your amendment application dated November 14, 1986, which the Agency failed to respond to, the name change to ACCORD II has been noted and is acceptable. The rest of that submission is acceptable insofar as it applies to your current application (dated 10/30/89).

If you have any questions, please call Wallace Powell at (703) 557-6000.

Wallace C. Francis
10101 North Lakeside (20)
Antimicrobial Research Branch
FDA, Center for Drug Evaluation (1750#)

BEST AVAILABLE COPY

ACCORD® II

BEST AVAILABLE COPY

Iodine Detergent-Sanitizer and Germicide

For Industry and Dairy Farm Use Only

ACTIVE INGREDIENTS

Iodine	1.75%
Phosphoric acid	18.75%
Inert ingredients	79.50%

100.00%

(From Alkyl (C₁₂-C₁₄) poly(oxypropylene) poly (oxyethylene) and oxyphenoxypolyoxyethoxy-ethanol-iodine complexes)

A.O.A.C. Use Dilution Tests

Staphylococcus aureus	1:640
Salmonella choleraesuis	1:640
Pseudomonas aeruginosa	1:640
Escherichia coli	1:640

STATEMENT OF PRACTICAL TREATMENT HAZARDS TO HUMANS AND DOMESTIC ANIMALS. KEEP OUT OF REACH OF CHILDREN.

DANGER: CORROSIVE.

HARMFUL OR FATAL IF SWALLOWED.

Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS — This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds or public waters unless in accordance with NPDES permit. For guidance, contact the regional office of the Environmental Protection Agency.

CHEMICAL AND PHYSICAL HAZARDS

ANGER — MUST BE DILUTED BEFORE USE — ACIDIC PRODUCT
Do not mix with other cleaners or chemicals as hazardous gases or heat may be generated. Dilute only with water.

STORAGE AND DISPOSAL

Store this product in a cool, dry area, away from sunlight and heat to avoid deterioration. In case of spill, flood area with large quantities of water. Product or wastes that cannot be used should be diluted with water before disposal in a sanitary sewer. Do not contaminate food or feed by storage disposal or emptying of equipment.

CONTAINER DISPOSAL (Plastic Containers)

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, by incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

STATEMENT OF PRACTICAL TREATMENT

FIRST AID: EXTERNAL — Eyes: Wash with water for about 15 minutes. Get prompt medical attention. Skin: Wash thoroughly with plenty of soap and water.

IF SWALLOWED — Drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Disinfecting Cleaned Equipment — Food Processing Equipment, Floors and Walls — Thoroughly wet or immerse previously cleaned and rinsed surfaces with 1 ounce of ACCORD II in 5 gallons of water (25 ppm testable iodine) for 10 minutes. Drain and allow to dry.

Sanitizing of Manually Cleaned Equipment — Tanks, Vats, Utensils, Brushes, and Food Processing Equipment.

1. Rinse with warm water immediately after use.
2. Wash with recommended Diversay Wyandotte product. Rinse with clean water. Drain.
3. Sanitize and acid rinse by immersing in a solution of 1 ounce of ACCORD II in 10 gallons of water (12.5 ppm of testable iodine). Expose for 2 minutes or as specified by local regulation.
4. Allow to drain and air dry on a clean rack or support. Protect from dust and dirt. (Where required by local or state regulations, sanitize immediately before reuse).

Cleaning of Equipment and Surfaces.

1. Pre-rinse with water to remove heavy soil.
2. Wash with ACCORD II in 5 gallons of water (25 ppm testable iodine) and brush or wipe surfaces. Drain.
3. Rinse with clean water and drain.
4. Sanitize by use of an approved ACCORD II solution as directed by other instructions and conditions on this label.

Restaurant and Food Service — Sanitizing Glasses, Dishes, Utensils and Food Processing Equipment.

1. Scrape and pre-rinse articles to be washed.
2. Wash with a recommended Diversay Wyandotte Detergent.
3. Rinse with potable water.
4. Sanitize with a solution containing 1 oz. of ACCORD II in 10 gallons of water (providing 12.5 ppm testable iodine). Immerse all articles for at least 1 minute or for times specified by local regulation. Test solution periodically with ACCORD II test kit. Discard solution when it depreciates below 12.5 ppm testable iodine or become visually dirty.
5. Air dry on a clean drainboard.

Udder Washing.

1. About one minute before attaching milker, wash udder using 1 oz. of ACCORD II in 5 gallons of lukewarm water (25 ppm testable iodine solution). Wash and massage entire udder thoroughly.
2. Dry udder with a single service towel. Do not reuse towel or wring it out in the solution. Yellow color indicates the presence of testable iodine. Prepare a fresh solution when the yellow color fades or when the solution becomes visibly dirty.
3. After milking, dip each teat with an approved teat dip.

Spray Sanitizing of Feed Service and Processing Equipment.

1. Wash equipment with a solution of recommended Diversay Wyandotte Detergent.
2. Rinse with warm water.
3. Spray with a solution containing 1 oz. ACCORD II in 5 gallons of water (providing 25 ppm testable iodine). Test spray solution daily with an ACCORD II test kit to ensure adequate sanitizer is being supplied by dilution equipment.
4. Allow equipment to drain and air dry.

Flush Cleaning and Sanitizing of Milking Clusters.

1. Disconnect milk hose with collection line.
2. Attach milk hose to control cleaning/sanitizing line. Flush milk hose, cluster and claw with a solution containing 1 in 5 gallons of warm water (providing 25 ppm of testable iodine) to run until solution is clear.
3. Allow milking hose and equipment to drain thoroughly.
4. At the completion of milking, clean and sanitize equipment and processing as for other equipment and utensils.

ACCORD II meets the criteria of Appendix F of the GMAA Milk Ordinance, 1985 Recommendations of the USDA 500 ppm hardness calculated as CaCO₃ when tested. **Caution and Detergent Sanitizers — Official Method**

ACCEPTED with COMMENTS by EPA Justice Dept. JAN 22 1990 Under the Federal Insecticide, Fungicide, and Rodenticide Act registered in the U.S.