9/11/95 PM 32 875-97 Please reed instructions on reverse before completing form Form Approved, OMB No. 2070-0060. OPF Identifier Number Registration United States **Environmental Protection Agency Amendment** 246751 Washington, DC 20460 Х Other Application for Pesticide - Section I Company/Product Number 875-97 2. EPA Product Manager 3. Proposed Classification X None Restricted 4. Company/Product (Name) PM# Accord II 5. Name and Address of Applicant (Include ZIP Code) 6. Expedited Review. In accordance with FIFRA Section 3(c)(3) Diversey Corp. (b)(i), my product is similar or identical in composition and labeling 12025 Tech Center Drive Livonia, MI 48150-2193 EPA Reg. No. Check if this is a new address **Product Name** Saction - II Amendment - Explain below. Final printed labels in response to Agency letter dated Resubmission in response to Agency letter dated _ "Me Too" Application. Notification - Explain below. Other - Explain below. Explanation: Use additional page(s) if necessary. (For section I and Section II.) Notification: Compliance with P.R. Notice 95-1. See attached certification and product label. Section - III 1. Material This Product Will Be Packaged In: Unit Peckaging Child-Resistant Packaging 2. Type of Container Water Soluble Packaging Metal Yee' Yes Yes Plastic No Nο Glass Paper If "Yes" No. per If "Yes" No. per artification must Unit Packaging wgt. container Package wgt container Other (Specify) be submitted Location of Label Directions 3. Location of Net Contents Information 4. Size(s) Retail Container -Qn Label Container On Labeling accompanying product 6. Manner in Which Label is Affixed to Product Lithograph Other Paper glued Stenciled Section - IV 1. Contact Point. (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Title Telephone No. (Include Area Code) Name Henry P. Katstra Manager, Regulatory Affairs (313) 458-2444 6. Date Application Certification • Received I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or (Stamped) both under applicable law. 2. Signature 3. Title Manager, Regulatory Affairs 5. Date 8/21/95 Henry P. Katstra

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals.

DANGER:

CORROSIVE, HARMFUL OR FATAL IF SWALLOWED.

Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollution Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

CHEMICAL AND PHYSICAL HAZARDS

DANGER -- MUST BE DILUTED BEFORE USE -- ACIDIC PRODUCT -- Do not mix with other cleaners or chemicals as hazardous gases or heat may be generated. Dilute only with water.

STORAGE AND DISPOSAL

a cool, dry area, away from sunlight and heat to avoid deterioration. In case or spill, flood area with large quantities of water. Product or rinsates that cannot be used should be diluted with water before disposal in a sanitary sewer. Do not contaminate food or feed by storage, disposal, or cleaning of equipment. CONTAINER DISPOSAL (Plastic Containers)

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, by incineration or, if allowed by state and local authorities, by burning. If burned, stay of smoke.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with ita labelino.

Disinfecting Cleaned Equipment — Food Processing Equipment, Floors and Walls


Thoroughly wet or immerse previously cleaned and rinsed surfaces with 1 ounce of Accord II in 5 gal. of water (25 ppm titratable iodine) for 10 minutes. Drain and allow

Shell Egg Sanitizing — To sanitize previously cleaned shell eggs, apply a coarse spray of a solution of 1 ft.oz. Accord II per 5 gals, of water providing 25 ppr 1 titratable lodine. The sanitizer solution must be equal to or warmer than the eggs (100 -120 F), but not to exceed 130°F. Spray eggs until thoroughly wet and allow to drain. Eggs sanitized with this product should only be rinsed with potable water if they are to be broken for immediate use in egg products. Eggs must be reasonably dry before packaging or breaking. Do not reuse solution for egg sanitizing.

ng of Manually Cleaned Equipment — Tanks, Vats, Utensils, Brushes, and Sanif Foo cessina Equipment.

- 1. Ringe with warm water immediately after use.
- Wash with recommended Diversey product. Rinse with clean water. Drain.
- Sanitize and acid rinse by immersing in a solution of 1 ounce Accord II in 10 gal, of water (12.5 ppm titratable iodine). Expose for 2 minutes or as specified by local regulation.
- 4. Allow to drain and air dry on a clean rack or support. Protect from dust and dirt. (Where required by local or state regulations, sanitize immediately before reuse.) Cleaning of Equipment and Surfaces
- 1. Rinse with warm water to remove heavy soil.
- 2. Flood or immerse equipment in 1 ounce of Accord II in 5 gal. of warm water (80 -100°F) and brush or wipe surfaces. Drain.





For Industry and Dairy Farm Use

ACTIVE INGREDIENTS:

lodine* ,	 	 	1.75%
Phosphoric acid	 	 ····	18.75%
INERT INGREDIENTS		4 4 4 4	
	 	TOT	AL 100 009/

*(From Alkyl (C.,-C,,) poly(oxypropylene) poly(oxyethylene) and Octylphenoxypolyethoxy-ethanol-iodine complexes)

A.O.A.C. Use Dijution Tests

· · · · · · · · · · · · · · · · · · ·	
Staphylococcus aureus	1:640
Salmonella choleraesuis	1:640
Pseudomonas aeruginosa	
Escherichia coli	

KEEP OUT OF REACH OF CHILDREN. DANGER:

STATEMENT OF PRACTICAL TREATMENT FIRST AID:

EXTERNAL — Eyes: Wash with water for 15 minutes. Get prompt medical attention. Skin: Wash thoroughly with plenty of soap and water. IF SWALLOWED — Drink large quantities of water. Avoid alcohol. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric

See side panel for additional precautions.

Diversey Corp. • Livonia MI 48150-2193-313 458 5000

24 HOUR EMERGENCY TELEPHONE • Medical: (Call Collect) 393 592 1024 Transportation: (CHEMTREC) 800 424 9300

Net Contents 55 Gal (208.2 L)...



- 3. Rinse in potable water and drain.
- Sanitize by use of an additional Accord It solution as directed by other Instructions and conditions on this label.

Restaurant and Food Service — Sanitizing Glasses, Dishes, Utensils and Food Processing Equipment.

- 1. Scrape and pre-rinse articles to be washed.
- 2. Wash with a recommended Diversey detergent.
- 3 Rinse with potable water.
- 4. Sanitize with a solution of 1 oz. of Accord II in 10 gal. of water (providing 12.5 ppm titratable iodine). Immerse all articles for at least 1 minute or for time specified by local regulation. Test solution periodically with Accord II test kit. Discard solution when it depreciates below 12.5 ppm titratable iodine or becomes visually dirty.
- 5. Air dry on a clean drainboard.

Udder Washing

- About one minute before attaching milker, wash udder using 1 oz. of Accord II in 5 gal. of lukewarm water (25 ppm titratable iodine solution). Wash and massage entire udder thoroughly.
- Dry udder with a single service towel. Do not reuse towel or wring it out in the solution. Yellow color indicates the presence of titratable iodine.
 Prepare a fresh solution when the yellow color fades or when the solution becomes visibly dirty.
- After milking, dip each teat with an approved teat dip.

Spray Sanitizing Food Service and Processing Equipment

- 1. Wash equipment with a recommended Diversey Detergent.
- 2. Rinse with warm water.
- Apply with a coarse spray of a solution of t oz. Accord It in 5 gal. of water (providing 25 ppm titratable iodine). Spray to thoroughly wet surfaces. Test spray solution daily with an Accord II test kit to ensure adequate sanitizer is being supplied by dilution equipment.
- 4. Allow equipment to drain and air dry

Flush Cleaning and Sanitizing Milking Clusters

- 1. Disengage milk hose with collection line.
- Attach milk hose to control cleaning/sanitizing line. Activate
 valve and flush milk hose, cluster, and claw with a solution
 containing 1 oz. of Accord II in 5 gal. warm water (providing
 25 ppm of titratable iodine). Allow flush to run until solution
 is clear
- Allow milking hose and equipment to drain thoroughly before milking the next cow.
- At the completion of milking, clean and sanitize equipment by disassembling and processing as for other equipment and utensils.

Accord II fulfills the criteria of Appendix F of the Grade "A" Pasteurized Milk Ordinance, 1965
Recommendations of the USPHS in watel to 500 ppm hardness calculated as CaCO3 when tested by the A.O.A.C. Germicidal and Detergents Sanitizers - Official Method.



EPA Registration No. 875-97
EPA Establishment Numbers:
875-WI-1[1]; 875- [X-3[3]; 875-CA-2[4];
875-OH-1[5]; 875-PA-1[8]
Bracketed number is the first digit of the batch number.

DISINFECTANTS, CORROSIVE LIQUID, N.O.S., (PHOSPHORIC ACID), UN1903

(952908)_ih