



DiverseyLever



Accord II

Iodine Detergent Sanitizer

For Industry Use

ACTIVE INGREDIENTS

Iodine*	1.75%
Phosphoric acid	18.75%

OTHER INGREDIENTS	<u>79.50%</u>
--------------------------	---------------

TOTAL 100.00%

*(From Alkyl (C₁₂-C₁₅) poly(oxypropylene) poly(oxyethylene) and Octylphenoxypropyloxy-ethanol-iodine complexes)

KEEP OUT OF REACH OF CHILDREN

DANGER

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.


IF SWALLOWED: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

See side panel for additional precautionary statements.



**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER**

Corrosive. Harmful or fatal if swallowed. Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

CHEMICAL AND PHYSICAL HAZARDS

DANGER MUST BE DILUTED BEFORE USE. ACIDIC PRODUCT. Do not mix with other cleaners or chemicals as hazardous gases or heat may be generated. Dilute only with water.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage, disposal or cleaning of equipment.

PESTICIDE STORAGE: Store in cool, dry area, away from sunlight and heat to avoid deterioration. Do not store on side. Avoid creasing of side walls.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of all excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label directions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Plastic containers - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Shell Egg Sanitizing - To sanitize previously cleaned shell eggs, apply a coarse spray of a solution of 1 fl. oz. Accord II per 5 gals. of water providing 25 ppm titratable iodine. The sanitizer solution must be equal to or warmer than the eggs (100 -120°F), but not to exceed 130°F. Spray eggs until thoroughly wet and allow to drain. Eggs sanitized with this product should only be rinsed with potable water if they are to be broken for

immediate use in egg products. Eggs must be reasonably dry before packaging or breaking. Do not reuse solution for egg sanitizing.

Sanitizing of Manually Cleaned Equipment - Tanks, Vats, Utensils, Brushes, and Food Processing Equipment.

1. Rinse with warm water immediately after use.
2. Wash with recommended DiverseyLever product. Rinse with clean water. Drain.
3. Sanitize by immersing in a solution of 1 ounce Accord II in 10 gal. of water (12.5 ppm titratable iodine). Expose for 2 minutes or as specified by local regulation.
4. Allow to drain and air dry on a clean rack or support. Protect from dust and dirt. (Where required by local or state regulations, sanitize immediately before reuse.)

Cleaning of Equipment and Surfaces

1. Rinse with warm water to remove heavy soil.
2. Flood or immerse equipment in 1 ounce of Accord II in 5 to 10 gallons of water (80 - 100°F), providing 12.5 to 25 ppm titratable iodine. Brush or wipe surfaces. Drain.
3. Rinse in potable water and drain.
4. Sanitize by use of an additional Accord II solution as directed by other instructions and conditions on this label.

Restaurant and Food Service - Sanitizing Glasses, Dishes, Utensils and Food Processing Equipment.

1. Scrape and pre-rinse articles to be washed.
2. Wash with a recommended DiverseyLever detergent.
3. Rinse with potable water.
4. Sanitize with a solution of 1 oz. of Accord II in 10 gal. of water (providing 12.5 ppm titratable iodine). Immerse all articles for at least 1 minute or for time specified by local regulation. Test solution periodically with Accord II test kit. Discard solution when it depreciates below 12.5 ppm titratable iodine or becomes visually dirty.
5. Air dry on a clean drainboard.

Spray Sanitizing Food Service and Processing Equipment

1. Wash equipment with a recommended DiverseyLever Detergent.
2. Rinse with warm water.
3. Apply with a coarse spray of a solution of 1 oz. Accord II in 5 to 10 gallons of water (providing 12.5 to 25 ppm titratable iodine). Spray to thoroughly wet surfaces. Test spray solution daily with an Accord II test kit to ensure adequate sanitizer is being supplied by dilution equipment.
4. Allow equipment to drain and air dry.

Flush Cleaning and Sanitizing Milking Clusters

1. Disengage milk hose with collection line.
2. Attach milk hose to control cleaning/sanitizing line. Activate valve and flush milk hose, cluster, and claw with a solution containing 1 oz. of Accord II in 5 gal. warm water (providing 25 ppm of titratable iodine). Allow flush to run until solution is clear.
3. Allow milking hose and equipment to drain thoroughly before milking the next cow.

4. At the completion of milking, clean and sanitize equipment by disassembling and processing as for other equipment and utensils.

Accord II fulfills the criteria of Appendix F of the Grade A.O.A.C. Pasteurized Milk Ordinance, 1990 Recommendations of the USPHS in water up to 500 ppm hardness calculated as CaCO_3 when tested by the A.O.A.C. Germicidal and Detergents Sanitizers - Official Method.

EPA Reg. No. 875-97

EPA Est. No. 875-OH-1[50]; 875-PA-1[80]; 875-CA-4[MD]; 875-WI-1[10]

Bracketed numbers/letters are the first numbers/letters of the batch number.

Net Contents:

208 L (55 US gal)

4X3.78 L (1 US gal)

Bulk

DiverseyLever

3630 E. Kemper Rd.

Cincinnati, OH 45241

800 233 1000

24 Hr EMERGENCY TELEPHONE:

Medical: (Call Collect) 303 592 1024

Transportation: (CHEMTREC) 800 424 9300