

Note to Agency: Text appearing in parenthesis or brackets is done to show optional text.

ACCORD II
Iodine Detergent Sanitizer and Germicide

For (Institutional) (and) (Industry) (Industrial) Use (Only)

ACTIVE INGREDIENTS:

Iodine*	1.75%
Phosphoric acid	18.75%
INERT (OTHER) INGREDIENTS:	79.50%
TOTAL:	100.00%

() from Alkyl (C₁₂ - C₁₅) poly(oxypropylene) poly(oxyethylene) and Octylphenoxyethoxy-ethanol-iodine complexes

KEEP OUT OF REACH OF CHILDREN
DANGER

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth if possible.

IN CASE OF EMERGENCY, CALL A POISON CONTROL CENTER OR DOCTOR FOR TREATMENT ADVICE.


1-800-851-7145

Have the product container or label with you when calling a Poison Control Center or doctor or going in for treatment.

Note to Physician: Probable mucosal damage may contraindicate gastric lavage.

See additional precautionary statements on back (side) (left) (right) (panel) (of) (label) (below).

Net Contents:



(Product of USA)

Note to Agency: Text appearing in parenthesis or brackets is done to show optional text.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

SHELL EGG SANITIZING - To sanitize previously cleaned shell eggs, apply a coarse spray of a solution of 1 fl. oz. of this product per 5 gals. of water providing 25 ppm titratable iodine. The sanitizer solution must be equal to or warmer than the eggs (100 -120°F), but not to exceed 130°F. Spray eggs until thoroughly wet and allow to drain. Eggs sanitized with this product should only be rinsed with potable water if they are to be broken for immediate use in egg products. Eggs must be reasonably dry before packaging or breaking. Do not reuse solution for egg sanitizing.

SANITIZING OF MANUALLY CLEANED EQUIPMENT - Tanks, Vats, Utensils, Brushes, and Food Processing Equipment.

1. Rinse with warm water immediately after use.
2. Wash with recommended DiverseyLever product. Rinse with clean water. Drain.
3. Sanitize by immersing in a solution of 1 ounce of this product in 10 gal. of water (12.5 ppm titratable iodine). Expose for 2 minutes or as specified by local regulation.
4. Allow to drain and air dry on a clean rack or support. Protect from dust and dirt. (Where required by local or state regulations, sanitize immediately before reuse.)

CLEANING OF EQUIPMENT AND SURFACES

1. Rinse with warm water to remove heavy soil.
2. Flood or immerse equipment in 1 ounce of this product in 5 to 10 gallons of water (80 -100°F), providing 12.5 to 25 ppm titratable iodine. Brush or wipe surfaces. Drain.
3. Rinse in potable water and drain.
4. Sanitize by use of this product as directed by sanitizing instructions and conditions on this label.

RESTAURANT AND FOOD SERVICE - Sanitizing Glasses, Dishes, Utensils and Food Processing Equipment.

1. Scrape and pre-rinse articles to be washed.
2. Wash with a recommended DiverseyLever detergent.
3. Rinse with potable water.
4. Sanitize with a solution of 1 oz. of this product in 10 gal. of water (providing 12.5 ppm titratable iodine). Immerse all articles for at least 1 minute or for time specified by local regulation. Test solution periodically with Accord II test kit. Discard solution when it depreciates below 12.5 ppm titratable iodine or becomes visually dirty.
5. Air dry on a clean drainboard.

SPRAY SANITIZING FOOD SERVICE AND PROCESSING EQUIPMENT

1. Wash equipment with a recommended DiverseyLever Detergent.
2. Rinse with warm water.
3. Apply with a coarse spray of a solution of 1 oz. of this product in 5 to 10 gallons of water (providing 12.5 to 25 ppm titratable iodine). Spray to thoroughly wet surfaces. Test spray solution daily with an Accord II test kit to ensure adequate sanitizer is being supplied by dilution equipment.
4. Allow equipment to drain and air dry.

383

Note to Agency: Text appearing in parenthesis or brackets is done to show optional text.

FLUSH CLEANING AND SANITIZING MILKING CLUSTERS

1. Disengage milk hose with collection line.
2. Attach milk hose to control cleaning/sanitizing line. Activate valve and flush milk hose, cluster, and claw with a solution containing 1 oz. of this product in 5 gal. warm water (providing 25 ppm of titratable iodine). Allow flush to run until solution is clear.
3. Allow milking hose and equipment to drain thoroughly before milking the next cow.
4. At the completion of milking, clean and sanitize equipment by disassembling and processing as for other equipment and utensils.

Accord II fulfills the criteria of Appendix F of the Grade A.O.A.C. Pasteurized Milk Ordinance, 1990 Recommendations of the USPHS in water up to 500 ppm hardness calculated as CaCO₃ when tested by the A.O.A.C. Germicidal and Detergents Sanitizers - Official Method.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in original container in areas inaccessible to children. Do not reuse empty container.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or incineration or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

ENVIRONMENTAL HAZARDS (for containers of 5 gallons or more)

This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting agency has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed or absorbed through skin or inhaled. Do not get in eyes, on skin or on clothing. Avoid breathing vapor or spray mist. Wear chemical splash-proof goggles or face shield, rubber gloves and protective clothing. Wash hands thoroughly with soap and water before eating, drinking, using tobacco or using the toilet and after handling product. Remove contaminated clothing and wash before reuse. Do not apply this product in a way that will contact workers or other persons directly.

PHYSICAL AND CHEMICAL HAZARDS

MUST BE DILUTED BEFORE USE. ACIDIC PRODUCT - Do not mix with other cleaners or chemicals, as hazardous gases or heat may be generated. Dilute only with water.

EPA Reg. No. 875-97

EPA Est. No.

DiverseyLever, Inc., Cincinnati, OH 45241