

**PRECAUTIONARY STATEMENTS.
HAZARDS TO HUMANS AND DOMESTIC ANIMALS.**

**WARNING: MAY BE HARMFUL OR FATAL,
IF SWALLOWED.**


Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. May cause eye damage or severe skin irritation.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams, and ponds. Treated effluent should not be discharged into lakes, streams, ponds, or public waters unless in accordance with NPDES permit. For guidance consult the regional office of EPA.

PHYSICAL AND CHEMICAL HAZARDS. STRONG OXIDIZING AGENT: Use only clean, dry utensils and mix only with water. Mixing other chemicals or gross filth (urine, feces, etc.) will start a chemical reaction resulting in release of toxic gas, heat, and possible fire. In case of decomposition, isolate container in open air if possible, and flood with large volumes of water.

STORAGE AND DISPOSAL.

Store in a cool, dry area away from direct sunlight or heat. Close container after use. In case of spill, flood area with large quantities of water. Rinse empty container thoroughly with water and discard by placing in trash collection or burying it in approved landfill area. Do not contaminate food or feed by storage, disposal, or cleaning of equipment.



B (8210) **NET WT. 350 LBS. (158.73 KGS.)**

Steri-Chlor® D
Highly-Soluble
Chlorinated Sanitizer



Only for Sale to, Use, and Storage by Service Persons

ACTIVE INGREDIENTS:	
Potassium dichloro-s-triazinetrione	6.9%
INERT INGREDIENTS	93.1%
	100.0%
Available chlorine	4%

KEEP OUT OF REACH OF CHILDREN.

**WARNING: MAY BE HARMFUL OR
FATAL, IF SWALLOWED.**

FIRST AID: If swallowed, feed gruel or cooked cereal followed by olive oil. If not available, drink starch paste, milk or egg whites. Call a physician. In case of contact with skin or clothing, remove clothing and wash skin with soap and water. In case of eye contact, wash with water for about 15 minutes and consult a physician. See additional precautionary text on left side panel.

DIRECTIONS FOR USE
It is a violation of federal law to use this product in a manner inconsistent with its labeling.

- I. **Terminal Sanitizing**
 1. Scrape and pre-flush
 2. Wash — in clean water
 3. Rinse — in potable water (100 ppm available chlorine tester. Wash and discard.
 4. Sanitize — in STE water (100 ppm available chlorine tester. Wash and discard.
 5. Air dry on clean surface
 - II. **Sanitizing Dairy, Tanks, Pails, Strainers**
 - A. Clean equipment
 1. Rinse — with water
 2. Wash — with water
 3. Rinse — with water
 4. Air dry — protected
 - B. Sanitize immediately
 1. 1 ounce in each 3 gallons of water (100 ppm available chlorine tester. Wash and discard.
 - III. **Special Applications**
 1. **DEODORIZING** — water to provide a clean odor or spray equipment on contact surfaces
- Do not rinse after sanitizing. Do not do so by local heating.
- Diversey Wyandotte
Grade A Pasteurized
when tested in 500 ppm
and Detergent Sanitizer

EPA Reg. No. 875-98
EPA Est. 875-MI-1

Diversey Wyandotte Corporation



FOOD INDUSTRIES GROUP
WYANDOTTE MICHIGAN 48192

DOMESTIC ANIMALS:

HARMFUL OR FATAL,

through the skin. Avoid breathing. May cause eye damage or

is toxic to fish. Keep out of water. Should not be discharged into water in accordance with NPDES permit of EPA.

STRONG OXIDIZING AGENT: Use with care. Mixing other chemicals or dilution resulting in release of chlorine gas. After decomposition, isolate large volumes of water.

light or heat. Close container immediately. Rinse empty container by placing in trash collection or separate food or feed by storage.

ACCEPTED
175-98
1982
Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
Reg. No.

Steri-Chlor® D

Highly-Soluble Chlorinated Sanitizer



Only for Sale to, Use, and Storage by Service Persons

ACTIVE INGREDIENTS:	
Potassium dichloro-s-triazinetrione	6.9%
INERT INGREDIENTS	93.1%
	100.0%
Available chlorine	4%

KEEP OUT OF REACH OF CHILDREN.

WARNING: MAY BE HARMFUL OR FATAL, IF SWALLOWED.

FIRST AID: If swallowed, feed gruel or cooked cereal followed by olive oil. If not available, drink starch paste, milk or egg whites. Call a physician. In case of contact with skin or clothing, remove clothing and wash skin with soap and water. In case of eye contact, wash with water for about 15 minutes and consult a physician. See additional precautionary text on left side panel.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

- I. **Terminal Sanitizing Rinse for Glasses, Dishes, Utensils**
 1. Scrape and pre-flush — articles to be washed.
 2. Wash — in clean water using recommended Diversey Wyandotte product.
 3. Rinse — in potable water.
 4. Sanitize — in STERI-CHLOR D solution using 1 oz. to each 3 gallons of water (100 ppm av. Cl₂). Immerse all utensils for at least 2 minutes or for contact time specified by governing sanitary code. Test periodically with chlorine tester. When solution depreciates to 50 ppm available chlorine, discard.
 5. Air dry on clean drain board.
- II. **Sanitizing Dairy, Beverage, Food Processing Equipment — Farm Tanks, Pails, Strainers, Milking Machine Parts**
 - A. Clean equipment immediately after use.
 1. Rinse — with clean water.
 2. Wash — with recommended Diversey Wyandotte product.
 3. Rinse — with potable water.
 4. Air dry — protect from dust and dirt.
 - B. Sanitize immediately before reuse with STERI-CHLOR D solution using 1 ounce in each 3 gallons water (100 ppm av. Cl₂). Test periodically with chlorine tester. When solution depreciates to 50 ppm av. Cl₂, discard.
- III. **Special Applications**
 1. **DEODORIZING** — Use 2 ounces of STERI-CHLOR D in one gallon of water to provide a solution containing 600 ppm available chlorine. Rinse or spray equipment or odor problem areas. After deodorizing, rinse food contact surfaces with potable water before re-use.

Do not rinse after sanitizing with STERI-CHLOR D solutions unless required to do so by local health regulations; then rinse with potable water.

Diversey Wyandotte STERI-CHLOR D fulfills the criteria of Appendix F, the Grade A Pasteurized Milk Ordinance 1965. Recommendations of the USPHS when tested in 500 ppm hard water (as CaCO₃) by the A.O.A.C. Germicidal and Detergent Sanitizer Test.

(158.73 KGS.)



EPA Reg. No. 875-98
EPA Est. 875-MI-1

tte
ation

**PRECAUTIONARY STATEMENTS.
HAZARDS TO HUMANS AND DOMESTIC ANIMALS.**

**WARNING: MAY BE HARMFUL OR FATAL,
IF SWALLOWED.**

Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing dust. Avoid contact with skin, eyes, or clothing. May cause eye damage or severe skin irritation.

FIRST AID: If swallowed, feed gruel or cooked cereal followed by olive oil. If not available, drink starch paste, milk or egg whites. Call a physician. In case of contact with skin or clothing, remove clothing and wash skin with soap and water. In case of eye contact, wash with water for about 15 minutes and consult a physician.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams, and ponds. Treated effluent should not be discharged into lakes, streams, ponds, or public waters unless in accordance with NPDES permit. For guidance consult the regional office of EPA.

PHYSICAL AND CHEMICAL HAZARDS. STRONG OXIDIZING AGENT: Use only clean, dry utensils and mix only with water. Mixing other chemicals or gross filth (urine, feces, etc.) will start a chemical reaction resulting in release of toxic gas, heat, and possible fire. In case of decomposition, isolate container in open air if possible, and flood with large volumes of water.

STORAGE AND DISPOSAL.

Store in a cool, dry area away from direct sunlight or heat. Close container after use. In case of spill, flood area with large quantities of water. Rinse empty container thoroughly with water and discard by placing in trash collection or burying it in approved landfill area. Do not contaminate food or feed by storage, disposal, or cleaning of equipment.

ACCEPTED
875-98
DEC 6 1982

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

Steri-Chlor® D

Highly-Soluble Chlorinated Sanitizer

Only for Sale to, Use, and Storage by Service Persons

ACTIVE INGREDIENTS:	
Potassium dichloro-s-triazinetrione	6.9%
INERT INGREDIENTS	93.1%
	<hr/>
	100.0%
Available chlorine	4%

KEEP OUT OF REACH OF CHILDREN.

WARNING: MAY BE HARMFUL OR FATAL, IF SWALLOWED.

See additional precautionary text on left side panel.

NET WT. 5 LBS. (2.27 KGS.) EPA Reg. No. 875-98
EPA Est. 875-MI-1

DiverseyWyandotte
Corporation



STERI-Chlor® D

Sanitizable Food Sanitizer

Use, and Storage by Service Persons

ITS:	
o-s-triazinetrione	6.9%
S	93.1%
	100.0%
	4%

KEEP OUT OF REACH OF CHILDREN.

MAY BE HARMFUL OR FATAL, IF SWALLOWED.

See cautionary text on left side panel.

5 LBS. (2.27 KGS.)

EPA Reg. No. 875-98
EPA Est. 875-MI-1

Wyandotte

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

I. Terminal Sanitizing Rinse for Glasses, Dishes, Utensils

1. Scrape and pre-flush — articles to be washed.
2. Wash — in clean water using recommended Diversey Wyandotte product.
3. Rinse — in potable water.
4. Sanitize — in STERI-CHLOR D solution using 1 oz. to each 3 gallons of water (100 ppm av. Cl₂). Immerse all utensils for at least 2 minutes or for contact time specified by governing sanitary code. Test periodically with chlorine tester. When solution depreciates to 50 ppm available chlorine, discard.
5. Air dry on clean drain board.

II. Sanitizing Dairy, Beverage, Food Processing Equipment — Farm Tanks, Pails, Strainers, Milk- ing Machine Parts

- A. Clean equipment immediately after use.
 1. Rinse — with clean water.
 2. Wash — with recommended Diversey Wyandotte product.
 3. Rinse — with potable water.
 4. Air dry — protect from dust and dirt.
- B. Sanitize immediately before reuse with STERI-CHLOR D solution using 1 ounce in each 3 gallons water (100 ppm av. Cl₂). Test periodically with chlorine tester. When solution depreciates to 50 ppm av. Cl₂, discard.

III. Special Applications

1. DEODORIZING — Use 2 ounces of STERI-CHLOR D in one gallon of water to provide a solution containing 600 ppm available chlorine. Rinse or spray equipment or odor problem areas. After deodorizing, rinse food contact surfaces with potable water before re-use.

Do not rinse after sanitizing with STERI-CHLOR D solutions unless required to do so by local health regulations; then rinse with potable water.

Diversey Wyandotte STERI-CHLOR D fulfills the criteria of Appendix F, the Grade A Pasteurized Milk Ordinance 1965. Recommendations of the USPHS when tested in 500 ppm hard water (as CaCO₃) by the A.O.A.C. Germicidal and Detergent Sanitizer Test.

STERI-CHLOR[®] D

Highly-Soluble Chlorinated Sanitizer

EPA Reg. No. 875-98

TYPICAL APPLICATIONS

STERI-CHLOR D is designed for sanitizing glasses, dishes, utensils and food contact surfaces in restaurants, commissaries, beverage, and other food service establishments.

EFFECTIVE

STERI-CHLOR D sanitizer fulfills the criteria of appendix F, the Grade "A" Pasteurized Milk Ordinance 1965 recommendations of the United States Public Health Service, when tested in 500 ppm water hardness (as CaCO₃) by the A.O.A.C. Germicidal and Detergent Sanitizer Test method.

ECONOMICAL

Sanitizing solutions of only 100 ppm available chlorine are required for most sanitizing operations.

NON-FOAMING


Due to its non-foaming characteristics, STERI-CHLOR D can be used in all types of spray systems.

USDA AUTHORIZATIONS

STERI-CHLOR D is authorized for use under USDA inspection and grading programs as a sanitizer for all surfaces not always requiring a rinse (D2).

PACKAGING

STERI-CHLOR D is available in convenient cartons containing 6 x 5 lb packages.



Diversey Wyandotte
Corporation



INSTITUTIONAL GROUP
WYANDOTTE MICHIGAN 48192

PROPERTIES:

Appearance--White, free-flowing powder
 Foam--None-Suitable for CIP
 Rinseability--Post-sanitizing rinse is not
 always required.
 Solubility--Rapidly and completely soluble
 at all recommended concentrations.
 pH of use solutions--7.7
 Phosphates--None

Active Ingredient	
Potassium dichloro-s-triazinetrione	6.9%
Inert Ingredients	<u>93.1%</u>
	100.0%

Available chlorine, 4.0%

TESTING
PROCEDURE:

The concentration of STERI-CHLOR D can be readily determined using the Diversey Wyandotte chlorine test kit with a factor of 10 ppm.

GENERAL DIRECTIONS FOR USE:

Always wash and rinse prior to sanitizing. To sanitize food equipment, use 1 ounce of Diversey Wyandotte STERI-CHLOR D in 3 gallons of water (100 ppm available chlorine). Brush, immerse, or circulate.

Test sanitizer solution periodically with an available chlorine tester. When solution depreciates to 50 ppm Av.Cl₂, discard. Diversey Wyandotte chlorine test papers and chlorine test kits are available at no cost from your Diversey Wyandotte representative. Read product label for complete use directions.

STORAGE
CONDITIONS:

Store in a cool, dry place away from food ingredients. Rotate stocks to insure product is not stored over 6 months.

PRECAUTIONARY
STATEMENTS:

KEEP OUT OF REACH OF CHILDREN
 WARNING: MAY BE HARMFUL OR FATAL IF SWALLOWED
 Harmful if swallowed or inhaled. Avoid breathing dust. Avoid contact with skin, eyes or clothing. May cause eye damage or severe irritation.
 See product label for complete precautionary and handling information.



Technical Service Bulletin

STERI-CHLOR[®] D

ICP-70

Highly-Soluble Chlorinated Sanitizer


EPA Reg. No. 875-98

PURPOSE AND USE

STERI-CHLOR D is a rapid acting, highly-soluble, granular chlorinating sanitizer. STERI-CHLOR D is designed for sanitizing food and beverage equipment in dairies, dairy farms, food plants, breweries, restaurants and taverns.

FEATURES

1. Easily soluble
2. Clear solutions
3. Economical



BENEFITS

1. Requires short time to make sanitizing solutions.
2. Does not form films on equipment.
3. Can be used at 100 ppm for most sanitizing operations.

EFFECTIVENESS

STERI-CHLOR D sanitizer fulfills the criteria of Appendix F, the Grade "A" Pasteurized Milk Ordinance 1965 Recommendations of the United States Public Health Service when tested by the A.O.A.C. Germicidal and Detergent Sanitizer Test.

Do not rinse after sanitizing with STERI-CHLOR D solution unless required by local health regulations, then rinse with potable water.

USDA AUTHORIZATION

STERI-CHLOR D is authorized by the U. S. Department of Agriculture under Category D2, Sanitizers for all surfaces not always requiring a rinse in plants under federal inspection programs.

Before using these compounds, food products and packaging materials must be removed from the room or carefully protected. A potable water rinse is not required following use of these compounds on previously cleaned hard surfaces provided that the surfaces are adequately drained before contact with food so that little or no residue remains which can adulterate or have a deleterious effect on edible products. A potable water rinse is required following use of these compounds under conditions other than those stated above. The compounds must always be used at dilutions and according to applicable directions provided on the EPA registered label.

INSTITUTIONAL GROUP

USE DIRECTIONS

I. Terminal Sanitizing Rinse for Glasses, Dishes and Utensils

1. Scrape and pre-flush articles to be washed.
2. Wash with recommended Diversey Wyandotte products.
3. Rinse with potable water.
4. Sanitize -- by immersion in STERI-CHLOR D sanitizer solution using 1 oz to each 3 gallons of water (100 ppm available chlorine). Immerse all utensils for at least two minutes or for contact time specified by governing sanitary regulations. Test periodically with chlorine test kit. When solution depreciates to 50 ppm available chlorine, discard.
5. Air dry on clean drainboard.

II. Sanitizing Dairy, Beverage, Food Processing Equipment

- A. Clean equipment immediately after use.
 1. Rinse equipment immediately after use.
 2. Wash with recommended Diversey Wyandotte product.
 3. Rinse with potable water.
 4. Air dry -- protect from dust and dirt.
- B. Sanitize immediately before reuse with STERI-CHLOR D sanitizer solution; use 1 oz per 3 gallons of water (100 ppm available chlorine).

Test periodically with chlorine test kit. When solution depreciates to 50 ppm available chlorine, discard.

Do not rinse after sanitizing with STERI-CHLOR D solution unless required by local health regulations, then rinse with potable water.

SPECIAL APPLICATIONS

1. Deodorizing Non-Food Contact Surfaces

- Use 2 oz STERI-CHLOR D in 1 gallon of water, 600 ppm available chlorine. Spray or rinse odor problem area.
- If applied to food contact surfaces, rinse with potable water after application.

2. Disposal Units

- Freeze solution of STERI-CHLOR D in ice-cube trays (2 oz STERI-CHLOR D to 3 gallons of water). Pour ice cubes into garbage disposal unit, run without water until ice cubes are gone. This method will clean and deodorize

875-98

units, and sharpen blades. CAUTION: Mark ice cube trays and containers to prevent accidental use of potable water or contacting food.

3. Coolers, Freezers, Refrigerators

Soak charcoal overnight in STERI-CHLOR D solution (2 oz STERI-CHLOR D to each 3 gallons of water). Drain. Place open container of charcoal in corners of units to deodorize and help eliminate odor transfer.

TEST PROCEDURE

Use Diversey Wyandotte Chlorine Test Kit.

PHYSICAL PROPERTIES

STERI-CHLOR D sanitizer is a white, free-flowing soluble powder.

CHEMICAL PROPERTIES

Active Ingredient

Potassium dichloro-s-triazinetriene	6.9%
Inert Ingredients	<u>93.1%</u>
	100.0%
Available chlorine	4%

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS OR DOMESTIC ANIMALS.

WARNING:

MAY BE HARMFUL OR FATAL IF SWALLOWED.

Harmful if swallowed or inhaled. Avoid breathing dust. Avoid contact with skin, eyes or clothing. May cause eye damage or severe skin irritation.

First Aid: If swallowed, feed gruel or cooked cereal followed by olive oil. If not available, drink starch paste, milk or egg whites. Call a physician. In case of contact with skin or clothing, remove clothing and wash skin with soap and water. In case of eye contact, wash with water for about 15 minutes and consult a physician.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams, and ponds. Treated effluent should not be discharged into lakes, streams, ponds, or public waters unless in accordance with NPDES permit. For guidance consult the regional office of EPA.

PHYSICAL AND CHEMICAL HAZARDS. STRONG OXIDIZING AGENT:
Use only clean, dry utensils and mix only with water. Mixing other chemicals or gross filth (urine, feces, etc.) will start a chemical reaction resulting in release of toxic gases, heat, and possible fire. In case of decomposition, isolate container in open air if possible, and flood with large volumes of water.

STORAGE AND DISPOSAL:
Store in a cool, dry area away from direct sunlight or heat. Close container after use. In case of spill, flood area with large quantities of water. Rinse empty container thoroughly with water and discard by placing in trash collection or burying it in an approved landfill area. Do not contaminate food or feed by storage, disposal, or cleaning of equipment.

KEY WORDS

Chlorinated sanitizer
Deodorizing
Powdered sanitizer

0 1 2 3 4 5 6 7 8 9
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z
[] ^ _ ` a b c d e f g h i j k l m n o p q r s t u v w x y z
[] ^ _ ` a b c d e f g h i j k l m n o p q r s t u v w x y z
[] ^ _ ` a b c d e f g h i j k l m n o p q r s t u v w x y z
[] ^ _ ` a b c d e f g h i j k l m n o p q r s t u v w x y z



Technical Service Bulletin

STERI-CHLOR[®] D

FI-71

Highly-Soluble Chlorinated Sanitizer


EPA Reg. No. 875-98

PURPOSE AND USE

STERI-CHLOR D is a rapid acting, highly-soluble, granular chlorinating sanitizer. STERI-CHLOR D is designed for sanitizing food and beverage equipment in dairies, dairy farms, food plants, breweries, restaurants and taverns.

FEATURES

1. Easily soluble
2. Clear solutions
3. Economical



BENEFITS

1. Requires short time to make sanitizing solutions.
2. Does not form films on equipment.
3. Can be used at 100 ppm for most sanitizing operations.

EFFECTIVENESS

STERI-CHLOR D sanitizer fulfills the criteria of Appendix F, the Grade "A" Pasteurized Milk Ordinance 1965 Recommendations of the United States Public Health Service when tested by the A.O.A.C. Germicidal and Detergent Sanitizer Test.

Do not rinse after sanitizing with STERI-CHLOR D solution unless required by local health regulations, then rinse with potable water.

USDA AUTHORIZATION

STERI-CHLOR D is authorized by the U. S. Department of Agriculture under Category D2, Sanitizers for all surfaces not always requiring a rinse in plants under federal inspection programs.

Before using these compounds, food products and packaging materials must be removed from the room or carefully protected. A potable water rinse is not required following use of these compounds on previously cleaned hard surfaces provided that the surfaces are adequately drained before contact with food so that little or no residue remains which can adulterate or have a deleterious effect on edible products. A potable water rinse is required following use of these compounds under conditions other than those stated above. The compounds must always be used at dilutions and according to applicable directions provided on the EPA registered label.

FOOD INDUSTRIES GROUP

USE DIRECTIONS

I. Terminal Sanitizing Rinse for Glasses, Dishes and Utensils

1. Scrape and pre-flush articles to be washed.
2. Wash with recommended Diversey Wyandotte products.
3. Rinse with potable water.
4. Sanitize -- by immersion in STERI-CHLOR D sanitizer solution using 1 oz to each 3 gallons of water (100 ppm available chlorine). Immerse all utensils for at least two minutes or for contact time specified by governing sanitary regulations. Test periodically with chlorine test kit. When solution depreciates to 50 ppm available chlorine, discard.
5. Air dry on clean drainboard.

II. Sanitizing Dairy, Beverage, Food Processing Equipment

- A. Clean equipment immediately after use.
 1. Rinse equipment immediately after use.
 2. Wash with recommended Diversey Wyandotte product.
 3. Rinse with potable water.
 4. Air dry -- protect from dust and dirt.
- B. Sanitize immediately before reuse with STERI-CHLOR D sanitizer solution; use 1 oz per 3 gallons of water (100 ppm available chlorine).

Test periodically with chlorine test kit. When solution depreciates to 50 ppm available chlorine, discard.

Do not rinse after sanitizing with STERI-CHLOR D solution unless required by local health regulations, then rinse with potable water.

SPECIAL APPLICATIONS

1. Deodorizing Non-Food Contact Surfaces

-
: : Use 2 oz STERI-CHLOR D in 1 gallon of water, 600 ppm
: : available chlorine. Spray or rinse odor problem area.
: :
: : If applied to food contact surfaces, rinse with potable
: : water after application.

2. Disposal Units

-
: : Freeze solution of STERI-CHLOR D in ice-cube trays (2 oz
: : STERI-CHLOR D to 3 gallons of water). Pour ice cubes
: : into garbage disposal unit, run without water until ice
: : cubes are gone. This method will clean and deodorize

875-98

units, and sharpen blades. CAUTION: Mark ice cube trays and containers to prevent accidental use in potable water or contacting food.

3. Coolers, Freezers, Refrigerators

Soak charcoal overnight in STERI-CHLOR D solution (2 oz STERI-CHLOR D to each 3 gallons of water). Drain. Place open container of charcoal in corners of units to deodorize and help eliminate odor transfer.

TEST PROCEDURE

Use Diversey Wyandotte Chlorine Test Kit.

PHYSICAL PROPERTIES

STERI-CHLOR D sanitizer is a white, free-flowing soluble powder.

CHEMICAL PROPERTIES

Active Ingredient

Potassium dichloro-s-triazinetriene	6.9%
Inert Ingredients	93.1%
	<u>100.0%</u>

Available chlorine 4%

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS OR DOMESTIC ANIMALS.

WARNING:

MAY BE HARMFUL OR FATAL IF SWALLOWED.
Harmful if swallowed or inhaled. Avoid breathing dust. Avoid contact with skin, eyes or clothing. May cause eye damage or severe skin irritation.

First Aid: If swallowed, feed gruel or cooked cereal followed by olive oil. If not available, drink starch paste, milk or egg whites. Call a physician. In case of contact with skin or clothing, remove clothing and wash skin with soap and water. In case of eye contact, wash with water for about 15 minutes and consult a physician.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams, and ponds. Treated effluent should not be discharged into lakes, streams, ponds, or public waters unless in accordance with NPDES permit. For guidance consult the regional office of EPA.

