

DEMAND™

U.S. Patent No. 3,653,334

EPA Reg. No. 875-100
EPA Est. 875-CA-2 (S); 875-PA-1 (S); 875-MI-1 (M); 875-GA-1 (D)
Superscript used is first letter of lot number

Low Foaming Anionic Acid Sanitizer For Industry Use Only

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS.**

KEEP OUT OF REACH OF CHILDREN.

**DANGER: CORROSIVE.
CAUSES EYE AND SKIN DAMAGE.**

Do not get in eyes, on skin, or on clothing. Wear goggles or face shield when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Harmful or fatal if swallowed. Avoid contamination of food.

ACIDIC PRODUCT - Do not mix with other cleaners or chemicals, as hazardous gases or heat may be generated. Dilute only with water.

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide spray mixtures or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in sanitary landfill, or incinerate, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

ACTIVE INGREDIENTS	
Phosphoric Acid	59.8%
INERT INGREDIENTS	40.2%
	100.0%

This product contains only biodegradable surfactants and will not create foam problems in sewage systems, rivers or streams. Phosphorous content (as P); 18.4%. Recommended use solution (1 fl. oz./4 gals.) contains 1.9 grams of phosphorous (as P) per gallon.

KEEP OUT OF REACH OF CHILDREN.

**DANGER: CORROSIVE.
CAUSES EYE AND SKIN DAMAGE.**

STATEMENT OF PRACTICAL TREATMENT: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probably mucosal damage may contraindicate the use of gastric lavage.

(See side panels for additional precautions)

BB(8512)

Diversey Wyandotte
Corporation



FOOD INDUSTRY DIVISION
WYANDOTTE, MICHIGAN 48192
313-281-0380

875-100

01/22/1986

1/2

ACCEPTED

875-100
JAN 21 1986

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No.

11.96/gal

DIRECTIONS FOR USE


It is a violation of federal law to use this product in a manner inconsistent with its labeling.

SANITIZER FOR DAIRY, BEVERAGE, FOOD PROCESSING EQUIPMENT, FARM TANKS, AND MILKING MACHINE PARTS.

- A. Clean equipment immediately after use.
1. Rinse—with clean water.
 2. Wash—with recommended Diversey Wyandotte product.
 3. Rinse—with clean water.
- B. Sanitize with 1 ounce of Demand per 4 gallons of water (1:512 dilution). Thoroughly wet surface or immerse for a period of at least one minute. Adequately drain surface or equipment before reuse. Prepare a fresh sanitizer solution daily. If solution becomes visibly soiled or falls below dilution strength when tested by a Demand Test Kit, discard and prepare additional sanitizer.

CONTACT TIME: The laws of some states require that utensils and equipment remain in contact with sanitizing solution for 2 minutes. Check with your Health Department.

Demand fulfills the criteria of the Grade 'A' Pasteurized Milk Ordinance 1978 Recommendations of the United States Public Health Service in waters up to 500 ppm hardness calculated as CaCO_3 when tested by the method outlined by A.O.A.C. Germicidal Detergent and Sanitizer Test Method.



NET CONTENTS 30 GALLONS (113.55 LITERS)