10/24/2002

pe 133

Divosan Forte label amendment request dated August 21, 2002

DIVOSAN* FORTE Peracetic Acid Sanitizer VT6

Ū

For Industry Use Only

ACTIVE INGREDIENT

Peroxyacetic Acid	15.0%
OTHER INGREDIENTS	85.0%
TOTAL	100.0%

KEEP OUT OF REACH OF CHILDREN **DANGER**

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give rtificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage.

See side panel for additional precautionary statements.

REERDPED OCT 2 4 2002 Under the Federal Insecticide, Fungicide, and Redenticide Act as amended, for the pesticide, redistered under EPA heg. No. 75-1071

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER

Corrosive. Causes irreversible eye damage or skin burns. Harmful if swallowed or absorbed through the skin or inhaled. Do not get in eyes, on skin or on clothing. Avoid breathing spray mist. Wear goggles or face shield (safety glasses), protective clothing, and chemical resistant rubber gloves when handling. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge effluent contaminating this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the 'ocal sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the dPA.

PHYSICAL AND CHEMICAL HAZARDS

STRONG OXIDIZING AGENT. Mix only with water. Product must be diluted in accordance with label directions for use. Do not contaminate with cleaners or sanitizers as rapid decomposition of product with release of oxygen can occur which may initiate combustion.

Dispense directly from the original container. Use only dispensing equipment made of teflon, polyethylene or suitable plastics. Do not use rubber hoses or metal pumping or sampling equipment. If concentrated product must be transferred, use only a clean, dry container made of polyethylene or suitable plastics.

Technical Information regarding specific on-site problems are available from DiverseyLever. A Material Safety Data Sheet relative to the use of this product is available.

TORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage, disposal or cleaning of equipment. **PESTICIDE STORAGE:** Keep container tightly closed. Do not store at elevated temperatures or in direct sunlight. Store only in original container.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of all excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label directions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Plastic containers – Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

ACCEPTED	
OCT 2 4 2002	
Under the Federal Insecticide, Fungicide, and Recentoride Act as amended, for the pesticide, registered under EPA Rep. No. 875-107	

LIMITED WARRANTY AND DISCLAIMER

Neither manufacturer nor the seller makes any representation or warranty, expressed or implied, concerning this material except that it is of DiverseyLever standard quality. Neither shall be held responsible in any manner for any personal injury, property damage or other type of loss resulting from the handling, storage, use or resale of this material and/or this container or the sale or use of any product manufactured or processed by its use. The buyer accepts and uses this material and this container on these conditions.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

SANITIZING OF FOOD CONTACT SURFACES

For use in circulation cleaning and sanitizing of closed tanks, pipelines, evaporators, filters, and processing vats in dairy, carbonated beverage, wineries, breweries, bottle water, juice, and food processing plants.

- A. Clean equipment immediately after use.
- Rinse with clean water to remove soil.
- 2. Wash with recommended DiverseyLever product.
- 3. Rinse with potable water until equipment is cooled to less than 100° F
- B. Sanitize by metering DIVOSAN FORTE directly from the original product container into a makeup tank by use of a DiverseyLever automatic dispensing system. Dilute 1 fluid ounce of DIVOSAN FORTE in 5.8 gallons of water providing 200 ppm peroxyacetic acid. Circulate the sanitizer for at least two minutes to thoroughly contact all surfaces. Drain sanitized surfaces completely before restarting processing.

Use appropriate DiverseyLever test kit to check concentration of sanitizer solution. Fresh sanitizing solution should be prepared at least daily or more often if the solution becomes diluted or soiled. Use solution may not be re-sued for sanitizing. Discharge solution to waste after use.

EPA Reg. No. 875-107 EPA Est. No. 00279-NY-003

Net Contents: 114 L (30 US gal) 18.9 L (5 US gal)

DiverseyLever 3630 E. Kemper Rd. Cincinnati, OH 45241 800 233 1000

24 Hr EMERGENCY TELEPHONE: Medical: (Call Collect) 303 592 1024 Transportation: (CHEMTREC) 800 424 9300 ACCEPTED

OCT 2 4 2002

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 8735 - 107