


UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

NOV 25 2008



Office of Pesticide Programs

JohnsonDiversey, Inc.
8310 16th Street, MS 707
Sturtevant, WI 53177-1964

Attention: Kresti A. Lyddon
Senior Registration Specialist

Subject: Divosan™ Forte
EPA Registration No. 875-107
Amendment Dated October 16, 2008

The amendment, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable.

- Response to PR Notice 2007-4

A stamped copy of the "accepted" product labeling is enclosed for your records.

If you have any questions concerning this letter, please contact Martha Terry at (703) 308-6217.

Sincerely

A handwritten signature in black ink that reads "M Swindell". The signature is written in a cursive style.

Marshall Swindell
Product Manager (33)
Regulatory Management Branch 1
Antimicrobials Division (7510P)

Enclosure

Note to Agency: Text appearing in parenthesis or brackets is done to show optional text.

JohnsonDiversey



Divosan Forte

Peracetic Acid Sanitizer

For Institutional (and) (Dairy Farm) Use (Only)

ACTIVE INGREDIENT:	
Peroxyacetic acid.....	15.0%
INERT (OTHER) INGREDIENTS:	
	85.0%
TOTAL:	
	100.0%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.

IN CASE OF EMERGENCY, CALL A POISON CONTROL CENTER OR DOCTOR FOR TREATMENT ADVICE.
1-800-851-7145
 Have the product container or label with you when calling a Poison Control Center or doctor or going in for treatment.

Note to Physician: Probable mucosal damage may contraindicate gastric lavage.

See additional precautionary statements on back (side) (left) (right) (panel) (of) (label) (below).

Net Contents:

ACCEPTED
with COMMENTS
EPA Letter Dated:

(Product of USA)

NOV 25 2008

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No. 875-107

Note to Agency: Text appearing in parenthesis or brackets is done to show optional text.

(MARKETING CLAIMS:)

(FEATURES, CLAIMS & USES:)

Divosan Forte is recommended for use on pre-cleaned food contact surfaces such as food process equipment, pipelines, tanks, vats, fillers, evaporators and pasteurizers in dairies, breweries, (carbonated) beverage, wineries, bottled water, juice and other food processing plants (facilities). This product is an effective sanitizer when the sanitizing solution is prepared in water up to 500 ppm hardness calculated as CaCO₃.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Sanitizing Food Contact Surfaces:

1. Clean equipment immediately after use.
2. Remove gross food particles by flushing with water or scraping.
3. Wash with a detergent solution.
4. Rinse with potable water until equipment is cooled to less than 100° F.
5. Sanitize by metering this product directly from the original product container into a makeup tank by use of a(n) (JohnsonDiversey) automatic dispensing system. Dilute 1 fl. oz. of product in 5.8 gallons of water providing 200 ppm peroxyacetic acid.
6. Circulate the sanitizer solution for at least 2 minutes to thoroughly contact all surfaces.
7. Drain sanitized surfaces completely before restarting processing.

Prepare fresh sanitizer solution daily. If solution becomes visibly soiled or falls below strength when tested with a Test Kit, discard and prepare additional sanitizer. Sprayed or circulated sanitizer solutions may not be reused for sanitizing. Discharge solution to waste after use.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal or cleaning of equipment.

PESTICIDE STORAGE: Keep container tightly closed. Do not store at elevated temperatures or in direct sunlight. Store only in original container.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

ACCEPTED
with COMMENTS
EPA Letter Dated:

NOV 25

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No. 875-107

Note to Agency: Text appearing in parenthesis or brackets is done to show optional text.

CONTAINER DISPOSAL (Note to reviewer – One or more of the following paragraphs for Container Disposal will be selected, depending on packaging type:)

(If not being refilled with this product,) triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

NONREFILLABLE SEALED CONTAINERS: (Note to EPA: Several of our packaging options (including ACCUMIX Containers™, Solutions Center™, J-Fill™, OUTPOST™, Single Solutions™, Command Center™, or RTD™) are sealed containers or bottles designed to reduce worker exposure to the concentrate. None of these can be triple rinsed because they are closed, sonically welded, sealed containers. The following text will be used on these sealed container types:)

Nonrefillable container. Do not reuse or refill this container. Wrap empty container and put in trash.

NONREFILLABLE NON-RIGID CONTAINERS: Note to EPA: Several of our packaging options are Bag-in-Box containers (a plastic bag liner supported inside a box) or are flexible bag-type containers (such as ACCUPACK™ Containers). These flexible containers are exempt from the triple rinsing requirements. The following text will be used on these container types:

Nonrefillable container. Do not reuse or refill this container. Wrap empty container and put in trash.

SMALL NONREFILLABLE CONTAINERS: (Note to EPA: The following text will be used on rigid, nonrefillable containers small enough to shake (5 gallons or smaller):)

Nonrefillable container. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer container for recycling, if available.

LARGE NONREFILLABLE CONTAINERS: (Note to EPA: One of the following paragraphs will be used on labels for rigid, nonrefillable containers too large to shake (larger than 5 gallons):)

Nonrefillable container. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water and replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for at least 30 seconds. Stand the container on its end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Offer container for reconditioning, if appropriate.

OR

Nonrefillable container. Clean container promptly after emptying. Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or a mix tank or collect rinsate for later use or disposal. Insert pressure-rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip. Offer for reconditioning, if appropriate.

ACCEPTED
with COMMENTS
EPA Letter Dated:

NOV 25

Note to Agency: Text appearing in parenthesis or brackets is done to show optional text.

REFILLABLE CONTAINERS: (Note to EPA: One of the following paragraphs will be used on labels for refillable containers:)

Refillable container. Refill this container with (this brand or brand name) pesticide only. Do not reuse this container for any other purpose.

Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller.

OR

Pressure rinsing the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller.

To clean the container prior to final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

ENVIRONMENTAL HAZARDS (for containers of 5 gallons or more)

This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting agency has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Avoid breathing spray mist. Wear goggles or face shield (safety glasses), protective clothing and chemical resistant rubber gloves when handling. Wash hands thoroughly with soap and water before eating, drinking, chewing gum, using tobacco or using the toilet and after handling product. Remove contaminated clothing and wash before reuse.

PHYSICAL AND CHEMICAL HAZARDS

STRONG OXIDIZING AGENT – Mix only with water. Product must be diluted in accordance with label directions for use. Do not contaminate with cleaners or sanitizers as rapid decomposition of product with release of oxygen can occur which may initiate combustion.

Dispense directly from original container. Use only dispensing equipment made of Teflon®, polyethylene or suitable plastics. Do not use rubber hoses or metal pumping or sampling equipment. If concentrated product must be transferred, use only a clean, dry container made of polyethylene or suitable plastics.

PELIGRO

Si no puede leer en ingles, pregunte a su supervisor sobre las instrucciones de uso apropiadas antes de trabajar con este producto.

EPA Reg. No. 875-107

EPA Est. No.

(Lot code letters indicate establishment number.)

ACCEPTED
with COMMENTS
EPA Letter Dated:

NOV 25

© 2008 JohnsonDiversey, Inc., 8310 16th Street, Sturtevant, WI 53177. All rights reserved.

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No. 875-107

October 16, 2008

Page 4 of 4

EPA Reg. No. 875-107