

PAA 11 815 170
30 SEP 1992

30 SEP 1992

Diversey Corporation
c/o Nationwide Chemical Products, Inc.
P.O. Box 13027
Hamilton, Ohio 45013

Attn: David M. Valentine

Subject: D-Sect B-20
EPA REGISTRATION No. 875-122
Application dated September 2, 1992

Dear Mr. Valentine:

The proposed amendment to the registration of the product cited above under The Federal Insecticide, Fungicide, and Rodenticide Act adding use claims to the label is acceptable. A stamped copy of the accepted label is enclosed for your records.

Sincerely,


Richard F. Mountfort
Product Manager 10
Insecticide & Rodenticide Branch
Registration Division (H7505C)

CAUTION: COMBUSTIBLE MIXTURE N.Y.F.D.
C. OF A. NO.3682
PRODUCT NO 01164

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC
ANIMALS.

KEEP OUT OF REACH OF CHILDREN

CAUTION:
COMBUSTIBLE MIXTURE.

Harmful if swallowed. Do not store, pour, spray, fog or use near heat or open flame. In hospitals, patients should be removed from room prior to treatment. Room should be ventilated for 2 hours after spraying. Do not return patients to room until after ventilation. When fogging indoors, all fires, flames, pilot lights and other sources of ignition must be extinguished and safely shut off. The National Board of Underwriters advises that not more than one gallon of any solvent-based formulation should be used to treat 100,000 cubic feet of space. Proportional quantities should be used to treat smaller or larger volumes. Do not breathe fog or spray. Wear suitable respirator when fogging indoors. Do not apply directly to food. Do not apply space spray while food processing is underway. Food processing operations do not have to be stopped while applying a wet spray with care and in accordance with the directions and cautions indicated. Cover or remove all food before treatment. All food contact surfaces and utensils must be covered during treatment or washed before using.

ENVIRONMENTAL HAZARDS-This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds or public waters unless in accordance with NPDES permit. For guidance contact your Regional Office of the EPA.

PHYSICAL HAZARDS-Do not use, pour, spill or store near heat or open flame.

STORAGE AND DISPOSAL-Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container. Pesticide spray mixture or residue that cannot be used or chemically processed should be disposed in a landfill approved for pesticides or buried in a safe place away from water supplies.

Metal Drum-Triple rinse (or equivalent). Then offer for recycling, reconditioning, or disposal in approved landfill. Consult federal, state or local disposal authorities for approved alternate procedures.

Plastic Pail-Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke. Consult federal, state or local disposal authorities for approved alternate procedures such as limited open burning.

D-SECT B-20 BULK INSECT KILLER

FOR USE IN RESTAURANTS, FOOD PLANTS,
BOTTLERS DAIRIES, HOSPITALS,
HOTEL/MOTELS, SUPERMARKETS

ACTIVE INGREDIENTS

N-Octyl Bicycloheptene Dicarboximide	0.6690
Technical Piperonyl Butoxide*	0.4014
Pyrethrins	0.2007
INERT INGREDIENTS	98.7289
	100.0000

*consists of (Butylcarbityl)(6-Propylpiperonyl) Ether and Related Compounds
Contains Petroleum Distillate

EPA Registration No. 875-122
EPA Est. No. 9591-OH-1

KEEP OUT OF REACH OF CHILDREN

CAUTION:
STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

IF SWALLOWED: Call a physician immediately. Do not induce vomiting unless directed by a physician because of aspiration hazard.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsions may be needed. See Left Panel for Additional Precautionary Statements.

NET CONTENTS SHOWN ELSEWHERE ON CONTAINER.

DIVERSEY CORP.
CINCINNATI, OHIO 45202 U.S.A.

DIRECTIONS FOR USE: It is a violation of federal law to use this product in a manner inconsistent with its labeling.
INDOORS USE: For Roaches, Silverfish. Use a coarse wet spray that will not float in the air. Direct spray in such a manner as to penetrate all cracks, crevices and other hiding places.

Contact directly as many insects around shelves, under sinks, refrigerators, washing machines and bottle washers, bottle cartons and cases. For bed bugs, D-SECT daily. During the summer months, weekly application every week is advisable.

For Flies, Mosquitoes and Gnats: Turn off air conditioning or ventilation. Remove exposed food. Cover and wash to prevent contamination from spray. Disperse with an electric fan. Compressed air sprayers may be used to fog the ceiling and continue spraying. Leave room closed for 24 hours after spraying. Do not remain in treated area until after treatment is completed.

For Bed Bugs, Fleas and Broodmares: Spray lower wall portions, baseboards, pets and floors of infested areas. Bedding and bedding should also be sprayed. Many insects as possible. Repeat treatment when reinfestation becomes evident.

To control infestations of granary weevils, grain beetles, confused flour beetle, red flour beetle, cadelle, Angoumois grain moth, Indian meal moth, ranean flour moth in food storage: fumigation or other effective treatment. Use an approved product intended for food storage. Spray thoroughly to all surfaces, including pantries and similar food storage areas. Pay attention to cracks, crevices, niches, etc.

FOG OR VAPOR SPRAY: To control stages of insects named on this label, use a mechanical thermal or compressed air misting machine to mist entire area with mist using 3 to 5 gallons of space. Repeat treatment as necessary. Remove all feed and foodstuffs. Remove infested aquaria before spraying.

ON ANIMALS: To protect animals from flies, mosquitoes and gnats, apply to wet the tips of the hair. To control fleas, apply 2 ounces per adult animal. Do not soak the hide. Repeat daily or at intervals necessary to control.

To control blood sucking lice: infested areas, using a stiff brush to remove lice from the hair. Use 2 ounces or less of the hair. Use 2 ounces or less to three weeks as required.
BARN, MILK ROOMS, DAIRY, POULTRY HOUSES: To control gnats, apply as a fog or fine mist to ceiling and upper corners of the room with mist using about 2 ounces. For best results, close windows and keep closed for ten to fifteen minutes. Ventilate before necessary.

BEST AVAILABLE COPY

**ACC
30 SE**
Under the F
Fungicide,
no amended
registered u
EPA Reg. N