

NPDES Statement Modified to
PR-93-10 language.

**Precautionary Statements
Hazards To Humans and Domestic Animals.**

KEEP OUT OF REACH OF CHILDREN.

DANGER:

CORROSIVE. Causes eye and skin damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Irritating to nose and throat. Avoid breathing dust. Wear goggles or face shield and rubber gloves when handling.

DO NOT MIX WITH ACIDIC CHEMICALS.

ENVIRONMENTAL HAZARDS – This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollution Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

PHYSICAL HAZARDS – Avoid breathing dust from powder.

STORAGE AND DISPOSAL

- Do not contaminate water, food, or feed by storage or disposal.
- Open dumping is prohibited.
- Do not reuse empty container.

KEEP IN COOL, DRY PLACE. KEEP LID CLOSED TO PREVENT LOSS OF STRENGTH.

Pesticide Disposal – Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label directions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal – Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Lined Fiber Drum – Completely empty liner by shaking and tapping sides and bottom to loosen clinging pesticides. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration, if allowed by state and local authorities. If drum is contaminated and cannot be reused, dispose of in the same manner.

BEST AVAILABLE COPY



00895231

2 of 4



For Industry Use Only

**Makes Clear Solution In Up To 30 Grain Or
(As CaCO₃) Hard Water.**

ACTIVE INGREDIENTS:

Sodium dichloro-s-triazinetrione dihydrate
(9.0% minimum available chlorine)

INERT INGREDIENTS

3.4 ounces per 10 gallons – delivers 50 ppm available chlorine
1.2 ounces per 10 gallons – delivers 100 ppm available chlorine

**KEEP OUT OF REACH OF CHILDREN
DANGER:**

STATEMENT OF PRACTICAL TREATMENT: In case of eye contact, flush eyes with cold water for at least 15 minutes. **CALL A PHYSICIAN IMMEDIATELY.** If swallowed, drink promptly 8 or 4 large glasses of water. **CALL A PHYSICIAN IMMEDIATELY.** Avoid alcohol on skin, brush with soap and water. Flush skin with plenty of cold water for at least 15 minutes. If symptoms develop, **SEEK MEDICAL ATTENTION.** Remove and wash contaminated clothing before reuse.

Note to physician: Probable mucosal damage may contraindicate gastric lavage. Measures against circulatory shock, respiratory distress, and convulsions may be needed.

See side panel for additional precautionary statements.

Diversey Corp. • Livonia MI 48150-2193 • 313 481-2193
24 HOUR EMERGENCY TELEPHONE • Medical: (Call Collect) 313 481-2193
303 592 1024 • Transportation: (CHEMTREC) 800 424 9300

Net Weight 250 Lbs (113.4 Kg)

PMS Pantone Purple • 8.5" x 15"

4 7 4

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RECOMMENDED FOR USE IN SANITIZING OPERATIONS, FOOD PLANTS, DAIRIES, RESTAURANTS, BEVERAGE AND BREWERY OPERATIONS. FOR SANITIZING UTENSILS AND GLASSES IN HAND WASH OPERATIONS -

1. Preflush or pre-scrape utensils and glasses to remove gross food particles. Pre-soak if necessary.
2. Wash thoroughly with a Diversey detergent.
3. Rinse with potable water.
4. Sanitize in solution of 100 ppm available chlorine (1.5 ounces per 10 gallons of water or one level tablespoon in 3.5 gallons of water). Immerse all utensils and glasses for at least 2 minutes.
5. Place sanitized utensils on a rack to air dry.

For hand wash operations, fresh sanitizing solution must be prepared at least daily. Prepare it more often if the solution becomes diluted or soiled.

FOR SANITIZING UTENSILS AND EQUIPMENT IN CIRCULATING SYSTEMS, ONCE-THROUGH OVERFLOW SYSTEMS, OR BY SPRAYING:

1. Preflush system to remove all gross food particles.
2. Wash system thoroughly with a Diversey detergent.
3. Rinse system thoroughly with potable water.
4. Sanitize in a solution of 100 ppm available chlorine (1.5 ounces per 10 gallons of water or one level tablespoon in 3.5 gallons of water). CIRCULATE through system. FLUSH through system, or SPRAY over all surfaces of system. Allow at least 2 minutes contact time with sanitizing solution.

Use solutions for circulating system, once-through overflow systems, or spray operations may not be reused for sanitizing. Only one sanitization per solution is allowed. The solution may be used for cleaning or other purposes if it is not soiled.

EGG SANITIZING: To sanitize clean shell eggs intended for food or food products, spray with a solution of 1.5 ounces of CL-9 SANITIZER in 10 gallons of water (providing 100 ppm available chlorine). The solution must be equal to or warmer than the eggs, but not to exceed 130°F. Wet eggs thoroughly and allow to drain. Eggs that have been sanitized with this chlorine compound may be broken for use in the manufacture of egg products without a prior potable water rinse. Eggs must be reasonably dry before casing or breaking. The solution must not be reused for sanitizing eggs.

MICROBIOLOGICAL DATA:

Method: Chlorine (Available) in Disinfectants, Germicidal Equivalent Concentration, A.O.A.C. 14th Edition, 1984, pages 68-69.

Results: Diversey CL-9 SANITIZER at 100 ppm available chlorine (1.5 oz./10 gal. water) is more than equivalent to 100 ppm of available chlorine derived from sodium hypochlorite.

The organisms used in these test were Salmonella typhosa ATCC No. 6539 Staphylococcus aureus ATCC No. 6538 and Listeria monocytogenes ATCC No. 15313. Copies of this test data are available upon request.

See CL-9 SANITIZER Technical Data Sheet for additional use directions and information.

EPA Registration No. 875-123

EPA Establishment No.: 875-WI-1 [1]; 875-TX-3 [3];

875-CA-2 [4]; 875-OH-1 [5]; 875-PA-1 [8].

Bracketed number is the first digit of the batch number.

A(952507)cp/wh

BEST AVAILABLE COPY