

875-185

12-12-2003

1/4



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

December 12, 2003

Ms. Lisa M. Amadio
Senior Registration Specialist
JohnsonDiversey, Inc.
8310 16th Street, MS 486
Sturtevant, WI 53177-0902

Subject: **Pro-Kleen™**
EPA Registration No.875-185
Application Dated September 18, 2003

Dear Ms. Amadio:

This following labeling, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable.

Proposed Amendment

- Label amendment

General Comment

A stamped copy of the accepted labeling is enclosed. Submit three (3) copies of your final printed labeling before distributing or selling the product.

Should you have any questions or comments concerning this letter, please contact me at (703) 308-6422, or Lisa McKelvin at (703) 308-7496.

Sincerely,

A handwritten signature in cursive script, appearing to read "Lisa McKelvin".
Adam Heyward
Product Manager (34)
Regulatory Management Branch II
Antimicrobials Division (7510C)

Enclosure

2/4

Note to Agency: Text appearing in parenthesis or brackets is done to show optional text.

PRO-KLEEN
Self-Foaming Acidic Cleaner/Descaler/Sanitizer

For (Institutional) (and) (Industry) (Industrial) Use (Only)

ACTIVE INGREDIENTS:	
Phosphoric acid.....	54.00%
Dodecylbenzene sulfonic acid.....	4.50%
INERT (OTHER) INGREDIENTS:	41.50%
TOTAL:	100.00%

KEEP OUT OF REACH OF CHILDREN
DANGER

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth if possible.

IN CASE OF EMERGENCY, CALL A POISON CONTROL CENTER OR DOCTOR FOR TREATMENT ADVICE.


1-800-851-7145

Have the product container or label with you when calling a Poison Control Center or doctor or going in for treatment.


Note to Physician: Probable mucosal damage may contraindicate gastric lavage.

See additional precautionary statements on back (side) (left) (right) (panel) (of) (label) (below).

Net Contents:



(Product of USA).....



9-18-03
Page 1 of 3
EPA Reg. No. 875-185

Note to Agency: Text appearing in parenthesis or brackets is done to show optional text.

For use on (these food contact surfaces): Dairy Farms for cleaning bulk tanks, utensils, cans, separators, strainers, pails, and milking machines. Dairy and Food Processing Plants for cleaning transport tank trucks, storage tanks, and other equipment. Carbonated Beverage Industry for cleaning pre-mix vending units. Food Service Industry for cleaning food serving equipment glasses, dishes, utensils, pots, and pans. Meat and Poultry Plants for cleaning all meat and poultry contact surfaces such as belts, cutting tables and other utensils and equipment.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

FOAM CLEANING

Mix Pro-Kleen with water (preferably 90 to 120°F) at 1:30 to 1:40 and stir until it is in solution. The product is immediately ready to be foamed. The foam produced with the Foamall Units at 60 psig is of good volume and clings well. Allow the foam to remain on the surface to be cleaned until the soil is loosened. Then rinse well with a strong impingement water spray.

DESCALING

Pro-Kleen should be foamed at 1:30 to 1:40. At this level it is an effective hard water protein scale remover. Lesser concentrations can be used for lighter soil and stronger concentrations for heavier soils.

USE PROCEDURES FOR SANITIZING:

1. Pre-flush with potable water to remove gross food particles.
2. Clean with recommended alkaline DiverseyLever cleaner.
3. Rinse with potable water.
4. To sanitize, apply a 1 part Pro-Kleen to 200 parts water (2 1/2 ounces per 4 gallons of water) by immersion, flooding or spraying with a coarse droplet spray. Surface should remain wet for at least 10 minutes.
5. Drain and air dry. Allow adequate draining before contact with food.

For manual operations, fresh sanitizing solution must be prepared at least daily, prepare more often if the solution becomes diluted or soiled.

Solution used in spray operations may not be re-used for sanitizing. Only 1 sanitization per solution is allowed. The solution may be used for cleaning or other purposes if not soiled.

MICROBIOLOGICAL DATA:

METHOD: Germicidal and Detergent Sanitizing Action of Disinfectants, A.O.A.C., 15th Ed., 1990.

RESULTS: Pro-Kleen at 1:200 (2 1/2 ounces per 4 gallons of water) reduces bacterial numbers by 99.999% when tested by this method with a 30 second contact time in 500 ppm hard water. The organisms used in these tests were Escherichia coli ATCC No. 11229, Staphylococcus aureus ATCC No. 6538 and Listeria monocytogenes ATCC No. 15313. Copies of the test data are available on request.


STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in original container in areas inaccessible to children. Do not reuse empty container.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or incineration or if allowed by state and local authorities, by burning. If burned, stay out of smoke.



4/4

Note to Agency: Text appearing in parenthesis or brackets is done to show optional text.

ENVIRONMENTAL HAZARDS (for containers of 5 gallons or more)

This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting agency has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed or absorbed through skin or inhaled. Do not get in eyes, on skin or on clothing. Avoid breathing spray mist. Wear chemical splash-proof goggles or face shield, rubber gloves and protective clothing. Wash hands thoroughly with soap and water before eating, drinking, chewing gum, using tobacco or using the toilet and after handling product. Remove contaminated clothing and wash before reuse.

PHYSICAL AND CHEMICAL HAZARDS

COMBUSTIBLE - Do not use or store near heat or open flames.

ACIDIC PRODUCT - Do not mix with other cleaners or chemicals, as hazardous gases or heat may be generated. Dilute only with water.

PELIGRO

Si no puede leer en ingles, pregunte a su supervisor sobre las instrucciones de uso apropiadas antes de trabajar con este producto.

EPA Reg. No. 875-185

EPA Est. No.

DiverseyLever, Inc., Cincinnati, OH 45241

ACCEPTED
DEC 12 2003
Under the Federal Insecticide, Fungicide, and
Rodenticide Act as amended, for the
pesticide registered under
EPA Reg No. 875-185

