

ENVIRONMENTAL HAZARDS: Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS: Do not use, pour, spill or store near heat or open flame. This product is corrosive to mild steel. Do not store or transport in unlined metal containers. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

STORAGE AND DISPOSAL:

Do not contaminate water, food, or feed by storage and disposal.
PESTICIDE SPRINGS: If frozen, thaw and make useable. Do not reuse empty container. Open dumping is prohibited.
PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.
CONTAINER DISPOSAL:
METAL CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.
PLASTIC CONTAINERS: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.
GENERAL: Consult Federal, State, or local disposal authorities for approved alternative procedures.


DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
 For Final Sanitizing Rinsing in Food Plants
 For Sanitizing Equipment in Meat and Poultry Plants
 A. Pre-rinse or pre-scrape utensils, glasses, and hard, non-porous surfaces to remove gross food particles. Pre-soak if necessary. Then thoroughly wash surfaces with detergent followed by a potable water rinse. Tilt washable surfaces for proper drainage.
 B. Sanitize in 200 ppm solution (1/4 oz. per gal. of water). Immerse utensils, glasses, and

HEALTH-3, FLAMMABILITY-1, REACTIVITY-0, PERSONAL PROTECTION-0



BATCH/LOT#



D-Trol
DISINFECTANT, SANITIZER

KEEP OUT OF REACH OF CHILDREN
DANGER

Corrosive. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin, or on clothing. Wear protective eyewear (goggles, face shield, or safety glasses), protective clothing and rubber gloves. Rinse thoroughly with water after handling. Remove contaminated clothing and shoes immediately.

Caution: Avoid contact with mucous membranes. Wash thoroughly with plenty of water for 15-20 minutes. Seek medical attention if irritation persists. See person slip a glass of water immediately after contact. If swallowed, do not induce vomiting. Seek medical attention by a poison control center or doctor.

Caution: Avoid contact with mucous membranes. Wash thoroughly with plenty of water for 15-20 minutes. Seek medical attention if irritation persists. See person slip a glass of water immediately after contact. If swallowed, do not induce vomiting. Seek medical attention by a poison control center or doctor.

Caution: Avoid contact with mucous membranes. Wash thoroughly with plenty of water for 15-20 minutes. Seek medical attention if irritation persists. See person slip a glass of water immediately after contact. If swallowed, do not induce vomiting. Seek medical attention by a poison control center or doctor.

PRECAUTIONARY STATEMENTS
 Hazards to Humans and Domestic Animals
DANGER

Corrosive. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin, or on clothing. Wear protective eyewear (goggles, face shield, or safety glasses), protective clothing and rubber gloves. Rinse thoroughly with water after handling. Remove contaminated clothing and shoes immediately.

NET CONTENTS: 55 GAL (208.2 L)

DiverseyLever, 2000 E. Kessler Rd. Cincinnati, OH 45241-2046 • 800 233 1000
 24-Hr. EMERGENCY TELEPHONE: 800 424 9300
 Medical: (Call 1-800-424-9300) • 24-Hr. Transportation: (CHEMTEC) 800 424 9300



DIRECTIONS FOR USE (continued)

plates for at least 2 minutes. Thoroughly wet washable surfaces using cloth, spray or sponge for 2 minutes.
 C. Place sanitized utensils, glasses, and plates on rack or drain board to air dry. Let washable surfaces drain and air dry. Do not rinse. Do not wipe. Prepare a fresh solution daily.
 For hand wash operations, fresh sanitizing solution must be prepared at least daily, prepare more often if the solution becomes diluted or soiled. Solution used in spray operations may not be re-used for sanitizing. Only 1 sanitization per solution is allowed. The solution may be used for cleaning or other purposes if it is not soiled.

APPLICATIONS: After cleaning surfaces with suitable detergent and rinsing, the sanitizing solution of D-Trol may be applied by soaking, spraying with suitable spray equipment, a clean mop or clean sponge.

FOR DISINFECTING IN HOSPITALS AND REST HOMES:
 Remove gross filth or heavy soil prior to application of product. Mix 3/4 ounces of product per 1 gallon of water (800 ppm). Allow surface to remain wet for 10 minutes. Allow surfaces to air dry.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection. D-Trol combines with 21 CFR 178.1010, Sanitizing Solutions Food Additive Law for final sanitizing rinsing of food processing equipment and on food contact surfaces in bars and restaurants.

HAND AND GLOVE SANITIZING: Wash hands or gloves with warm water and soap. Rinse with potable water. Prepare a solution containing 1/4 ounce D-Trol per gallon of water providing 200 ppm quaternary. Immerse hands or skin to completely wet skin or surface to above wrist area. Drain and wipe with a single service towel. DO NOT rinse hands or gloves with potable water unless required by regulatory authorities. Test sanitizer solution with a test kit. Discard used solution daily or more often if it becomes diluted or soiled.


MICROBIOLOGICAL DATA:
 D-Trol sanitizes against *Staphylococcus aureus* (ATCC 6538), *Escherichia coli* (ATCC 11229), *Pseudomonas aeruginosa* (ATCC 15442) and *Listeria monocytogenes* (ATCC 15313) on food contact surfaces in 2 minutes using 1/4 oz. per gallon of water (200 ppm).

EPA Registration No. 875-187
 EPA Establishment No. 4313-TX-1(12); 49292-WA-1(27)
 875-06-1(50); 875-PA-1(80); 875-NE-1(10)
 4313-TX-1(12); 875-CA-4(ND); 49292-WA-1(27)

Made in USA

875-187

01/17/2001



1/1