

See Side Panels
for Antidote &
Precautions

Keep Out of
Reach of
Children

VELSICOL

TECHNICAL PARATHION

FOR MANUFACTURING PURPOSES ONLY

EPA REG. NO. 106-104-01A

Active Ingredients:

Parathion 90% (90% available)
Inert Ingredients

Contains 100% available parathion. Contains 100% available parathion.

VELSICOL is a registered trademark of Velsicol Chemical Corporation.

© 1970 Velsicol Chemical Corporation

POISONOUS TO FISH AND WILDLIFE

Do not use this product on or near water. Do not use this product on or near water. Do not use this product on or near water.

USE ONLY WHEN WEARING THE FOLLOWING EQUIPMENT AND CLOTHING

1. Wear waterproof boots, suit, hat, rubber gloves, or rubber boots. 2. Wear safety glasses. 3. Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection. 4. Wear full body suit of the following type:

WORK SAFETY RULES

1. Do not allow children, pets, and other people to enter the treated area while the product is being applied.

2. Do not apply this product with hands. If you touch skin in any way, STOP and wash hands immediately with soap and water.

3. Do not eat, drink, or use tobacco products while you are exposed to parathion, and do not use tobacco products after you have been exposed. First Aid Treatment: Wash exposed skin with soap and water. If you breathe the vapors, use a respirator.

4. Wash your face, hands, and exposed skin with soap and water immediately after you have been exposed to parathion. Wash your face, hands, and exposed skin with soap and water immediately after you have been exposed to parathion.

5. Wash your face, hands, and exposed skin with soap and water immediately after you have been exposed to parathion. Wash your face, hands, and exposed skin with soap and water immediately after you have been exposed to parathion.

POISON SIGNS (Symptoms)

1. Irritation of the eyes, nose, throat, and skin. 2. Headache, dizziness, and nausea. 3. Weakness, fatigue, and loss of appetite. 4. Difficulty breathing. 5. Convulsions and coma.

FIRST AID TREATMENT

1. If inhaled: Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. 2. If swallowed: Do not induce vomiting. Give water to drink. 3. If on skin: Wash with soap and water. 4. If in eyes: Flush with water for 15 minutes.

NOTE TO PHYSICIAN

Antidote: Atropine. Do not use if patient has glaucoma. Do not use if patient has heart disease. Do not use if patient has asthma. Do not use if patient has epilepsy. Do not use if patient has Parkinson's disease. Do not use if patient has myasthenia gravis. Do not use if patient has peptic ulcer. Do not use if patient has diabetes. Do not use if patient has thyroid disease. Do not use if patient has kidney disease. Do not use if patient has liver disease. Do not use if patient has blood disease. Do not use if patient has any other disease.

HANDLING DIRECTIONS

1. Do not use this product in the presence of children, pets, and other people. 2. Do not use this product in the presence of fish and wildlife.

CONTAINER DISPOSAL

1. Do not reuse this container. 2. Do not burn this container. 3. Do not dump this container. 4. Do not throw this container away. 5. Do not use this container for any other purpose.

SPILLAGE

1. Do not breathe the vapors. 2. Do not touch the spill. 3. Do not use water to clean up the spill. 4. Do not use any other method to clean up the spill.

NOTICE: This product is a restricted use pesticide. It may only be used by or under the direct supervision of a person who is licensed by the state to apply restricted use pesticides. It is illegal to sell, distribute, or use this product in violation of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) or any state law.

See Side Panels
for Antidote &
Precautions

Keep Out of
Reach of
CHILDREN

KEEP OUT OF REACH OF CHILDREN

KEEP OUT OF REACH OF CHILDREN

KEEP OUT OF REACH OF CHILDREN

VELSICOL

TECHNICAL PARATHION

FOR MANUFACTURING PURPOSES ONLY

E.P.A. Registration No. 8-16-15 AA

APPLICATED DIRECTIONS

Apply to surfaces of equipment to be treated.

Apply to equipment.

Apply to surfaces of equipment to be treated.

Apply to equipment.

Apply to surfaces of equipment to be treated.

Apply to equipment.

Resist may be splashed in eyes. Wash eyes with plenty of water. If liquid gets on clothing, wash immediately.

FISH AND WILDLIFE

Do not use in areas where fish and wildlife are present. Do not use in areas where fish and wildlife are present.

USE THE FOLLOWING EQUIPMENT CLOTHING

Wear rubber boots or rubber soled shoes, mask or respirator approved by the U.S. Dept. of Health.

SAFETY RULES

Keep children away from treated areas.

Do not eat, drink, or smoke while using this product. Wash hands thoroughly after use.

Do not use in areas where fish and wildlife are present.

Do not use in areas where fish and wildlife are present.

SIGNS (Symptoms)

Headache, dizziness, nausea, vomiting, diarrhea, and other symptoms.

Do not use in areas where fish and wildlife are present. Do not use in areas where fish and wildlife are present.

FIRST AID TREATMENT

If inhaled, get fresh air. If on skin, wash with plenty of water. If in eyes, flush with water. If swallowed, do not induce vomiting. Have a doctor examine you immediately.

Wash skin with plenty of water for 15 minutes. Wash face, neck, and shoes. See physician if symptoms persist.

NOTE TO PHYSICIAN

At least 100 mg of atropine should be given immediately. Repeat at 30 minute intervals until signs of atropinization appear. Do not use sedatives or tranquilizers. Parathion is a strong anticholinergic agent that affects the central and peripheral nervous systems. At first signs of respiratory depression, the patient should be given supplemental oxygen and treated with atropine. If treated, a portion of the poison may be excreted in urine. VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.

HANDLING DRUMS

Operate drum only when set on end. Unscrew bungs slowly. Fit both bungs with caps and connect to closed venting and fumigation system.

CONTAINER DISPOSAL

Do not reuse empty drums. Decontaminate drums by thoroughly rinsing with a solution prepared by mixing 2 pounds of caustic soda (household lye) and 1 cup of detergent in 4 gallons of water. Close drum openings and rinse drum repeatedly until all inner surfaces are thoroughly wet. Bury drum in a hole at least 12 inches deep in an isolated area away from a source of water. Crush drum to prevent further use and discard in a safe place.

SPILLAGE

Do not use liquid spillage. Do not use liquid spillage.

Do not use liquid spillage. Do not use liquid spillage.