

VELSICOL® Heptachlor 3EC

WARNING

May be fatal if swallowed! Do not breathe vapor or spray mist. Do not get on skin. In case of contact, wash immediately with soap and water. Do not contaminate feed or food-stuffs. Keep out of reach of children. Do not use near heat or open flame. Store this product at temperatures above 50 F.

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water. Apply this product only as specified on this label.

Do not apply when weather conditions favor drift from areas treated.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

ANTIDOTE

INTERNAL—Emetic of 1 tablespoonful mustard in tumbler of water. Call a physician.

EXTERNAL—In case of spillage on skin, wash promptly with soap and water.

CONTAINER DISPOSAL

Rinse equipment and containers and dispose of wastes by burying in non-crop lands away from water supplies. Containers should be disposed of by punching holes in them and burying with wastes, or by burning. (Keep out of smoke.)

NOTICE: Because Velsicol Chemical Corporation has no control over storage, handling, and conditions of use, which are of critical importance, Velsicol Chemical Corporation makes no representation or warranty, either express or implied, for results or residues greater than any tolerance which may be established by appropriate governmental agencies, due to misuse, improper handling or storage of this material. Nor does Velsicol Chemical Corporation assume any responsibility for injury to persons, crops, animals, soil or property arising out of misuse, improper handling or storage of this material.

02151-103AB

CONTAINS 3 LBS. ACTUAL HEPTACHLOR PER GALLON

ACTIVE INGREDIENTS:

Heptachlor	32.1%
Related Compounds	12.5%
Xylene	50.4%

INERT INGREDIENTS

Total	100.0%
-------	--------

Heptachlorotetrahydro 4, 7-methanoindene

E.P.A. Registration No. 876-32-AA

E.P.A. Est. No. 876-TN-1

Net Contents 5 Gallons

WARNING

KEEP OUT OF THE REACH OF CHILDREN

See left panel for Antidote and Additional Precautionary Statements

VELSICOL CHEMICAL CORPORATION,
341 E. OHIO STREET, CHICAGO, ILLINOIS 60611

Printed in U.S.A.

DIRECTIONS FOR USE

Crop	Insect	Dosage per Acre Heptachlor 3EC
Pineapple <small>(Use limited to Hawaii only)</small>	Ants	Foliar Treatment (1) 1¼-2½ qts.

Dilute Heptachlor 3EC with sufficient water to give adequate coverage.

(1) Do not feed raw pineapple bran for 6 months, or foliage for 1 year after foliar treatment. Do not make foliar application on pineapple within 60 days of harvest.

