

VELSICOL[®]

Heptachlor

20G

**FOR SOIL INSECT
CONTROL**

ACCEPTED
APR 6 1976
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 876-33

WARNING
KEEP OUT OF THE
REACH OF CHILDREN
See back panel for additional cautions.

ACTIVE INGREDIENTS:
Heptachlor*.....20.00%
Related Compounds.....7.68%

E.P.A. Reg. No. 876-33-AA

ACCEPTED
 APR 6 1976
 Under the Federal Insecticide,
 Fungicide, and Rodenticide Act,
 as amended, for the pesticide
 registered under
 EPA Reg. No. 876-33

WARNING

**KEEP OUT OF THE
 REACH OF CHILDREN**
 See back panel for additional cautions.

E.P.A. Reg. No. 376-33-AA

**NET CONTENTS: 50 LBS.
 15-30 MESH**

ACTIVE INGREDIENTS:

Heptachlor*.....20.00%
 Related Compounds.....7.68%

INERT INGREDIENTS.....72.32%
Total 100.00%

*Heptachlorotetrahydro-4,7-methanoindene

WARNING

May be fatal if swallowed! Do not breathe vapour or dust. Do not get on skin. In case of contact wash immediately with soap and water. Do not contaminate feed or foodstuffs. Keep out of reach of children.

This product is toxic to fish, birds and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

ANTIDOTE

INTERNAL — Emetic of 1 tablespoonful mustard in tumbler of water. Call a physician.

EXTERNAL — In case of spillage on skin, wash promptly with soap and water.

IMPORTANT

Do not grow the following crops in rotation with crops receiving heptachlor soil treatment: forage legumes, root crops, peanuts and pasture grass.

CONTAINER DISPOSAL:

Rinse equipment and containers and dispose of wastes by burying in noncroplands away from water supplies. Containers should be disposed of by punching holes in them and burying with wastes, or by burning. (Keep out of smoke.)

DIRECTIONS FOR USE

Make preplant application just before or at planting time. Work into top 3 to 6 inches of soil as soon as possible after application.

Crop	Insects	DOSAGE RATES (BROADCAST)	
		Amount per Acre— Heptachlor 20G	Lb. Heptachlor per Acre
Corn (use suspended effective August 1, 1976)	Cutworms	7½-10 lbs.	1½-2 lbs.

NOTICE:

Because Velsicol Chemical Corporation has no control over storage, handling, and conditions of use, which are of critical importance, Velsicol Chemical Corporation makes no representation or warranty, either express or implied, for results or residues greater than any tolerance which may be established by appropriate governmental agencies, due to misuse, improper handling or storage of this material. Nor does Velsicol Chemical Corporation assume any responsibility for injury to persons, crops, animals, soil or property arising out of misuse, improper handling or storage of this material.

VELSICOL CHEMICAL CORPORATION

341 East Ohio Street Chicago, Illinois 60611

VELSICOL
CHLORDANE
40WP

FOR PROFESSIONAL TURF USE ONLY

ACTIVE INGREDIENTS:	
Technical Chlordane*	40%
INERT INGREDIENTS	60%
	<hr/>
	Total 100%

*Equivalent to 24% Octachloro-4, 7-metha-
notetrahydroindane and 16% related com-
pounds.

**CAUTION: KEEP OUT OF
THE REACH OF CHILDREN**

See Below for Antidote and
Additional Precautionary Statements

E.P.A. Reg. No. 876-40-AA

CONTENTS: 50 POUNDS

APR 27 1976

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, this pesticide
registered under
EPA Reg. No. 876-40

CAUTION

Harmful if swallowed. Contact with skin can cause toxic symptoms. Avoid breathing dust or spray mist. In case of contact with skin, wash with soap and water. Avoid contamination of feed and foodstuffs. Keep out of the reach of children. Keep children or pets off treated turf until material has been washed into the soil by watering or rain and grass is dry.

This product is toxic to fish, birds and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

ANTIDOTE

EXTERNAL—In case of spillage on skin, wash promptly with soap and water.

INTERNAL—Emetic of 1 tablespoonful mustard in tumbler of water. Call a physician.

CONTAINER DISPOSAL DO NOT REUSE EMPTY CONTAINER

Use equipment and containers and dispose of wastes by burying in non-crop lands away from water supplies. Containers should be disposed of by punching holes in them and burying with wastes, or by burning. Keep out of smoke.

USE DIRECTIONS

Application Rates for Golf Courses, Parks, Ornamental Turf and Cemeteries

Insect	Application Rates CHLORDANE 40WP		Equivalent (lb./A) Technical Chlordane	Application Directions and Limitations
	oz./5000 sq. ft.	lb./A		
Fire Ants	23-32	13-18	5-7	Use sufficient water for full coverage. Do not contaminate food or feed crops.
Japanese Beetle Larvae (federal/state quarantine programs—for use on sod and ornamental turf only.)	23-46	13-25	5-10	Use sufficient water for full coverage. Apply just before a rain or use irrigation or sprinklers to remove material from turf.

NOTICE—Because Velsicol Chemical Corporation has no control over storage, handling, and conditions of use, which are of critical importance, Velsicol Chemical Corporation makes no representation or warranty, either expressed or implied, for results or residues greater than any tolerance which may be established by appropriate governmental agencies, due to misuse, improper handling or storage of this material. Nor does Velsicol Chemical Corporation assume any responsibility for injury to persons, crops, animals, soil or property arising out of misuse, improper handling or storage of this material.

01103-241AA

VELSICOL CHEMICAL CORPORATION, 341 East Ohio St., Chicago, Ill. 60611

