


VELSICOL®

CHLORDANE

25G



**ACTIVE
INGREDIENT:**
Technical
Chlordane* 25.0%
**INERT
INGREDIENTS: 75.0%**
Total 100.0%

*Equivalent to 15.0% Octachloro-4,
7-methanotetrahydroindane and 10.0% related
compounds.

CAUTION
KEEP OUT OF
REACH OF CHILDREN
See antidote and additional
caution statements below.

E.P.A. Reg. No. 876-39-AA

NET CONTENTS 50 lbs.

CAUTION

Harmful if swallowed. Contact with skin can cause toxic symptoms. Avoid breathing dust. In case of contact with skin, wash with soap and water. Avoid contamination of feed and foodstuffs.

USE DIRECTIONS

Application Rates for Golf Courses, Parks, Ornamental Turf and Cemeteries			
Insect	Application Rates CHLORDANE 25G oz./5000	Equivalent (lb./A) Technical	Application Directions and Limitations
	1 lb./A		

CAUTION

Harmful if swallowed. Contact with skin can cause toxic symptoms. Avoid breathing dust. In case of contact with skin, wash with soap and water. Avoid contamination of feed and foodstuffs. Keep out of the reach of children. Keep children or pets off treated turf until material has been washed into the soil by watering or rain and grass is dry.

This product is toxic to fish, birds and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

ANTIDOTE

EXTERNAL—In case of spillage on skin, wash promptly with soap and water.

INTERNAL—Emetic of 1 tablespoonful mustard in tumbler of water. Call a physician.

CONTAINER DISPOSAL

DO NOT REUSE EMPTY CONTAINER

Rinse equipment and containers and dispose of wastes by burying in non-crop lands away from water supplies. Containers should be disposed of by punching holes in them and burying with wastes, or by burning. Keep out of smoke.

Manufactured and distributed by

VELSICOL CHEMICAL CORPORATION 341 East Ohio Street • Chicago, Illinois 60611

01106-141AB

USE DIRECTIONS

Application Rates for Golf Courses, Parks, Ornamental Turf and Cemeteries				
Insect	Application Rates CHLORDANE 25G		Equivalent (lb./A) Technical Chlordane	Application Directions and Limitations
	oz./5000 sq. ft.	lb./A		
Japanese Beetle Larvae (Federal/state quarantine programs— For use on sod and ornamental turf only.)	37-73	20-40	5-10	Apply just before a rain or use irrigation or sprinklers to remove material from turf.
fire ants (mound application only)	See application directions			Apply .8 to 1.6 cups of Chlordane 25G (equivalent to 0.07-0.14 lbs. Technical Chlordane) to entrance of nest as well as to an area 3 feet around mound. Treated areas should be examined 3 weeks after treatment and surviving colonies retreated. Do not contaminate food or feed crops.

NOTICE—Because Velsicol Chemical Corporation has no control over storage, handling, and conditions of use, which are of critical importance, Velsicol Chemical Corporation makes no representation or warranty, either express or implied, for results or residues greater than any tolerance which may be established by appropriate governmental agencies, due to misuse, improper handling or storage of this material. Nor does Velsicol Chemical Corporation assume any responsibility for injury to persons, crops, animals, soil or property arising out of misuse, improper handling or storage of this material.

Printed in U.S.A.