

SUGGESTED LABEL
BANVEL® D + 2,4-D
CLOVER, KNOTWEED, CHICKWEED KILLER
 (Contains 1.5 Pounds BANVEL® D and 3 Pounds 2,4-D)

CAUTION:

Avoid contact with skin, eyes and clothing. In case of contact flush with abundance of water; for eyes, get medical attention. Do not take internally. Keep out of the reach of children.

IMPORTANT:

Avoid drift of spray (course sprays are less likely to drift) on to vegetables, flowers, ornamental shrubs, trees, and other desirable crop plants. Do not apply within the drip line of small trees or shrubs. Do not contaminate domestic or irrigation waters. Do not pour solution used to clean sprayer near desirable tree or shrubs or where it may contaminate water. Do not store in direct contact with fertilizer, seeds, insecticides or fungicides. Do not use on centipede grass, St. Augustine grass or dichondra nor on lawns or turf where desirable bent-grass or clovers are present. Do not use on newly seeded lawns or turf. When container is empty immediately wash thoroughly and destroy. Never re-use. Use spray equipment for applying 2,4-D combinations only to turf.

Active Ingredients:

Dimethylamine Salt of dicamba
 (3,6-dichloro-anisic acid) . . . 32.4%
 Dimethylamine Salts of
 related acids 3.2%
 Dimethylamine Salt of 2,4-
 dichlorophenoxyacetic acid . . . 44.4%
 Inert Ingredients 41.6%

Total 100.0%

* Equivalent to 15.2% 3,6-dichloro-anisic acid (dicamba) or 1.5 pounds per gallon.

** Equivalent to 30.4% 2,4-dichlorophenoxyacetic acid or 3 pounds per gallon.

CONTENTS:

CAUTION

Keep out of the reach of children.
 See left panel for additional Cautions.

DIRECTIONS:

For Use on Lawns, Turf (not pastures) and Golf Fairways, Aprons, Tees and Roughs.

For the control of dandelions, plains, curly dock, chickweeds (common, mouseear, ~~and others~~), dog fennel, knotweed, sheep sorrel, clover, knawel, chicory, henbit, ragweed, pigweed, burdock, poison oak, poison ivy, ground ivy, (creeping charlie), wild garlic, wild onion and certain other broadleaf weeds, apply 2 pints to 3 pints Velsicol BANVEL D + 2,4-D per acre or 4 to 6 teaspoonsful per 1000 square feet (Equivalent to .34 Lb. dicamba + .68 Lb. 2,4-D to .51 Lb. dicamba + 1.02 Lbs. 2,4-D per acre). Apply as a foliar spray when weeds are actively growing. Make no more than one application per year. Use sufficient water to give complete coverage.

UNDER THE FL
 HERBICIDE AN
 FOR ECONOMIC
 NO. 876-50
 MAY 28, 1971
 ACCCE

Velsicol Chemical Corporation
 330 East Grand Avenue
 Chicago, Illinois 60611

Cameraman's Note
 Poor Copy

USDA Registration No. 876-50

NOTICE: Because Velsicol Chemical Corporation has no control over storage, handling and conditions of use, which are of critical importance, Velsicol Chemical Corporation makes no representation or warranty of any kind, either express or implied, and does not warrant results nor assumes any responsibility for injury to persons, crops, animals, soil or property arising out of the use, misuse, handling or storage of this material, whether in accordance with directions or not.

pounds per

BANVEL D + 2,4-D per acre or
4 to 6 teaspoonsful per 1000
square feet (Equivalent to
.34 Lb. dicamba + .68 Lb.
2,4-D to .51 Lb. dicamba +
1.02 Lbs. 2,4-D per acre).

~~Apply as a pre-emergent spray when~~

weeds are actively growing.

Make no more than one
application per year. Use
sufficient water to give
complete coverage.

of children.
of Cautions.

oration

nue

611.

876-50

NOTICE: Because Velsicol Chemical Corporation has no control over storage, handling and conditions of use, which are of critical importance, Velsicol Chemical Corporation makes no representation or warranty of any kind, either express or implied, and does not warrant results nor residues no greater than any tolerance which may be established by appropriate governmental agencies, nor does Velsicol Chemical Corporation assume any responsibility for injury to persons, crops, animals, soil or property arising out of the use, misuse, handling or storage of this material, whether in accordance with directions or not.

Cameraman's Note
Poor Copy

SUGGESTED LABEL
BANVEL® D + 2,4-D
CLOVER, KNOTWEED, CHICKWEED KILLER
 (Contains 1.5 Pounds BANVEL® D and 3 Pounds 2,4-D)

CAUTION:

Avoid contact with skin, eyes and clothing. In case of contact flush with abundance of water; for eyes, get medical attention. Do not take internally. Keep out of the reach of children.

IMPORTANT:

Avoid drift of spray (course sprays are less likely to drift) on to vegetables, flowers, ornamental shrubs, trees, and other desirable crop plants. Do not apply within the drip line of small trees or shrubs. Do not contaminate domestic or irrigation waters. Do not pour solution used to clean sprayer near desirable trees or shrubs or where it may contaminate water. Do not store in direct contact with fertilizer, seeds, insecticides or fungicides. Do not use on centipede grass, St. Augustine grass or dichondra nor on lawns or turf where desirable bent-grass or clovers are present. Do not use on newly seeded lawns or turf. When container is empty immediately wash thoroughly and destroy. Never re-use. Use spray equipment for applying 2,4-D combinations only to turf.

Active Ingredients:

Dimethylamine Salt of dicamba
 (3,6-dichloro-2-anisic acid)... 18.4%
 Dimethylamine Salts of
 related acids 3.2%
 Dimethylamine Salt of 2,4-
 dichlorophenoxyacetic acid**.. 36.8%
 Inert Ingredients..... 41.6%
 Total..... 100.0%

Equivalent to 15.2% 3,6-dichloro-
 anisic acid (dicamba) or 1.5 pounds
 per gallon.

** Equivalent to 30.4% 2,4-dichloro-
 phenoxyacetic acid or 3 pounds per
 gallon.

CONTENTS:

BEST DOCUMENT AVAILABLE
CAUTION

Keep out of the reach of children.
 See left panel for additional Cautions.

Velsicol Chemical Corporation
 330 East Grand Avenue
 Chicago, Illinois 60611

USDA Registration No. 876-50

4m23

DIRECTIONS:

For Use on Lawns, Turf (not
 pastures) and Golf Fairways,
 Aprons, Tees and Rough.

For the control of dandelions,
 plaintains, curly dock,
 chickweeds (common, mouseear,
 and perennial or stitchwort),
 dog fennel, knotweed, sheep
 sorrel, clover, knawel,
 chicory, henbit, ragweed,
 pigweed, burdock, poison oak,
 poison ivy, ground ivy,
 (creeping charlie), wild
 garlic, wild onion and certain
 other broadleaf weeds, apply
 2 pints to 3 pints Velsicol
 BANVEL D + 2,4-D per acre or
 4 to 6 teaspoonsful per 1000
 square feet (Equivalent to
 .34 Lb. dicamba + .68 Lb.
 2,4-D to .51 Lb. dicamba +
 1.02 Lbs. 2,4-D per acre).
 Apply as a foliar spray when
 weeds are actively growing.
 Make no more than one
 application per year. Use
 sufficient water to give
 complete coverage.

NOTICE: Because Velsicol Chemical Corporation has no control over storage, handling and conditions of use, which are of critical importance, Velsicol Chemical Corporation makes no representation or warranty of any kind, either express or implied, and does not warrant results nor residues no greater than any tolerance which may be established by appropriate governmental agencies, nor does Velsicol Chemical Corporation assume any responsibility for injury to persons, crops, animals, soil or property arising out of the use, misuse, handling or storage of this material, whether in accordance with directions or not.

UNITED STATES
 PATENT AND
 TRADEMARK
 OFFICE
 MAY 28 1971
 876-50

ACCORD
 MAY 28 1971

Jan 23

CAUTION:

Active Ingredients:	
Dimethylamine Salt of dicamba (3,6-dichloro- <u>o</u> -anisic acid): . . .	18.4%
Dimethylamine Salts of related acids	3.2%
Dimethylamine Salt of 2,4- dichlorophenoxyacetic acid*†. . .	36.8%
Inert Ingredients.	41.6%
Total	100.0%

- * Equivalent to 15.2% 3,6-dichloro-o-anisic acid (dicamba) or 1.5 pounds per gallon.
- ** Equivalent to 30.4% 2,4-dichloro-phenoxyacetic acid or 3 pounds per gallon.

CONTENTS:

BEST DOCUMENT AVAILABLE
CAUTION

Keep out of the reach of children.
See left panel for additional Cautions.

Velsicol Chemical Corporation
300 East Grand Avenue
Chicago, Illinois 60611

USDA Registration No. 876-50

DIRECTIONS:

For Use on Lawns, Turf (not pastures) and Golf Fairways, Aprons, Tees and Rough.

For the control of dandelions,
plains, plains, curly dock,
chickweeds (common, mouseear,
and perennial or stitchwort),
dog fennel, knotweed, sheep,
sorrel, clover, knawel,
chicory, henbit, ragweed,
pigweed, burdock, poison oak,
poison ivy, ground ivy,
(creeping charlie), wild,
garlic, wild onion and certain
other broadleaf weeds, apply
2 pints to 3 pints Velsicol
BANVEL D + 2,4-D per acre or
4 to 6 teaspoonsful per 1000
square feet (Equivalent to
.34 Lb. dicamba + .68 Lb.
2,4-D to .51 Lb. dicamba +
1.02 Lbs. 2,4-D per acre).
Apply as a foliar spray when
weeds are actively growing.
Make no more than one
application per year. Use
sufficient water to give
complete coverage.