

CAUTION

Do not use on St. Augustine grass, centipede grass, carpet grass or on dichondra nor on lawns where desirable bent grass or clover is present.

Avoid contact with skin, eyes and clothing when handling. Do not take internally. Wash thoroughly with soap and water after handling this product and before eating or smoking.

Do not store near and avoid contamination of foods, seeds, insecticides, fungicides, other fertilizers, streams, lakes or ponds. Do not apply on or near desirable flowers, shrubs, fruits or vegetables. Wash spreader thoroughly after use. Avoid dust drift to desirable plants.

NOTICE: Because Velsicol Chemical Corporation, has no control over storage, handling, and conditions of use, which are of critical importance, Velsicol Chemical Corporation makes no representation or warranty, either express or implied, for results or residues greater than any tolerance which may be established by appropriate governmental agencies, due to misuse, improper handling or storage of this material. Nor does Velsicol Chemical Corporation assume any responsibility for injury to persons, crops, animals, soil or property arising out of misuse, improper handling or storage of this material.

97000-232

PRINTED IN U.S.A.

VELSICOL®

WEED CONTROL WITH

Banvel® + 2,4-D

PLUS FERTILIZER (10-6-4)

Weed and Feed 5000 Square Feet

Minimum Guarantee Fertilizer Analysis

Total Nitrogen (N)	10.00%
Available Phosphoric Acid (P ₂ O ₅)	6.00%
Soluble Potash (K ₂ O)	4.00%
Potential Acidity 500 Lbs. Calcium Carbonate Equivalent per Ton	

Guaranteed Herbicide Analysis

Active Ingredients:		
Dimethylamine Salt of dicamba (3, 6-dichloro-o-anisic acid)*	0.28%	
Dimethylamine Salt of related acids	0.05%	
Dimethylamine Salt of 2,4-dichlorophenoxyacetic acid**	0.83%	
Inert Ingredients (Relative to Herbicide Content)	98.84%	
Total		100.00%

*Equivalent to 0.23% 3,6-dichloro-o-anisic acid (dicamba)
**Equivalent to 0.69% 2,4-dichlorophenoxyacetic acid

**CAUTION:
KEEP OUT OF THE REACH OF CHILDREN**

NET WEIGHT: 25 LBS.

READ THE LABEL—FOLLOW DIRECTIONS CAREFULLY

E.P.A. Registration No. 876-53-AA

DIRECTIONS FOR USE

Apply in the spring or fall to established lawns (not pastures) and golf course fairways, aprons, tees and roughs at the rate of 5 pounds per 1000 square feet. May also be used on newly seeded lawns after the second cutting in the spring. For best results make application to moist grass and do not mow or water for 24 hours after treatment.

Make one application per year, if needed, for control of dandelion, plantain, chickweed, knotweed, clover, sheep sorrel, henbit, stitchwort, buckhorn, dog fennel, mustard and other broadleaf weeds.

For uniform distribution and proper rate of application apply with a spreader that has been calibrated properly by trial over a known area.

CONTAINER DISPOSAL

Do not reuse container. Destroy by burying in a safe place. Do not burn.

VELSICOL CHEMICAL CORPORATION

341 E. Ohio Street

Chicago, Illinois 60611

CG 272



ACCEPTED WITH COMMENTS

Handwritten notes and stamps: "May 21, 1972", "876-53", and a signature.

CAUTION

Do not use on St. Augustine grass, centipede grass, carpet grass or on dichondra nor on lawns where desirable bent grass or clover is present.

Avoid contact with skin, eyes and clothing when handling. Do not take internally. Wash thoroughly with soap and water after handling this product and before eating or smoking.

Do not store near and avoid contamination of foods, seeds, insecticides, fungicides, other fertilizers, streams, lakes or ponds. Do not apply on or near desirable flowers, shrubs, fruits or vegetables. Wash spreader thoroughly after use. Avoid dust drift to desirable plants.

NOTICE: Because Velsicol Chemical Corporation, has no control over storage, handling, and conditions of use, which are of critical importance, Velsicol Chemical Corporation makes no representation or warranty, either express or implied, for results or residues greater than any tolerance which may be established by appropriate governmental agencies, due to misuse, improper handling or storage of this material. Nor does Velsicol Chemical Corporation assume any responsibility for injury to persons, crops, animals, soil or property arising out of misuse, improper handling or storage of this material.

07000-232

PRINTED IN U.S.A.

VELSICOL®

WEED CONTROL WITH

Banvel® + 2,4-D

PLUS FERTILIZER (10-6-4)

Weed and Feed 5000 Square Feet

Minimum Guarantee Fertilizer Analysis

Total Nitrogen (N)	10.00%
Available Phosphoric Acid (P.O.)	6.00%
Soluble Potash (K.O)	4.00%
Potential Acidity 500 Lbs. Calcium Carbonate Equivalent per Ton	

Guaranteed Herbicide Analysis

Active Ingredients:	
Dimethylamine Salt of dicamba (3, 6-dichloro-p-anisic acid)*	0.28%
Dimethylamine Salt of related acids	0.05%
Dimethylamine Salt of 2,4-dichlorophenoxyacetic acid**	0.83%
Inert Ingredients (Relative to Herbicide Content)	98.84%
Total	
100.00%	


* Equivalent to 0.23% 3,6-dichloro-p-anisic acid (dicamba)
** Equivalent to 0.69% 2,4-dichlorophenoxyacetic acid

CAUTION:
KEEP OUT OF THE REACH OF CHILDREN

NET WEIGHT: 25 LBS.

READ THE LABEL—FOLLOW DIRECTIONS CAREFULLY

E.P.A. Registration No. 876-53-AA



APPROVED
Mar. 21, 1972
E.P.A. REGISTRATION NO. 876-53
Comments

Ap
tu
at
be
in
gr
m
Ma
of
she
mu
For
app
by
Do
plac

VELSICOL[®]

WEED CONTROL WITH

Banvel[®] + 2,4-D

PLUS FERTILIZER (10-6-4)

Weed and Feed 5000 Square Feet

Minimum Guaranteed Fertilizer Analysis

Total Nitrogen (N)	10.00%
Available Phosphoric Acid (P ₂ O ₅)	6.00%
Soluble Potash (K ₂ O)	4.00%
Potential Acidity 500 Lbs. Calcium Carbonate Equivalent per Ton	

Guaranteed Herbicide Analysis

Active Ingredients:

Dimethylamine Salt of dicamba (3, 6-dichloro-o-anisic acid)*	0.28%
Dimethylamine Salt of related acids	0.05%
Dimethylamine Salt of 2,4-dichlorophenoxyacetic acid**	0.83%
Inert Ingredients (Relative to Herbicide Content)	98.84%
Total	100.00%

*Equivalent to 0.23% 3,6-dichloro-o-anisic acid (dicamba)
**Equivalent to 0.69% 2,4-dichlorophenoxyacetic acid

CAUTION:

KEEP OUT OF THE REACH OF CHILDREN

NET WEIGHT: 25 LBS.

READ THE LABEL—FOLLOW DIRECTIONS CAREFULLY

E.P.A. Registration No. 876-53-AA

DIRECTIONS FOR USE

Apply in the spring or fall to established lawns (not pastures) and golf course fairways, aprons, tees and roughs at the rate of 5 pounds per 1000 square feet. May also be used on newly seeded lawns after the second cutting in the spring. For best results make application to moist grass and do not mow or water for 24 hours after treatment.

Make one application per year, if needed, for control of dandelion, plantain, chickweed, knotweed, clover, sheep sorrel, henbit, stitchwort, buckhorn, dog fennel, mustard and other broadleaf weeds.

For uniform distribution and proper rate of application apply with a spreader that has been calibrated properly by trial over a known area.

CONTAINER DISPOSAL

Do not reuse container. Destroy by burying in a safe place. Do not burn.

VELSICOL CHEMICAL CORPORATION

341 E. Ohio Street

Chicago, Illinois 60611

CG 170



CAUTION

Harmful if swallowed. Avoid contact with skin, eyes and clothing. In case of contact, flush with plenty of water; for eyes get medical attention. Keep out of reach of children.

IMPORTANT

Do not store near and avoid contamination of food, seeds, insecticides, fungicides and fertilizers.

Do not contaminate domestic or irrigation waters.

Do not apply on or near desirable flowers, shrubs, fruits or vegetables.

Wash spreader thoroughly after use.

Do not apply to areas underlaid by roots of desirable trees and shrubs. Avoid drift to desirable plants.

CONTAINER DISPOSAL

Do not reuse empty container. Wash thoroughly with water and detergent. Discard in a safe place.

VELSICOL

GRANULAR

Banvel® +2,4-D

CLOVER, KNOTWEED, CHICKWEED, DANDELION KILLER

ACTIVE INGREDIENTS:

Dimethylamine Salt of dicamba (3,6-dichloro-g-anisic acid)*	0.28%
Dimethylamine Salt of related acids	0.05%
Dimethylamine Salt of 2,4-dichlorophenoxyacetic acid**	0.83%
INERT INGREDIENTS:	98.84%
TOTAL	100.00%

*Equivalent to 0.23% 3,6-dichloro-g-anisic acid.
**Equivalent to 0.69% 2,4-dichloro-phenoxyacetic acid.

E.P.A. Reg. No. 876-54-AA

NET CONTENTS: _____

CAUTION

SEE LEFT PANEL FOR ADDITIONAL CAUTIONS

DIRECTIONS FOR USE

IMPORTANT

Do not use on St. Augustinegrass, centipede grass, carpetgrass, dichondra or on lawns where desirable bentgrass or clover is present.

DIRECTIONS

Apply in the spring or fall to established lawns (not pastures) and golf course fairways, aprons, tees and roughs at the rate of 10 pounds per 2000 square feet. May be used on newly seeded lawns after the second cutting in the spring. For best results, make application to moist grass and do not mow or water for 24 hours after application.

Make one application per year for control of dandelion, plantain, chickweed, knotweed, clover, sheep sorrel, henbit, stitchwort, buckhorn, dogfennel, mustard and other broadleaf weeds.

NOTICE

Because Velsicol Chemical Corporation has no control over storage, handling, and conditions of use, which are of critical importance, Velsicol Chemical Corporation makes no representation or warranty, either express or implied, for results or residues greater than any tolerance which may be established by appropriate governmental agencies, due to misuse, improper handling or storage of this material. Nor does Velsicol Chemical Corporation assume any responsibility for injury to persons, crops, animals, soil or property arising out of misuse, improper handling or storage of this material.

ACCEPTED
apr 7 1972
UNDER THE FEDERAL INSPECTION
FUNGICIDE AND HERBICIDE ACT
FOR FERTILIZING POISON
E.P.A. REG. NO. 876-54-AA
TO APPLICATOR COMMENTS

VELSICOL CHEMICAL CORPORATION, 341 EAST OHIO STREET, CHICAGO, ILLINOIS 60611

BEST DOCUMENT AVAILABLE