

# CAUTION

Do not use on St. Augustine grass, centipede grass, carpet grass or on dichondra nor on lawns where desirable bent grass or clover is present.

Avoid contact with skin, eyes and clothing when handling. Do not take internally. Wash thoroughly with soap and water after handling this product and before eating or smoking.

Do not store near and avoid contamination of food, seeds, insecticides, fungicides, other fertilizers, streams, lakes or ponds. Do not apply in or near desirable flowers, shrubs, fruits or vegetables. Wash spreader thoroughly after use. Avoid dust drift to desirable plants.

**NOTICE:** Because Velsicol Chemical Corporation has no control over storage, handling, and conditions of use, which are of critical importance, Velsicol Chemical Corporation makes no representation or warranty, either express or implied, for results or residues greater than any tolerance which may be established by appropriate governmental agencies, due to misuse, improper handling or storage of this material. Nor does Velsicol Chemical Corporation assume any responsibility for injury to persons, crops, animals, soil or property arising out of misuse, improper handling or storage of this material.

# VELSICOL

WEED CONTROL WITH

# Banvel + 2,4-D

PLUS FERTILIZER (10-6-4)

Weed and Feed 5000 Square Feet  
FOR COMMERCIAL USE ONLY

## Minimum Guarantee Fertilizer Analysis

|                                                            |        |
|------------------------------------------------------------|--------|
| Total Nitrogen (N)                                         | 10.00% |
| Available Phosphoric Acid (P <sub>2</sub> O <sub>5</sub> ) | 6.00%  |
| Soluble Potash (K <sub>2</sub> O)                          | 4.00%  |

Contains 500 Lbs. Calcium Carbonate Equivalent per Ton

## Guaranteed Herbicide Analysis

|                                                                  |                |
|------------------------------------------------------------------|----------------|
| Active Ingredients                                               |                |
| Dimethylamine Salt of dicamba (3,6-dichloro-4-nitrobenzoic acid) | 0.28%          |
| Dimethylamine Salt of related acid                               | 0.05%          |
| Dimethylamine Salt of 2,4-dichlorophenoxyacetic acid**           | 0.83%          |
| inert Ingredients (Relative to Herbicide Content)                | 98.84%         |
| <b>Total</b>                                                     | <b>100.00%</b> |

\*\*The related acid is 3,6-dichloro-4-nitrobenzoic acid and the related acid is 2,4-dichlorophenoxyacetic acid.

## CAUTION:

KEEP OUT OF THE REACH OF CHILDREN

NET WEIGHT 25 LBS

READ THE LABEL—FOLLOW DIRECTIONS CAREFULLY

E.P.A. Registration No. 246-53-AA

ACCEPTED

MAR 12 1981

8-16-85  
Apply in the spring

(turf) and golf courses at the rate of 1 lb. per 1000 sq. ft. in the spring for grass and dandelion control.

Make one application of dandelion, sheep sorrel, mustard and

For uniform application apply with a broadcast spreader by trial over

Do not reuse place. Do not

VELSICOL



ACCEPTED

MAY 1981

**VELSICOL®**

WEED CONTROL WITH

**Banvel + 2,4-D**

PLUS FERTILIZER (10-6-4)

Weed and Feed 5000 Square Feet

FOR COMMERCIAL USE ONLY

**Minimum Guarantee Fertilizer Analysis**

|                                                                 |       |
|-----------------------------------------------------------------|-------|
| Total Nitrogen (N)                                              | 10.00 |
| Available Phosphoric Acid (P <sub>2</sub> O <sub>5</sub> )      | 6.00  |
| Soluble Potash (K <sub>2</sub> O)                               | 4.00  |
| Potential Acidity 500 Lbs. Calcium Carbonate Equivalent per Ton |       |

**Guaranteed Herbicide Analysis**

|                                                             |        |
|-------------------------------------------------------------|--------|
| Active Ingredients:                                         |        |
| Dimethylamine Salt of d-camba (3,6-dichloro-o-anisic acid)* | 0.28   |
| Dimethylamine Salt of related acids                         | 0.65   |
| Dimethylamine Salt of 2,4-dichlorophenoxyacetic acid**      | 0.87   |
| Inert Ingredients (Relative to Herbicide Content)           | 98.84  |
| Total                                                       | 100.00 |

\*Equivalent to 0.23% 3,6-dichloro-o-anisic acid  
\*\*Equivalent to 5.69% 2,4-dichlorophenoxyacetic acid

**CAUTION:**

KEEP OUT OF THE REACH OF CHILDREN

NET WEIGHT 25 LBS

READ THE LABEL—FOLLOW DIRECTIONS CAREFULLY

E.P.A. Registration No. 776-53-AA

**DIRECTIONS FOR USE**

Apply in the spring or fall to established lawns (not pastures) and golf course fairways, aprons, tees and roughs at the rate of 5 pounds per 1000 square feet. May also be used on newly seeded lawns after the second cutting in the spring. For best results make application to moist grass and do not mow or water for 24 hours after treatment.

Make one application per year, if needed, for control of dandelion, plantain, chickweed, knotweed, clover, sheep sorrel, henbit, stitchwort, blackfoot, dog fennel, mustard and other broadleaf weeds.

For uniform distribution and proper rate of application, apply with a spreader that has been calibrated properly by trial over a known area.

**CONTAINER DISPOSAL**

Do not reuse container. Destroy by burying in a safe place. Do not burn.

VELSICOL CHEMICAL CORPORATION

341 E. Ohio Street

Chicago, Illinois 60611

