



DANGER—POISON PRECAUTIONS



DO NOT SWALLOW

POISONOUS IF SWALLOWED—This product can kill you if swallowed even in small amounts. Spray must not be inhaled or dust may be fatal if swallowed.



DO NOT TOUCH

POISONOUS BY SKIN CONTACT—Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).



DO NOT BREATHE

POISONOUS IF BREATHED—Breathing vapors, spray mist or dust may be fatal.

POISONOUS TO FISH AND WILDLIFE

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label. Shrimp and crab may be killed at application rates recommended on this label. Do not apply where these are important resources.

This product is highly toxic to bees exposed to direct treatment or residue on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME

USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING

(1) Wear waterproof pants, coat, hat, rubber boots or rubber overshoes. (2) Wear safety goggles. (3) Wear mask or respirator approved by the U.S. Bureau of Mines for methyl parathion protection. (4) Wear heavy duty natural rubber gloves.

WORK SAFETY RULES

Keep all unprotected persons and children away from treated areas where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician), clinic or hospital—immediately. Explain that the victim has been exposed to methyl parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

IMPORTANT! Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

AFTER WORK Take off all work clothes and shoes. Shower using soap and water. Wash only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING

04153-140AC

POISON SIGNS (Symptoms)

Methyl parathion is a very dangerous poison. It rapidly enters the body on contact with skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment if they may die.

Some of the signs and symptoms of poisoning are: headache, nausea, vomiting, cramps, weakness, blurred vision, pinpoint pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooping or frothing of mouth and total muscle spasms and coma.

FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to methyl parathion and describe his condition.

If breathing has stopped start artificial respiration immediately and maintain it until sees victim. If swallowed and victim is awake (conscious) make him vomit quickly induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth in an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Antidote—Administer a specific antidote in large doses. TWO to FOUR cc/kg intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropine action appear. 2-PAM or Ipratropium bromide is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Methyl parathion is a strong cholinesterase inhibitor affecting the Central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal effects have been reported after initial improvement. **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

CONTAINER DISPOSAL

Do not reuse empty container. Decontaminate empty containers by rinsing with a solution prepared by mixing 1 gallon of water, 2 quarts of caustic soda (household lye) and 1 cup detergent. Close container openings at bottom of container separately on all inner surfaces are thoroughly wet. Bury, incineration (at least 18 inches deep) in isolated area of noncrop and away from water surfaces. Crush or perforate container to prevent further use and to dispose of by burying with wastes or by burning (keep out of view).

DIRECTIONS FOR USE

Application should be made only by experienced personnel using approved safety equipment.

For use in a treated area of 1/2 acre material to nearly filled spray tank. Add 1 gallon of water to full tank. Keep tank running during filling, mixing or spraying operation. Do not allow mixture to flame. If mixture does flame, immediately stop spraying and do not try to extinguish it as this may result. Do not combine material with any wettable powders in the spray tank (see previous use of the material). Do not combine material with any other material in the spray tank unless approved.

RECOMMENDATIONS Rates are given in the amount of material per acre. Use 1/2 gallon of water for thorough coverage. May be used for several applications up to 2 gallons of water per acre.

NOTICE: Because of the importance of correct use, Velisco Chemical Corporation makes no representation or warranty of the express or implied for results of results greater than any label and which may be established by appropriate government agencies, due to misuse, improper use or storage of this material. Neither Velisco Chemical Corporation nor its agents are responsible for injury to persons or property, soil or property arising out of misuse, improper handling or storage of this material.

RESTRICTED FOR RETAIL SALE TO ANY PERSONS UNDER THEIR USES COVERED BY THE C

VELSICOL

P



POISON

DANGER

KEEP OUT OF REACH OF CHILDREN

SEE SIDE FOR ANTIDOTE PRECAUTIONS

EPA Reg. No. 876-69-AA
LPA Est No.

VELSICOL CHEMICAL

P. 1

EMULSIFIABILE LIQUIDO

EMULSIFIABILE LIQUIDO
CONTIENE 400 G/L DI METILPANTOICATO DI METILCOLORENE
E 100 G/L DI METILPANTOICATO DI METILCOLORENE
E 100 G/L DI METILPANTOICATO DI METILCOLORENE

EMULSIFICABILE

Partron M 4-EC

EMULSIFIABILE LIQUIDO
AN AGRICOLTURA INSECTICIDE



Contains 4 lbs. Methy
pantioic acid ester



CAUTION
DANGER

DIRECTIONS FOR USE

For use on...
Apply...
Repeat...
Do not...
Keep...
Store...

RESTRICTED USE PESTICIDE
USE ONLY BY CERTIFIED APPLICATORS OR UNDER DIRECT SUPERVISION AND ONLY FOR THOSE STATES WHICH REQUIRE APPLICATOR'S CERTIFICATION.

CVL
Dirtron M 4-EC
EMULSIFIABLE LIQUID—
AGRICULTURAL INSECTICIDE



Contains 4 lbs. Methyl Parathion per Gallon

Active Ingredients
Methyl Parathion
Inert Ingredients

15
&

NOT FOR HOME USE

PREPARATION

DIRECTIONS FOR USE

[Faint, mostly illegible text in the middle section, likely containing detailed application instructions.]



