



Methyl Parathion mixture

RESTRICTED USE PESTICIDE


FOR RETAIL SALE TO AND USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION

POISON: READ DIRECTIONS

VELSICOL

Parathion-Methyl Parathion

6-3 EMULSIFIABLE CONCENTRATE



Contains 6 lbs. Parathion and 3 lbs. Methyl Parathion per gallon



CAN CAUSE DEATH

POISON

DANGER

KEEP OUT OF

REACH OF

CHILDREN

IF YOU SWALLOW

OR BREATHE IT

OR GET IT ON YOUR

CLOTHING

...at the
...es of
...at the
...red's
...er. Prop
...a box
...arathion
...breathing
...swallowed
...down thro
...give any
...doctor im
...in case of
...removal of
...Article
...any as so
...appear 2-P
...GIVE MOR
...centra and
...of pulmua
...continuo
...mpo eme
...48 HOURS
......
......
...NOTICE

POISON SIGNS

When a person has been poisoned, the following signs may be observed:

- 1. Nausea and vomiting
- 2. Diarrhea
- 3. Stomach pain
- 4. Dizziness
- 5. Weakness
- 6. Loss of consciousness
- 7. Convulsions
- 8. Changes in breathing
- 9. Changes in pulse
- 10. Changes in blood pressure
- 11. Changes in temperature
- 12. Changes in skin color
- 13. Changes in pupil size
- 14. Changes in reflexes
- 15. Changes in mental state

+ FIRST AID TREATMENT +

1. If the person is unconscious, do not give anything by mouth.

2. If the person is conscious, give small sips of water.

3. If the person has vomited, do not give anything by mouth.

4. If the person has inhaled a gas, move them to fresh air.

5. If the person has been poisoned by a liquid, give small sips of water.

6. If the person has been poisoned by a solid, give small sips of water.

7. If the person has been poisoned by a sharp object, do not remove it.

8. If the person has been poisoned by a burn, cool the burn with water.

9. If the person has been poisoned by a chemical, wash the affected area with water.

10. If the person has been poisoned by a needle, do not remove it.

11. If the person has been poisoned by a snake bite, do not cut or suck the wound.

12. If the person has been poisoned by a spider bite, wash the bite with water.

13. If the person has been poisoned by a bee sting, wash the sting with water.

14. If the person has been poisoned by a wasp sting, wash the sting with water.

15. If the person has been poisoned by a scorpion sting, wash the sting with water.

NOTE TO PHYSICIAN

When a person has been poisoned, the following information should be given to the physician:

- 1. Name of the poison
- 2. Amount of the poison
- 3. Time of poisoning
- 4. Signs and symptoms
- 5. First aid treatment given
- 6. Name of the person
- 7. Address of the person
- 8. Name of the physician
- 9. Name of the hospital
- 10. Name of the doctor
- 11. Name of the nurse
- 12. Name of the pharmacist
- 13. Name of the chemist
- 14. Name of the druggist
- 15. Name of the dealer

When a person has been poisoned, the following information should be given to the physician:

- 1. Name of the poison
- 2. Amount of the poison
- 3. Time of poisoning
- 4. Signs and symptoms
- 5. First aid treatment given
- 6. Name of the person
- 7. Address of the person
- 8. Name of the physician
- 9. Name of the hospital
- 10. Name of the doctor
- 11. Name of the nurse
- 12. Name of the pharmacist
- 13. Name of the chemist
- 14. Name of the druggist
- 15. Name of the dealer

When a person has been poisoned, the following information should be given to the physician:

- 1. Name of the poison
- 2. Amount of the poison
- 3. Time of poisoning
- 4. Signs and symptoms
- 5. First aid treatment given
- 6. Name of the person
- 7. Address of the person
- 8. Name of the physician
- 9. Name of the hospital
- 10. Name of the doctor
- 11. Name of the nurse
- 12. Name of the pharmacist
- 13. Name of the chemist
- 14. Name of the druggist
- 15. Name of the dealer



Methyl cyanide mixture liquid