

ation. Specifications for distance  
ons for recommended distance of treatment  
les drilled in construction elements

**TERRANEAN TERMITE TREATMENT**

ean termite control requires the establish  
horizontal chemical barrier between wood m  
es in the soil

quirements follow the latest edition of the  
H.U.D.) Minimum Property Standards  
as a plenum air space

s of water to produce a 0.5% water emulsion  
terrestrial termites

or to pouring of the slab (slab supported or  
ocal areas, make the following treatments

l barriers shall be established over areas in-  
rs, porches, and other critical areas applica-  
re spray.

\* 1 gallon per 10 square feet to dirt fill. If fill is  
material, apply the emulsion at the rate of 1 1/2

a water resistant cover such as polyethylene  
ainst soil wash out during heavy rainfall

**PRE SPRAY FOR AREAS INTENDED TO BE  
INS MUST BE MADE BY RODDING AND OR**

riers shall be established around the base of  
ed soil against foundation walls, and other  
be made by rodding and/or trenching.

\* 4 gallons per 10 linear feet per foot of depth  
op would require 12 gallons of emulsion per 10

lications must be made by rodding and/or  
de or from the bottom of a shallow trench. rod  
anner that will allow for application of a con-  
es should not extend beneath the top of the

anches. Rod from the base of a shallow trench  
ssure spray may be used to treat soil which will  
emulsion with the soil as it is being replaced in  
with a layer of untreated soil.

wer lines, plumbing or around any other utility  
slab

aces, application must be made by rodding  
of foundation and around all piers and pipes

**dry Units of the Foundation**

us chemical barrier in the voids. Apply the  
er 10 linear feet. Apply the emulsion so it will



# GOLD CREST H-60

EMULSIFIABLE CONCENTRATE

**INSECTICIDE  
FOR USE  
ONLY BY  
PROFESSIONAL  
APPLICATORS**

**ACTIVE INGREDIENTS:**

Heptachlor	27.8%
Related Compounds	10.8%
Petroleum Distillate	56.4%

**INERT INGREDIENTS**

Total	5.0%
	100.0%

Heptachlor Epoxide 4.7% with the residue 0.3% (EPA Reg. No. 75-85-009)  
Heptachlor 26.1% (EPA Reg. No. 75-85-009)

**KEEP OUT OF THE REACH OF CHILDREN  
WARNING**

**STATEMENT OF PRACTICAL TREATMENT**

**If swallowed**—Call a physician immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE VOMITING unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.  
**If on skin**—Wash with soap and water. **If in eyes**—Flush with water for 15 minutes. Contact a physician.  
**If inhaled**—Remove victim to fresh air and apply respiration if indicated.

**SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS**

EPA Reg. No. 75-85-009  
EPA Reg. No. 75-85-009

NET CONTENTS:

**VELSICOL CHEMICAL CORPORATION**  
341 East Ohio Street, Chicago, Illinois 60611

ACCEPTED

## POST CONSTRUCTION TREATMENTS

Mix one gallon of H-60 in 59 gallons of water to produce a 0.5% water emulsion. Use a 0.5% water emulsion for subterranean termites and for *Coptotermes* spp.

Post construction applications shall be made by sub-slab injection, rodding, trenching and low pressure spray.

Do not apply emulsion until location of heat or air conditioning ducts, vents, gas water and sewer or plumbing lines are known and identified. Extreme care must be taken to avoid contamination of these structural elements.

Do not make a broadcast application of this product in a crawl space. Do not apply this product to the soil beneath a plenum air space.

Do not make injections of the emulsion into wood elements of construction.

### Slab-On-Ground

Apply the emulsion at the rate of 4 gallons per 10 linear feet. Application shall be made by sub-slab injection, trenching or horizontal rodding.

Treat the soil from grade to top of the footing along the outside and, where necessary, along the inside of the foundation perimeter. Treatment may also be required along one side of a partition wall (especially where the wall is connected to the floor by fixtures inserted in the slab) and along cracks, expansion joints and other critical areas.

Drill holes should be spaced in a manner that will allow for application of a continuous chemical barrier.

Where necessary, drill through the foundation walls from the outside and force the chemical just beneath the slab or along the inside of the foundation.

Along the outside of the foundation walls where shallow foundations exist (1 foot or less), dig a narrow trench approximately 6 inches wide and not below the top of the footing. Apply the emulsion at the rate of 2 gallons per 10 linear feet. As the soil is being replaced into the trench, apply another 2 gallons per 10 linear feet to the backfill. Cover the treated soil with a layer of untreated soil. When making soil applications to the foundations extending deeper than 1 foot, follow instructions under BASEMENTS — OUTSIDE PERIMETER. (See exception for monolithic slabs immediately following.)

Note: For monolithic slab construction a vertical barrier shall be established along the outside of the foundation walls from grade to the bottom of the monolithic poured concrete foundation. Where the foundation extends deeper than one foot, rod holes should not extend beneath the bottom of the monolithic poured concrete foundation.

### Hollow Masonry Units of the Foundation

Treat so as to make a continuous chemical barrier in the voids. Apply the emulsion at the rate of 2 gallons per 10 linear feet. Apply the emulsion so it will reach the footing.

#### Basements

Apply the emulsion at the rate of 4 gallons per 10 linear feet per foot of depth from the grade to the top of the footing. For example, a footing 3 feet deep would require 12 gallons of emulsion per 10 linear feet. Application shall be made by sub-slab injection, trenching and/or rodding.

#### Inside

Treatment may be required along inside of foundation walls and along one side of interior partition walls (or bearing walls) especially where the wall is connected by fixtures inserted in the floor. Application may also be necessary around sewer pipes, floor drains, conduits or any cracks in the basement floor.

Drill holes should be spaced in a manner that will allow for application of a continuous chemical barrier.

#### Outside Perimeter

Applications must be made by rodding and/or trenching. When rodding from grade or from the bottom of a shallow trench, rod holes should be spaced in a manner that will allow for application of a continuous chemical barrier. Rod holes should not extend beneath the top of the footings.

A trench need not be wider than 6 inches. Reach the top of the footings. Low pressure spray is replaced in the trench. Mix the emulsion with trench. Cover the treated soil with a layer of

### Hollow Masonry Units of the Foundation (below grade)

Treat so as to make a continuous chemical emulsion at the rate of 2 gallons per 10 linear feet reach the footing.

### Crawl Space

Apply the emulsion at the rate of 4 gallons from the grade to the top of the footing. For rodding require 12 gallons of emulsion per 10 linear feet rodding and/or trenching.

Treat both sides of foundation and around. When rodding from grade or from the bottom, rod holes should be spaced in a manner that will allow for application of a continuous chemical barrier. Rod holes should not extend beneath the top of the footings.

A trench need not be wider than 6 inches. Reach the top of the footings. Low pressure spray is replaced in the trench. Mix the emulsion with trench. Cover the treated soil with a layer of

### Hollow Masonry Units of the Foundation

Treat so as to make a continuous chemical emulsion at the rate of 2 gallons per 10 linear feet reach the footing.

### RETREATMENT RE

Retreatment for subterranean termites: evidence of active termite infestation such as there has been a mechanical break in the

### STORAGE AND

#### Prohibitions

Do not contaminate water, food or feed, equipment. Open dumping is prohibited.

#### Storage

Store this product at temperatures above

#### Pesticide Disposal

Pesticide, spray mixture or rinsate that is no longer needed should be disposed of in a landfill, safe place away from water supplies.

#### Container Disposal

For less than 30 gallons, triple rinse, and dispose in approved landfill, or bury in a sealed container and offer for reconditioning, reconditioning or disposal in an approved

#### General

Consult federal, state or local disposal authorities.

#### LIMITED WARRANTY

Note: This product is not a warranty. It is a statement of fact. The manufacturer does not warrant that the product will be effective against all termites. The manufacturer does not warrant that the product will be effective against all species of termites. The manufacturer does not warrant that the product will be effective against all stages of termites. The manufacturer does not warrant that the product will be effective against all types of termites. The manufacturer does not warrant that the product will be effective against all types of termites.

876-85

ST CONSTRUCTION TREATMENTS

59

... of the ...  
... of the ...  
... of the ...

Slab On Ground

... of the ...  
... of the ...  
... of the ...

... of the ...  
... of the ...  
... of the ...

Hollow Masonry Units of the Foundation

... of the ...  
... of the ...

Basements

... of the ...  
... of the ...

Inside

... of the ...  
... of the ...

Outside

... of the ...  
... of the ...

... of the ...  
... of the ...

Hollow Masonry Units of the Foundation and/or Basement Wall

... of the ...  
... of the ...

Craw Spaces

... of the ...  
... of the ...

... of the ...  
... of the ...  
... of the ...

Hollow Masonry Units of the Foundation

... of the ...  
... of the ...

RETREATMENT RESTRICTIONS

Retreatment for ...  
... of the ...

STORAGE AND DISPOSAL

Prohibitions  
... of the ...

Storage  
... of the ...

Pesticide Disposal  
... of the ...

Container Disposal  
... of the ...

General  
... of the ...

... of the ...  
... of the ...