CAUTION: COMBUSTIBLE MIXTURE ACCEPTED

N.Y.F.D. C. of A. No. 4178

WARNING

Harmful if swallowed. Contact with skin can cause texic symptoms. Avoid breathing vapors or spray mist. In case of contact with skin, wash with soap and water. Avoid contamination of feed and foodstuffs. Keep out of the reach of children.

This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

ANTIDOTE

EXTERNAL — In case of spillage on skin, wash premptly with soap and water.

INTERNAL — Emetic of 1 tablespoonful mustard in tumbler of water. Call a physician.

CONTAINER DISPOSAL

Rinse equipment and containers and dispose of wastes by burying in noncroplands away from water supplies. Containers should be disposed of by punching holes in them and burying with wastes, or by burning. Keep out of smoke.

NOTICE — Because Velsicol Chemical Corporation has no control over storage. handling, and conditions of use, which are of critical importance, Velsicol Chemical Corporation makes no representation or warranty, either express or implied, for results due to misuse, improper handling or storage of this material. Nor does Velsicol Chemical Corporation assume any responsibility for injury to persons, crops, animals, soil or property arising out of misuse, improper handling or storage of this material.

Directions For Use

GOLD CREST C.I.O.-20 TERMITE CONTROL

Add 4 gallons of Gold Crest C.I.O.-20 to 86 gallons of deodorized kerosene for 1.0% solution as follows.

When application is by rodding, rods should be inserted one foot apart to the base of the footings. Applications should be made by pressure applied through the tube.


CONCRETE SLAB-ON-GROUND CONSTRUCTION

- 1 Apply an over-all treatment under entire surface of floor slab. Apply at the rate of 1 gallon per 10 square feet, except that if fill under slab is gravel or other coarse absorbent material, apply at the rate of 11/2 gallons per 10 square feet.
- 2 Under slab-on-ground porch floors and entrance platforms apply an overall treatment at the rate of 1 gallon per 10 square feet.
- 3 Along both sides of foundation wall, along interior foundation walls, and around plumbing, rod or dig a narrow trench to a depth of 1 foot, but not below the top of the footing. Along outside foundation walls, trench should be no wider than six inches. Apply at the rate of 2 gallons per linear feet of trench. The chemical should be mixed with the soil as it is being replaced in the trench.

6 1976

Under the Federal Inserticide, Fungicide, and a sensal te Act, as amended, for the pesticide

GOLD CREST C.I.O.-20 register d under Reg. No. 8 % -1000 CONCENTRATE



VELSICUL CHEMICAL CORPORATION

341 East Ohio Street • Chicago, Illinois 60611

4 Treat & least 1 the fog

BUILDI

1 Rod or the for 2 galle be mix

> 2 Rod or the for inches foot of per 5 l as it is

3 Under situation 10 squ

4 Treat 1 least 1 the fog

BUILDI

1 Apply under situatid per 10 cinden half. W

2 Rod or founda of solu with th

3 Along

trench

wider 1 top of apply fill with to the Cover. maxim footing depth. 1 foot

4 Treat 1 gall footing

PRECO

If soil is the same be place where for have aire Premises

a minimu

CAUTION: COMBUSTIBLE MIXTURE ACCEPTE

N.Y.F.D. C. of A. No. 4178

WARNING

Harmful if swallowed. Contact with skin can cause toxic symptoms. Avoid breathing vapors or spray mist. In case of contact with skin, wash with soap and water. Avoid contamination of feed and foodstuffs. Keep out of the reach of children.

This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

ANTIDOTE

EXTERNAL — In case of spillage on skin, wash promptly with soap and

INTERNAL — Emetic of 1 tablespoonful mustard in tumbler of water. Call a physician.

CONTAINER DISPOSAL

Rinse equipment and containers and dispose of wastes by burying in noncroplands away from water supplies. Containers should be disposed of by punching holes in them and burying with wastes, or by burning. Keep out of smoke.

NOTICE - Because Velsicol Chemical Corporation has no control over storage, handling, and conditions of use, which are of critical importance, Velsicol Chemical Corporation makes no representation or warranty, either express or implied, for results due to misuse, improper handling or storage of this material. Nor does Velsicol Chemical Corporation assume any responsibility for injury to persons, crops, animals, soil or property arising out of misuse, improper handling or storage of this material.

Directions For Use

GOLD CREST C.I.O.-20 TERMITE CONTROL

Add 4 gallons of Gold Crest C.I.O.-20 to 86 gallons of deodorized kerosene for 1.0% solution as follows.

When application is by rodding, rods should be inserted one foot apart to the base of the footings. Applications should be made by pressure applied through the tube.

CONCRETE SLAB-ON-GROUND CONSTRUCTION

- 1 Apply an over-all treatment under entire surface of floor slab. Apply at the rate of 1 gallon per 10 square feet, except that if fill under slab is gravel or other coarse absorbent material, apply at the rate of 11/2 gallons per 10 square feet.
- 2 Under slab-on-ground porch floors and entrance platforms apply an overall treatment at the rate of 1 gallon per 10 square feet.
- 3 Along both sides of foundation wall, along interior foundation walls, and around plumbing, rod or dig a narrow trench to a depth of 1 foot, but not below the top of the footing. Along outside foundation walls, trench should be no wider than six inches. Apply at the rate of 2 gallons per linear feet of trench. The chemical should be mixed with the soil as it is being replaced in the trench.





4 Treat least the fo

BUILD

1 Rod (the fo 2 gall be mi

2 Rod (the fo inche foot c per 5 as it i

3 Unde situal 10 sq

4 Treat least the fa

BUILD

1 Apply unde situat per 1 cinde half. 1

2 Rod (found of sol with t

3 Along

trenc wider top o apply fill wi to th€ Cove maxir footin depth 1 foot

4 Treat 1 gal footin

PREC(

If soil is the sam be plac where fo have alr Premise a minim

VELSICUL CHEMICAL CORPORATION

341 East Ohio Street • Chicago, Illinois 60611


ACCEPTE

6 1976 FEB

Under the Federal Insecticide. Fungicide, and Rodenticide Act, as amended, for the pesticide

İS

GOLD CREST. C.I.O.-20 registered under 8 76-700 CONCENTRATE



VELSICUL CHEMICAL CORPORATION

341 East Ohio Street • Chicago, Illinois 60611

Use Directions (Continued)

4 Treat all voids in hollow masonry units of the foundation at the rate of at least 1 gallon per 5 linear feet of wall. Apply the solution so as to reach the footing.

BUILDINGS WITH CRAWL SPACES

- 1 Rod or dig a narrow trench to the top of the footing along the inside of the foundation walls, around piers, sewer pipes and conduits. Apply 2 gallons of solution per 5 linear feet. When trenching, chemical should be mixed with the soil as it is being replaced in the trench.
- 2 Rod or dig a narrow trench to the top of the footing along the outside of the foundation wall. If a trench is dug, it should be no wider than six inches. Apply 2 gallons of solution per 5 linear feet of trench per each foot of depth. Rodding or trenching 3 feet deep would require 6 gallons per 5 linear feet. When trenching, chemical should be mixed with the soil as it is being replaced in the trench.
- 3 Under attached porches, entrance platforms, utility entrances and similar situations where slab or fill is at the same grade level apply 1 gallon per 10 square feet of soil surface.
- 4 Treat all voids in hollow masonry units of the foundation at the rate of at least 1 gallon per 5 linear feet of wall. Apply the solution so as to reach the footing.

BUILDINGS WITH BASEMENTS

- 1 Apply an over-all treatment under the basement floorings, as well as under attached porches, entrance platforms, utility entrances and similar situations where slab fill is at the grade level. Apply at the rate of 1 gallon per 10 square feet, except that if fill under slab is of washed gravel, cinders or similar coarse material, increase the dosage by at least onehalf. Where crawl spaces exist, treat as described in part 2 below.
- 2 Rod or dig a narrow trench to the top of the footing along the inside of foundation walls, around piers, sewer pipes and conduits. Apply 2 gallons of solution per 5 linear feet. When trenching, chemical should be mixed with the soil as it is being replaced in the trench.
- 3 Along the outside of foundation walls, rod or dig a narrow trench, such trench to be dug no deeper than the top of the footings and to be no wider than six inches. If the trench is less than 15 inches in depth to the top of the footings, apply 1 gallon per 5 linear feet. Replace the soil and apply another 1 gallon per 5 linear feet to the back fill. Cover the back fill with a thin layer of soil. If the trench is more than 15 inches in depth to the top of the footings, apply 2 gallons per 5 linear feet to the back fill. Cover the back fill with a thin layer of soil. A trench 30 inches deep is a maximum depth required alongside foundations where the top of the footings is greater than 30 inches deep. In lieu of trenching to a 30" depth, make a narrow trench and rod to footing, spacing the holes about 1 foot apart.
- 4 Treat all voids in hollow masonry units of the foundation at the rate of 1 gallon per 5 linear feet of wall. Apply the solution so as to reach the footing.

FRECONSTRUCTION TREATMENT

If soil is treated and the concrete slab is not poured shortly thereafter on the same day, a polyethylene sheeting or other waterproof material should be placed over the treated soil. However, this procedure is not required where foundation cinder blocks or bricks surrounding the treated soil area have already been installed.

Premises treated with Gold Crest C.I.O.-20 will give residual control for a minimum of five years.