



ACCEPTED
JAN 15 1981
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
registered under the
E.P.A. Reg. No. 876-114

WARNING

Keep away from human beings, domestic animals, wildlife and pets. If swallowed by human beings, domestic animals, wildlife or pets, this material may reduce the clotting ability of the blood and cause bleeding. In such cases, the intravenous and oral administration of vitamin K combined with blood transfusions are indicated, as in the case of hemorrhage caused by overdoses of bis-hydroxycoumarin.

IN ALL CASES OF HUMAN
INGESTION, IMMEDIATELY
NOTIFY A PHYSICIAN.

This product is toxic to fish and wildlife. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

CONTAINER DISPOSAL

Do not reuse empty container. Containers should be disposed of by punching holes in them and burying with wastes or by burning (keep out of smoke).

NOTICE

Because Velisol Chemical Corporation has no control over storage, handling and conditions of use, which are of critical importance, Velisol Chemical Corporation makes no representation or warranty, either express or implied, for results due to misuse, improper handling or storage of this material. Nor does Velisol Chemical Corporation assume any responsibility for injury to persons, crops, animals, soil or property arising out of misuse, improper handling or storage of this material.

Rev. 10004-1000C

VELSICOL® Diphacin® 120

RODENTICIDE CONCENTRATE
For Commercial Use Only

KILLS RATS and MICE
Anti-coagulant for Rodent Control

ACTIVE INGREDIENT
Sodium Salt of Diphacinone* 0.106%
INERT INGREDIENTS 99.894%
Total 100.000%

*Equivalent to 0.1% by weight of Diphacinone (99.894% active)

E.P.A. Reg. No. 876-114-AA
E.P.A. Est. No. 876-AZ-1

NET CONTENTS

WARNING

Keep Out of the Reach of Children

See left panel for
Additional Warning Statements

VELSICOL CHEMICAL CORPORATION
341 EAST OHIO ST. CHICAGO, ILL. 60611

IMPORTANT

Place baits in locations which are not accessible to children, pets, domestic animals or wildlife, or place baits in tamperproof boxes.

BAIT PREPARATION

TO PREPARE BAITS: Thoroughly mix one part (by weight) of Diphacin® 120 with nineteen parts (by weight) of dry cereal grains.

DIRECTIONS FOR USE

PLACEMENT OF BAITS: Place baits along walls, in corners, and in concealed locations where rats and mice can feed undisturbed. Continue baiting until all feeding has stopped. Immediately replace baits that mold, decompose or become sour.

FOR RAT CONTROL: Use at least four ounces of bait per location. Maintain an uninterrupted supply of bait for at least 15 days. Baiting can be continued indefinitely where reinfestation by rats and mice is a problem.

FOR MOUSE CONTROL: Use tablespoon amounts of bait per location. These baits should be placed 8 to 10 feet apart. Maintain an uninterrupted supply of bait for at least 15 days.