

CAUTION

Harmful if swallowed. Avoid contact with skin, eyes and clothing. In case of contact, flush with abundance of water; for eyes, get medical attention. Do not take internally. Keep out of the reach of children.

IMPORTANT

Avoid drift of spray mist onto vegetables, flowers, ornamental shrubs, trees, and other desirable crop plants. Coarse sprays are less likely to drift. Do not apply within the drip line of trees or shrubs. Do not contaminate domestic or irrigation waters. Do not pour solution used to clean sprayer near desirable trees or shrubs or where it may contaminate water. Do not store in direct contact with fertilizers, seeds, insecticides or fungicides. Do not use on centipede grass, St. Augustine grass or dichondra nor on lawns or turf where desirable bentgrass or clovers are present. Do not use on newly seeded lawns or turf. When container is empty, immediately wash thoroughly and destroy. Never reuse empty container. Use spray equipment only for turf applications when applying 2,4-D combinations.

CONTAINER DISPOSAL

Do not reuse empty container. Crush or perforate and bury empty container.

NOTICE

Because Velsicol Chemical Corporation has no control over storage, handling, and conditions of use, which are of critical importance, Velsicol Chemical Corporation makes no representation or warranty, either express or implied, for results or residues greater than any tolerance which may be established by appropriate governmental agencies, due to misuse, improper handling or storage of this material. Nor does Velsicol Chemical Corporation assume any responsibility for injury to persons, crops, animals, soil or property arising out of misuse, improper handling or storage of this material.



Banvel® + 2, 4-D

HERBICIDE

FOR PROFESSIONAL WEED CONTROL, TURF OR LAWN USE ONLY

Active Ingredients:

Dimethylamine Salt of dicamba (3,6-dichloro-p-anisic acid)*	18.4%
Dimethylamine Salts of related acids	3.2%
Dimethylamine Salt of 2,4-dichlorophenoxyacetic acid**	36.8%
Inert Ingredients	41.6%
Total	100.0%

*Equivalent to 15.2% 3,6-dichloro-p-anisic acid (dicamba) or 1.5 pounds per gallon.
**Equivalent to 30.4% 2,4-dichlorophenoxyacetic acid or 3 pounds per gallon.


(Contains 1.5 Pounds Dicamba and 3 Pounds 2,4-D Per Gallon)

Content 5 Gallons

CAUTION

KEEP OUT OF REACH OF CHILDREN
See left panel for additional cautions.

TM—Trademarks of Velsicol Chemical Corporation





Banvel[®] + 2, 4-D

HERBICIDE

FOR PROFESSIONAL WEED CONTROL, TURF OR LAWN USE ONLY

Active Ingredients:

Dimethylamine Salt of dicamba (3,6-dichloro-q-anisic acid)*	18.4%
Dimethylamine Salts of related acids	3.2%
Dimethylamine Salt of 2,4-dichlorophenoxyacetic acid**	36.8%
Inert Ingredients	41.6%
Total	100.0%

*Equivalent to 15.2% 3,6-dichloro-q-anisic acid (dicamba) or 1.5 pounds per gallon.

**Equivalent to 30.4% 2,4-dichlorophenoxyacetic acid or 3 pounds per gallon.

(Contains 1.5 Pounds Dicamba and 3 Pounds 2,4-D Per Gallon)

Contents: 5 Gallons

CAUTION

KEEP OUT OF REACH OF CHILDREN
See left panel for additional cautions.

TM—Trademarks of Velsicol Chemical Corporation


VELSICOL CHEMICAL CORPORATION, 341 East Ohio Street • Chicago, Illinois 60611

DIRECTIONS FOR GOLD CREST BANVEL[®] + 2,4-D

For Use on Lawns, Turf (not pastures), Parks, Cemeteries and Fairways, Aprons, Tees and Rough.

USE	WEEDS	DOSAGE	APPLICATION
On lawns, turf (not pastures), and golf fairways, aprons, tees and rough.	dandelion plantains curly dock common chickweed mouseear chickweed stitchwort dog fennel sheep sorrel clover knawel chickory henbit ragweed pigweed knotweed ground ivy (creeping charlie) wild onion burdock wild garlic poison oak poison ivy	Apply 2 pints to 3 pints BANVEL + 2,4-D per acre or 4 to 6 teaspoons per 1000 square feet. (Equivalent to .34 lb. Dicamba + .68 lb. 2,4-D to .51 Dicamba + 1.02 lbs. 2,4-D per acre.)	Apply as a foliar spray to actively growing weeds with sufficient water to give good coverage. Fall-germinating weeds may be controlled more effectively when treated in the fall or early winter. Make only one application per year.
	English daisy spurge purslane pepperweed lawn burweed hawkweed spurry carpetweed	Apply 3 pints BANVEL + 2,4-D per acre or 6 teaspoons per 1000 sq. ft. (Equivalent to .51 lb. Dicamba + 1.02 lbs. 2,4-D per acre.)	

U.S.D.A. Reg. No. 876-118



CAUTION

Harmful if swallowed. Avoid contact with skin, eyes and clothing. In case of contact, flush with abundance of water; for eyes, get medical attention. Do not take internally. Keep out of the reach of children.

IMPORTANT

Avoid drift of spray mist onto vegetables, flowers, ornamental shrubs, trees, and other desirable crop plants. Coarse sprays are less likely to drift. Do not apply within the drip line of trees or shrubs. Do not contaminate domestic or irrigation waters. Do not pour solution used to clean sprayer near desirable trees or shrubs or where it may contaminate water. Do not store in direct contact with fertilizers, seeds, insecticides or fungicides. Do not use on centipede grass, St. Augustine grass or dichondra nor on lawns or turf where desirable bentgrass or clovers are present. Do not use on newly seeded lawns or turf. When container is empty, immediately wash thoroughly and destroy. Never reuse empty container. Use spray equipment only for turf applications when applying 2,4-D combinations.

CONTAINER DISPOSAL

Do not reuse empty container. Crush or perforate and bury empty container.

NOTICE

Because Velsicol Chemical Corporation has no control over storage, handling, and conditions of use, which are of critical importance, Velsicol Chemical Corporation makes no representation or warranty, either express or implied, for results or residues greater than any tolerance which may be established by appropriate governmental agencies, due to misuse, improper handling or storage of this material. Nor does Velsicol Chemical Corporation assume any responsibility for injury to persons, crops, animals, soil or property arising out of misuse, improper handling or storage of this material.

07271-302

Printed in U.S.A.

CG 671

VELSICOL CHEMICAL CORPORATION, 341 East Ohio Street



GOLD CREST

Banvel® + 2, HERBICIDE

FOR PROFESSIONAL WEED CONTROL, TURF OR LAWN

Active Ingredients:

Dimethylamine Salt of dicamba (3,6-dichloro-p-anisic acid)
Dimethylamine Salts of related acids
Dimethylamine Salt of 2,4-dichlorophenoxyacetic acid*

Inert Ingredients

Total

*Equivalent to 15.2% 3,6-dichloro-p-anisic acid (dicamba) or 1.5 pounds
**Equivalent to 30.4% 2,4-dichlorophenoxyacetic acid or 3 pounds

(Contains 1.5 Pounds Dicamba and 3 Pounds 2,4-D)

Contents: 5 Gallons

CAUTION

KEEP OUT OF REACH OF CHILDREN
See left panel for additional caution

TM—Trademarks of Velsicol Chemical Corporation



GOLD CREST BANVEL® + 2,4-D HERBICIDE

PROFESSIONAL WEED CONTROL, TURF OR LAWN USE ONLY

Ingredients:
Dimethylamine Salt of dicamba (3,6-dichloro-p-anisic acid)* . 18.4%
Dimethylamine Salts of related acids . 3.2%
Dimethylamine Salt of 2,4-dichlorophenoxyacetic acid** . 36.8%
Inert ingredients . 41.6%
Total . 100.0%

Equivalent to 18.2% 3,6-dichloro-p-anisic acid (dicamba) or 1.5 pounds per gallon.
Equivalent to 30.4% 2,4-dichlorophenoxyacetic acid or 3 pounds per gallon.

Contains 1.5 Pounds Dicamba and 3 Pounds 2,4-D Per Gallon

Contents: 5 Gallons

CAUTION

KEEP OUT OF REACH OF CHILDREN
See left panel for additional cautions.

TM—Trademarks of Velsicol Chemical Corporation

VELSICOL CORPORATION, 341 East Ohio Street • Chicago, Illinois 60611

DIRECTIONS FOR GOLD CREST BANVEL® + 2,4-D
For Use on Lawns, Turf (not pastures), Parks, Cemeteries and
Fairways, Aprons, Tees and Rough.

USE	WEEDS	DOSAGE	APPLICATION
On lawns, turf (not pastures), and golf fair- ways, aprons, tees and rough	dandelion plantains curly dock common chickweed mouseear chickweed stitchwort dog fennel sheep sorrel clover knawel chickory henbit ragweed pigweed knotweed ground ivy (creeping charlie) wild onion turdock wild garlic poison oak poison ivy	Apply 2 pints to 3 pints BANVEL + 2,4-D per acre or 4 to 6 teaspoons per 1000 square feet. (EQUIVA- lent to .34 lb. Dicamba + .68 lb. 2,4-D to .51 Dicamba + 1.02 lbs. 2,4-D per acre.)	Apply as a foliar spray to ac- tively growing weeds with suf- ficient water to give good coverage. Fall-germinating weeds may be controlled more effectively when treated in the fall or early winter. Make only one application per year.
	English daisy spurge purslane pepperweed lawn burweed hawkweed spurry carpetweed	Apply 3 pints BANVEL + 2,4-D per acre or 6 tea- spoons per 1000 sq. ft. (Equivalent to .51 lb. Di- camba + 1.02 lbs. 2,4-D per acre.)	

U.S.D.A. Reg. No. 876-118

